




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
Thermal cross sections




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
Thermal mubar




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
Thermal ebar




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic



PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic




PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic for e= 1.012E-09 MeV







PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic for e= 1.417E-08 MeV



PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic for e= 9.000E-08 MeV



PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic for  $e = 5.033 \times 10^{-7}$  MeV



PD-PD\_SG225\_PALLADIUM @ 1800.00K  
thermal inelastic for e= 4.070E-06 MeV

