




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
Thermal cross sections




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
Thermal mubar




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
Thermal ebar




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic for e= 1.012E-09 MeV




TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic for e= 1.417E-08 MeV



TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic for e= 9.000E-08 MeV



TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



TH-TH3N4_SG166_THORIUMNITRIDE @ 2000.00K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

