




BA-BA\_SG229\_BARIUM @ 293.60K  
Thermal cross sections




BA-BA\_SG229\_BARIUM @ 293.60K  
Thermal mubar




BA-BA\_SG229\_BARIUM @ 293.60K  
Thermal ebar




BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic




BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic




BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic



BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic




BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic for  $e = 1.012 \times 10^{-9}$  MeV







BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic for  $e = 1.417\text{E-}08$  MeV



BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic for  $e = 9.000\text{E-}08$  MeV



BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic for  $e = 5.033\text{E-}07$  MeV



BA-BA\_SG229\_BARIUM @ 293.60K  
thermal inelastic for  $e = 4.070E-06$  MeV

