




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
Thermal cross sections




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
Thermal mubar




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
Thermal ebar




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic



O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic




O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic for  $e = 1.012\text{E-}09$  MeV







O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic for  $e = 1.417\text{E-}08$  MeV



O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic for e= 9.000E-08 MeV



O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic for e= 5.033E-07 MeV



O-KOH\_SG4\_POTASSIUMHYDROXIDE @ 100.00K  
thermal inelastic for  $e = 4.070E-06$  MeV

