




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal cross sections




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal mubar




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal ebar




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 9.000\text{E-}08$ MeV



BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for e= 5.033E-07 MeV



BA-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for e= 4.070E-06 MeV

