




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
Thermal cross sections




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
Thermal mubar




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
Thermal ebar




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic for e= 1.012E-09 MeV




BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic for e= 9.000E-08 MeV



BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic for e= 5.033E-07 MeV



BA-BAO_SG225_BARIUMOXIDE @ 77.00K
thermal inelastic for e= 4.070E-06 MeV

