




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
Thermal cross sections




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
Thermal mubar




PB-PBO-BETA_SG57_BETALEADMNNOXIDE @ 77.00K
Thermal ebar




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic for $e = 9.000\text{E-}08$ MeV



PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



PB-PBO-BETA_SG57_BETALEADMONOXIDE @ 77.00K
thermal inelastic for $e = 4.070E-06$ MeV

