




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
Thermal cross sections




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
Thermal mubar




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
Thermal ebar




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic for $e = 1.012\text{E-}09$ MeV




BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic for $e = 9.000\text{E-}08$ MeV



BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



BI-GE3BI4O12_SG220_BISMUTHGERMANATE @ 293.60K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

