




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
Thermal cross sections




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
Thermal mubar




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
Thermal ebar




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic for e= 1.012E-09 MeV




N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic for $e = 9.000E-08$ MeV



N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



N-TH3N4_SG166_THORIUMNITRIDE @ 77.00K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

