



O-CAOH2_SG164_CALCIUMHYDROXIDE @ 20.00K


Thermal cross sections




O-CAOH2_SG164_CALCIUMHYDROXIDE @ 20.00K
Thermal mubar




O-CAOH2_SG164_CALCIIUMHYDROXIDE @ 20.00K
Thermal ebar




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 9.000\text{E-}08$ MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 5.033 \times 10^{-7}$ MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

