




O-CU2O\_SG224\_CUPRITE @ 293.60K  
Thermal cross sections




O-CU2O\_SG224\_CUPRITE @ 293.60K  
Thermal mubar




O-CU2O\_SG224\_CUPRITE @ 293.60K  
Thermal ebar




O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic




O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic




O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic



O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic




O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic for  $e = 1.012 \times 10^{-9}$  MeV







O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic for  $e = 1.417\text{E-}08$  MeV



O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic for  $e = 9.000\text{E-}08$  MeV



O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic for  $e = 5.033\text{E-}07$  MeV



O-CU2O\_SG224\_CUPRITE @ 293.60K  
thermal inelastic for  $e = 4.070 \times 10^{-6}$  MeV

