




PB-PB\_SG225\_LEAD @ 293.60K  
Thermal cross sections




PB-PB\_SG225\_LEAD @ 293.60K  
Thermal mubar




PB-PB\_SG225\_LEAD @ 293.60K  
Thermal ebar




PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic




PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic




PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic



PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic




PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic for  $e = 1.012 \times 10^{-9}$  MeV







PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic for  $e = 1.417 \times 10^{-8}$  MeV



PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic for  $e = 9.000\text{E-}08$  MeV



PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic for  $e = 5.033\text{E-}07$  MeV



PB-PB\_SG225\_LEAD @ 293.60K  
thermal inelastic for  $e = 4.070\text{E-}06$  MeV

