




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
Thermal cross sections




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
Thermal mubar




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
Thermal ebar




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic



TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic




TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic for e= 1.012E-09 MeV







TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic for  $e = 1.417\text{E-}08$  MeV



TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic for  $e = 9.000\text{E-}08$  MeV



TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic for  $e = 5.033\text{E-}07$  MeV



TH-TH3N4\_SG166\_THORIUMNITRIDE @ 20.00K  
thermal inelastic for e= 4.070E-06 MeV

