




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
Thermal cross sections




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
Thermal mubar




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
Thermal ebar




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic




ND-ND2O3\_SG164\_NEODYMIUM OXIDE @ 293.60K  
thermal inelastic



ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic




ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic for e= 1.012E-09 MeV







ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic for e= 1.417E-08 MeV



ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic for e= 9.000E-08 MeV



ND-ND2O3\_SG164\_NEODYMIUM OXIDE @ 293.60K  
thermal inelastic for  $e = 5.033\text{E-}07$  MeV



ND-ND2O3\_SG164\_NEODYMIUMOXIDE @ 293.60K  
thermal inelastic for e= 4.070E-06 MeV

