




O-CAOH2_SG164_CALCIUMHYDROXIDE @ 20.00K
Thermal cross sections




O-CAOH2_SG164_CALCIUMHYDROXIDE @ 20.00K
Thermal mubar




O-CAOH2_SG164_CALCIIUMHYDROXIDE @ 20.00K
Thermal ebar




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 1.417 \times 10^{-8}$ MeV



O-CAOH2_SG164_CALCULUMHYDROXIDE @ 20.00K
thermal inelastic for e= 9.000E-08 MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 5.033 \times 10^{-7}$ MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 20.00K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

