




O-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal cross sections




O-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal mubar




O-BAO_SG225_BARIUMOXIDE @ 293.60K
Thermal ebar




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for e= 9.000E-08 MeV



O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



O-BAO_SG225_BARIUMOXIDE @ 293.60K
thermal inelastic for e= 4.070E-06 MeV

