




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
Thermal cross sections




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
Thermal mubar




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
Thermal ebar




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic for $e = 1.417\text{E-}08$ MeV



O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic for $e = 9.000\text{E-}08$ MeV



O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



O-PBO-BETA_SG57_BETALEADMONOXIDE @ 293.60K
thermal inelastic for $e = 4.070E-06$ MeV

