




O-CAOH2_SG164_CALCIUMHYDROXIDE @ 800.00K
Thermal cross sections




O-CAOH2_SG164_CALCIUMHYDROXIDE @ 800.00K
Thermal mubar




O-CAOH2_SG164_CALCIIUMHYDROXIDE @ 800.00K
Thermal ebar




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic




O-CAOH2_SG164_CALCIIUMHYDROXIDE @ 800.00K
thermal inelastic for e= 1.012E-09 MeV




O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic for $e = 1.417 \times 10^{-8}$ MeV



O-CAOH2_SG164_CALCIIUMHYDROXIDE @ 800.00K
thermal inelastic for e= 9.000E-08 MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic for $e = 5.033\text{E-}07$ MeV



O-CAOH2_SG164_CALCULATED HYDROXIDE @ 800.00K
thermal inelastic for $e = 4.070 \times 10^{-6}$ MeV

