

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title> B e   M y   V a l e n t i n e  Ø=Ü– </title>
```

```
<style>
*{box-sizing:border-box}
```

```
body{
    margin:0;
    height:100vh;
    background:linear-gradient(135deg,#ffd1dc,#ffe6f0);
    font-family:'Comic Sans MS', cursive;
    display:flex;
    justify-content:center;
    align-items:center;
    overflow:hidden;
}
```

```
/* ----- PAGE CONTAINER ----- */
```

```
.page{
    text-align:center;
    background:white;
    padding:40px 45px;
    border-radius:30px;
    box-shadow:0 20px 40px rgba(255,105,180,0.35);
    animation:pop 1s ease;
```

```
    z-index:2;
}

@keyframes pop{
    0%{transform:scale(0.4);opacity:0}
    60%{transform:scale(1.1)}
    100%{transform:scale(1);opacity:1}
}
```

```
h1{
    color:#ff4f9a;
    font-size:26px;
}
```

```
button{
    padding:14px 32px;
    font-size:18px;
    border:none;
    border-radius:40px;
    cursor:pointer;
}
```

```
#yes{
    background:#ff4f9a;
    color:white;
}
```

```
#no{
```

```
background:#ccc;
position:fixed;
}

/* ----- CELEBRATION ----- */
```

```
#celebrate{
    display:none;
    text-align:center;
    color:white;
    animation:fadeUp 1.5s ease;
}
```

```
@keyframes fadeUp{
    from{opacity:0;transform:translateY(40px)}
    to{opacity:1;transform:translateY(0)}
}
```

```
#celebrate h1{
    font-size:42px;
}
```

```
#celebrate p{
    font-size:22px;
}
```

```
/* ----- HEARTS ----- */

.heart{
    position:absolute;
```

```

    bottom:-30px;
    font-size:20px;
    animation:floatUp 6s linear infinite;
}

@keyframes floatUp{
    from{transform:translateY(0);opacity:1}
    to{transform:translateY(-100vh);opacity:0}
}

```

```

</style>
</head>

```

```

<body>

```

```

<!-- QUESTION PAGE -->

```

```

<div class="page" id="question">

```

```

    <h1>Harshii, will you be my Valentine? Ø=Ü• </h1>

```

```

    <br>

```

```

    <button id="yes" onclick="sayYes()">Yes Ø=Ü– <

```

```

</div>

```

```

    <button id="no">No Ø=Þ </button>

```

```

<!-- CELEBRATION PAGE -->

```

```

<div id="celebrate">

```

```

    <h1>YAYYYYYY!!! Ø<ß%øØ=Ü– </h1>

```

```

    <p>Harshii, you are my Valentine Ø=Ü• </p>

```

```

</div>

```

```
<script>
```

```
const noBtn = document.getElementById("no");
```

```
// NO button bhagne ka logic Ø=Þ
```

```
function moveNo(){
```

```
    const x = Math.random()*(window.innerWidth-noBtn.offsetWidth);
```

```
    const y = Math.random()*(window.innerHeight-noBtn.offsetHeight);
```

```
    noBtn.style.left = x+"px";
```

```
    noBtn.style.top = y+"px";
```

```
}
```

```
moveNo();
```

```
noBtn.addEventListener("mouseenter", moveNo);
```

```
noBtn.addEventListener("touchstart", moveNo);
```

```
// YES click
```

```
function sayYes(){
```

```
    document.body.style.background =
```

```
        "linear-gradient(120deg,#ff758c,#ff7eb3)";
```

```
    document.getElementById("question").style.display="none";
```

```
    noBtn.style.display="none";
```

```
    document.getElementById("celebrate").style.display="block";
```

```
}
```

```
// hearts animation
```

```
function heart(){
```

```
    const h=document.createElement("div");
```

```
    h.className="heart";
```

```
h.innerHTML="dp ";
h.style.left=Math.random()*100+"vw";
h.style.fontSize=(15+Math.random()*25)+"px";
h.style.animationDuration=(3+Math.random()*3)+"s";
document.body.appendChild(h);
setTimeout(=>h.remove(),6000);
}
setInterval(heart,250);
</script>

</body>
</html>
```