


ESD MONITOR



INTGRATION WITH ESP32
VISUAL INDECATON
BUZZER
PROPER SIZING
CONNECTOR? JACK CONNECTOR AND BLOCk TERMINAL
PROGRAMING? IOO AND BOOT BUTTON? RX TX PIN?
on off switch
- 1 tactile button for wifi confirguration please connect this

to un-used io

***				LOGO
Project: <i>ESD-MONITOR.PrjPcb / [No Variations]</i>				
Title: *				
Engineer: *				Project Code:
Date: 2/18/2025	Revision:		Sheet 1 of 6	Size: A4



A

B

C

D



A

B


C

D

Sheet2[4C]



Title		
Size	Number	Revision
A		
Date:	2/18/2025	Sheet of
File:	I:\ESD-MONITOR\ESD-ESP32.SchDoc	Drawn By:



ESD-ESP32[1A], ESD-MATT[1A], ESD-OP[1A]

PWR(0.1)


ESD-ESP32[1B]


BUZZER(0.1)

ESD-ESP32[1A], ESD-MATT[1A], ESD-OP[1A]

ERROR(0.1)

Title		
Size	Number	Revision
A		
Date:	2/18/2025	Sheet of
File:	I:\ESD-MONITOR\Sheet2.SchDoc	Drawn By:





Title		
Size	Number	Revision
A		
Date:	2/18/2025	Sheet of
File:	I:\ESD-MONITOR\ESD-OP.SchDoc	Drawn By: