



# Print this Calibration Test page first!

Size: Height: 152.40, Bust: 100.50, Waist: 79.00, Hips: 105.50  
Pattern Name: 2wedding

## Notes

---

---

---

---

---


---

## HOW TO PRINT



### Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



### Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



### Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.  
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 14s 522, FRONT, MAIN FABRIC: Cut 1

2, 14s 522, BACK, MAIN FABRIC: Cut 2

3, 14s 522, FRONT NECK FACING, MAIN FABRIC: 5, 14s 522, SLEEVE, MAIN FABRIC: Cut 2

Cut 1, FUSIBLE INTERFACING: Cut 1

4, 14s 522, BACK NECK FACING, MAIN FABRIC:

Cut 2, FUSIBLE INTERFACING: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Side invisible zipper length 50.00 (19.69 in)

2. Front length from HPS to hem 67.99 (26.77 in)

3. Across chest 54.27 (21.37 in)

4. Center front length to hem 59.41 (23.39 in)

5. Center back length to hem 62.69 (24.68 in)

6. Across front 39.70 (15.63 in)

7. Across back 37.46 (14.75 in)

8. Across shoulders 41.67 (16.41 in)

9. Side seam 41.20 (16.22 in)

10. Waist 46.02 (18.12 in)

11. Hips 57.31 (22.56 in)

12. Hemline sweep 55.21 (21.74 in)

13. Armhole length front 21.13 (8.32 in)

14. Armhole length back 24.75 (9.74 in)

15. Neck opening 15.10 (5.94 in)

16. Neckline length 42.98 (16.92 in)

17. Front neck drop 8.57 (3.37 in)

18. Back neck drop 3.33 (1.31 in)

19. Shoulder width 12.95 (5.10 in)

20. Apex to apex 21.10 (8.31 in)

21. Bust dart to bust dart 25.17 (9.91 in)

22. Sleeve length 52.20 (20.55 in)

23. Sleeve cap length 47.76 (18.80 in)

24. Armhole length 45.88 (18.06 in)


25. Sleeve upper arm width 35.37 (13.93 in)


26. Sleeve opening 24.42 (9.61 in)



Paper Size: A4;


Print Actual Size (100% Scale);






1/2

14s  
FR  
MAIN FAE  
2we



$\frac{1}{3}$




1/4


4

148 522  
BACK NECK FACING  
MAIN FABRIC: Cut 2  
FUSIBLE INTERFACING: Cut 2  
Zwadding

ZIP







2/1

1

522

PONT


PRIC: Cut 1


adding

2/2



2/3






3/1


ZIP



3/2




3/3




3/4

ZIP





4 1/2




5/3


14s 522

SLEEVE



MAIN FABRIC: Cut 2

2wedding







5/1



5/2

ZIP





$5/3$

5/4



6/1





6/2

ZIP

