



Print this Calibration Test page first!

Size: Height: 152.40, Bust: 109.00, Waist: 87.50, Hips: 114.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 18s 522 , FRONT, MAIN FABRIC: Cut 1
2, 18s 522 , BACK, MAIN FABRIC: Cut 2
3, 18s 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 18s 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 18s 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):


- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 14. Neck opening 15.60 (6.14 in) |
| 2. Front length from HPS to hem 69.97 (27.55 in) | 15. Neckline length 44.33 (17.45 in) |
| 3. Across chest 58.86 (23.17 in) | 16. Front neck drop 8.83 (3.48 in) |
| 4. Center front length to hem 61.15 (24.07 in) | 17. Back neck drop 3.33 (1.31 in) |
| 5. Center back length to hem 62.12 (24.46 in) | 18. Shoulder width 13.48 (5.31 in) |
| 6. Across front 43.13 (16.98 in) | 19. Apex to apex 22.80 (8.98 in) |
| 7. Across back 38.58 (15.19 in) | 20. Bust dart to bust dart 26.95 (10.61 in) |
| 8. Across shoulders 43.29 (17.04 in) | 21. Sleeve length 52.29 (20.59 in) |
| 9. Side seam 41.23 (16.23 in) | 22. Sleeve cap length 48.36 (19.04 in) |
| 10. Waist 50.76 (19.98 in) | 23. Armhole length 46.30 (18.23 in) |
| 11. Hemline sweep 59.83 (23.56 in) | 24. Sleeve upper arm width 39.27 (15.46 in) |
| 12. Armhole length front 21.59 (8.50 in) | 25. Sleeve opening 25.38 (9.99 in) |
| 13. Armhole length back 24.71 (9.73 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);





18s 522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
2wadding

3

1 1/2

NOT FOR FOLD

ZIP



1/2

MAIN F

F


1


2

1/3


4

18x52.2
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
Zwilling





1/5




1


Ps 522

FRONT

ABRIC: Cut 1
wedding



2/2





2/3

2/4



2/5

ZIP

3/1

ZIP




3/2

3/3

3/4





3/5


ZIP

18s 522

SLEEVE

MAIN FABRIC: Cut 2
2 wedding


4/





5

4/2

EASE









A diagram showing a parallelogram defined by two parallel diagonal lines. The parallelogram is filled with a light gray color. The entire diagram is enclosed within a dashed rectangular border. The text "5/1" is centered within the parallelogram.

5/1



5/2





5/3



6/1



6/2



6/3