



Print this Calibration Test page first!

Size: Height: 172.72, Bust: 109.00, Waist: 87.50, Hips: 114.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 18t 522 , FRONT, MAIN FABRIC: Cut 1
2, 18t 522 , BACK, MAIN FABRIC: Cut 2
3, 18t 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 18t 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 18t 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):


- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 15. Neck opening 15.59 (6.14 in) |
| 2. Front length from HPS to hem 76.65 (30.18 in) | 16. Neckline length 44.27 (17.43 in) |
| 3. Across chest 58.86 (23.17 in) | 17. Front neck drop 8.81 (3.47 in) |
| 4. Center front length to hem 67.84 (26.71 in) | 18. Back neck drop 3.60 (1.42 in) |
| 5. Center back length to hem 68.81 (27.09 in) | 19. Shoulder width 13.48 (5.31 in) |
| 6. Across front 42.04 (16.55 in) | 20. Apex to apex 22.80 (8.98 in) |
| 7. Across back 38.83 (15.29 in) | 21. Bust dart to bust dart 26.92 (10.60 in) |
| 8. Across shoulders 43.04 (16.94 in) | 22. Sleeve length 59.55 (23.44 in) |
| 9. Side seam 45.68 (17.98 in) | 23. Sleeve cap length 52.16 (20.54 in) |
| 10. Waist 50.76 (19.98 in) | 24. Armhole length 50.12 (19.73 in) |
| 11. Hips 62.10 (24.45 in) | 25. Sleeve upper arm width 39.42 (15.52 in) |
| 12. Hemline sweep 60.01 (23.63 in) | 26. Sleeve opening 25.81 (10.16 in) |
| 13. Armhole length front 23.47 (9.24 in) | |
| 14. Armhole length back 26.66 (10.50 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);





181522
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
Zweefding


4

1/1






1/2



181.522
FRONT NECK FACING
MAIN FABRIC: CUT 1
FUSIBLE INTERFACING: CUT 1
2xwedding

3


1/3




4" x 4"

101.5mm x 101.5mm

If measurements are not
correct, please re-print it
with print settings set on
Actual or 100% Scale



A diagram featuring a dashed rectangular border. Inside, a curved line starts from the left edge, curves downwards and to the right, ending near the bottom edge. There are four small tick marks on the left side of this curve. To the right of the curve, the text "1/5" is displayed in a large, bold, gray font.

1/5

1


18t 522

FRONT

MAIN FABRIC: Cut 1


2weddng

Zip





2/2

CUT-OUT-FOLD



2/3

2/4



2/5

ZIP

3/1

ZIP





$3/2$

3/3

3/4



3/5

ZIP





18t 522


SLEEVE

MAIN FABRIC: Cut 2
2wedding


4/








4/4




5/1



A diagram consisting of a dashed rectangular box. Inside the box, on the left side, is a solid vertical line with a downward-pointing arrow at its base. To the right of this line, centered vertically, is the text $5/2$.



$5/2$



5/3

6/1

6/2



6/3