



Print this Calibration Test page first!

Size: Height: 172.72, Bust: 114.00, Waist: 93.00, Hips: 119.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 20t 522 , FRONT, MAIN FABRIC: Cut 1
2, 20t 522 , BACK, MAIN FABRIC: Cut 2
3, 20t 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 20t 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 20t 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 15. Neck opening 15.93 (6.27 in) |
| 2. Front length from HPS to hem 77.97 (30.70 in) | 16. Neckline length 45.16 (17.78 in) |
| 3. Across chest 61.56 (24.24 in) | 17. Front neck drop 8.98 (3.54 in) |
| 4. Center front length to hem 68.99 (27.16 in) | 18. Back neck drop 3.63 (1.43 in) |
| 5. Center back length to hem 69.64 (27.42 in) | 19. Shoulder width 14.01 (5.52 in) |
| 6. Across front 44.26 (17.43 in) | 20. Apex to apex 23.80 (9.37 in) |
| 7. Across back 40.04 (15.76 in) | 21. Bust dart to bust dart 27.93 (11.00 in) |
| 8. Across shoulders 44.43 (17.49 in) | 22. Sleeve length 59.59 (23.46 in) |
| 9. Side seam 46.20 (18.19 in) | 23. Sleeve cap length 53.14 (20.92 in) |
| 10. Waist 53.79 (21.18 in) | 24. Armhole length 51.03 (20.09 in) |
| 11. Hips 65.14 (25.65 in) | 25. Sleeve upper arm width 41.10 (16.18 in) |
| 12. Hemline sweep 63.02 (24.81 in) | 26. Sleeve opening 26.42 (10.40 in) |
| 13. Armhole length front 23.82 (9.38 in) | |
| 14. Armhole length back 27.21 (10.71 in) | |




Paper Size: A4;

Print Actual Size (100% Scale);



1/1

4
201 592
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
2wadding




1

20t 522

2 FRONT

MAIN FABRIC : Cut 1

1 wedding






2


201522


BACK

MAIN FABRIC: Cut 2

2 wedding









OPTIONAL


3

201.522
FRONT NECK FACING
MAIN FABRIC: CUT 1
FUSIBLE INTERFACING: CUT 1
Zwadding






2/2



2/3


CUT ON FOLD



2/4

ZIP





2/5

3/1





$3/2$

3/3



3/4



3/5

ZIP


20t 522


SLEEVE

MAIN FABRIC: Cut 2
2w edding

4 1/2

ZIP







EASE


4/2

5



4/3






4"x 4"

101.5mm x 101.5mm

If measurements are not
correct, please re-print it
with print settings set on
Actual or 100% Scale


4/4



5/1

5/2







5/3

6/1

6/2



6/3