



Print this Calibration Test page first!

Size: Height: 172.72, Bust: 120.00, Waist: 100.00, Hips: 126.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 22t 522, FRONT, MAIN FABRIC: Cut 1

2, 22t 522, BACK, MAIN FABRIC: Cut 2

3, 22t 522, FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 22t 522, BACK NECK FACING, MAIN FABRIC:

Cut 2, FUSIBLE INTERFACING: Cut 2

5, 22t 522, SLEEVE, MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Side invisible zipper length 50.00 (19.69 in)

2. Front length from HPS to hem 79.22 (31.19 in)

3. Across chest 64.80 (25.51 in)

4. Center front length to hem 70.08 (27.59 in)

5. Center back length to hem 70.00 (27.56 in)

6. Across front 45.75 (18.01 in)

7. Across back 41.49 (16.33 in)

8. Across shoulders 44.81 (17.64 in)

9. Side seam 46.20 (18.19 in)

10. Waist 57.68 (22.71 in)

11. Hips 68.86 (27.11 in)

12. Hemline sweep 66.74 (26.28 in)

13. Armhole length front 24.44 (9.62 in)

14. Armhole length back 28.20 (11.10 in)

15. Neck opening 16.26 (6.40 in)

16. Neckline length 45.94 (18.09 in)

17. Front neck drop 9.14 (3.60 in)

18. Back neck drop 3.63 (1.43 in)

19. Shoulder width 14.05 (5.53 in)

20. Apex to apex 25.00 (9.84 in)

21. Bust dart to bust dart 29.14 (11.47 in)

22. Sleeve length 59.64 (23.48 in)

23. Sleeve cap length 54.83 (21.59 in)

24. Armhole length 52.63 (20.72 in)


25. Sleeve upper arm width 43.34 (17.06 in)

26. Sleeve opening 26.96 (10.61 in)




Paper Size: A4;

Print Actual Size (100% Scale);



4
221/522
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
Zwadding

1/1




2
2
FRONT

22t 522

MAIN FABRIC: Cut 1

2 wedding




2


22t522


BACK

MAIN FABRIC: Cut 2


2 wedding







1/5





3

221 522
FRONT NECK FACING
MAIN FABRIC: CUT 1
FUSIBLE INTERFACING: CUT 1
2x wedding



CUT ON FOLD






2/2

2/3

CUT ON FOLD




2/4



ZIP


2/5

3/1






$3/2$



3/3



3/5

ZIP




22t 522


SLEEVE

MAIN FABRIC: Cut 2
2w edding

4/1

ZIP







EASE


4/2

5






4/4




5/1




A diagram consisting of a dashed rectangular border. Inside the border, on the left side, is a solid vertical line extending from the top to the bottom, with a small downward-pointing arrowhead at the bottom. To the right of this line, centered vertically, is the fraction $5/2$ in a large, bold, gray font.

$$5/2$$





5/3



6/1

6/2



6/3