



Print this Calibration Test page first!

Size: Height: 172.72, Bust: 126.00, Waist: 110.00, Hips: 132.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 24t 522 , FRONT, MAIN FABRIC: Cut 1
2, 24t 522 , BACK, MAIN FABRIC: Cut 2
3, 24t 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 24t 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 24t 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 15. Neck opening 16.93 (6.67 in) |
| 2. Front length from HPS to hem 80.54 (31.71 in) | 16. Neckline length 47.66 (18.76 in) |
| 3. Across chest 68.04 (26.79 in) | 17. Front neck drop 9.48 (3.73 in) |
| 4. Center front length to hem 71.06 (27.98 in) | 18. Back neck drop 3.67 (1.44 in) |
| 5. Center back length to hem 70.94 (27.93 in) | 19. Shoulder width 14.56 (5.73 in) |
| 6. Across front 47.73 (18.79 in) | 20. Apex to apex 26.20 (10.31 in) |
| 7. Across back 43.42 (17.09 in) | 21. Bust dart to bust dart 30.34 (11.94 in) |
| 8. Across shoulders 46.53 (18.32 in) | 22. Sleeve length 59.69 (23.50 in) |
| 9. Side seam 46.57 (18.33 in) | 23. Sleeve cap length 56.78 (22.35 in) |
| 10. Waist 63.18 (24.87 in) | 24. Armhole length 54.46 (21.44 in) |
| 11. Hips 73.11 (28.78 in) | 25. Sleeve upper arm width 45.63 (17.96 in) |
| 12. Hemline sweep 71.04 (27.97 in) | 26. Sleeve opening 28.33 (11.15 in) |
| 13. Armhole length front 25.46 (10.02 in) | |
| 14. Armhole length back 29.00 (11.42 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);



1/1

4

241 522
BACK NECK FACING
MAIN FABRIC: cut 2
FUSIBLE INTERFACING: cut 2
Zwedding


24t-522

FRONT

MAIN FABRIC: Cut 1

2 wedding

1/2



24t 522


BACK


MAIN FABRIC : Cut 2


2wedding

1

1









241.522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
2xwidth

3

1/5






2/3

CUT ON FOLD




2/4



ZIP

2/5

3/1





$3/2$

3/3



3/4



3/5



ZIP


24t 522

SLEEVE

MAIN FABRIC: C
2weddin

4/1

ZIP





EASE

4/2

5

4/3





4''x 4''

101.5mm x 101.5mm

If measurements are not
correct, please re-print it
with print settings set on
Actual or 100% Scale


4/4



4/5

ut 2

5/1





5/2

5/3

6/1



6/2



6/3