



Print this Calibration Test page first!

Size: Height: 152.40, Bust: 133.00, Waist: 117.00, Hips: 139.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 26s 522, FRONT, MAIN FABRIC: Cut 1

2, 26s 522, BACK, MAIN FABRIC: Cut 2

3, 26s 522, FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 26s 522, BACK NECK FACING, MAIN FABRIC:

Cut 2, FUSIBLE INTERFACING: Cut 2

5, 26s 522, SLEEVE, MAIN FABRIC: Cut 2

Pattern Specs (Circumferences are divided by 2):

1. Side invisible zipper length 50.00 (19.69 in)

2. Front length from HPS to hem 75.14 (29.58 in)

3. Across chest 71.82 (28.28 in)

4. Center front length to hem 65.48 (25.78 in)

5. Center back length to hem 64.60 (25.43 in)

6. Across front 50.33 (19.81 in)

7. Across back 44.83 (17.65 in)

8. Across shoulders 47.19 (18.58 in)

9. Side seam 42.08 (16.57 in)

10. Waist 67.08 (26.41 in)

11. Hemline sweep 74.69 (29.41 in)

12. Armhole length front 24.92 (9.81 in)

13. Armhole length back 28.12 (11.07 in)

14. Neck opening 17.27 (6.80 in)

15. Neckline length 48.61 (19.14 in)

16. Front neck drop 9.66 (3.80 in)

17. Back neck drop 3.41 (1.34 in)

18. Shoulder width 14.56 (5.73 in)

19. Apex to apex 27.60 (10.87 in)

20. Bust dart to bust dart 31.81 (12.52 in)

21. Sleeve length 52.50 (20.67 in)

22. Sleeve cap length 55.47 (21.84 in)

23. Armhole length 53.03 (20.88 in)


24. Sleeve upper arm width 48.78 (19.20 in)

25. Sleeve opening 28.45 (11.20 in)



Paper Size: A4;

Print Actual Size (100% Scale);



1/1

4
28x 522
BACK NECK FACING
MAIN FABRIC: CUI 2
FUSIBLE INTERFACING: CUI 2
2weeding



ZIP





26s 522


FRONT


MAIN FABRIC: Cut 1


2 wedding













2/1



2/3

CUT ON FOLD



2


26s 522

BACK

FABRIC: Cut 2


wedding

2/4



2/5

ZIP



3/1




ZIP



$$\frac{3}{2}$$



3/3



3/4



3/5


ZIP


26s 522

SLEEVE

MAIN FABRIC: Cut 2
2 wedding

4 1/2







EASE

4/2

5






4/4




5/1

5/2




A rectangular box with a dashed border. A diagonal band, defined by two parallel solid lines, runs from the bottom-left to the top-right. The text "5/3" is centered within the box, with the diagonal line passing through it.

5/3



6/1



6/2

