



Print this Calibration Test page first!

Size: Height: 162.56, Bust: 140.00, Waist: 124.00, Hips: 146.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 28m 522 , FRONT, MAIN FABRIC: Cut 1
2, 28m 522 , BACK, MAIN FABRIC: Cut 2
3, 28m 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 28m 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 28m 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 15. Neck opening 17.93 (7.06 in) |
| 2. Front length from HPS to hem 81.03 (31.90 in) | 16. Neckline length 50.25 (19.78 in) |
| 3. Across chest 75.60 (29.76 in) | 17. Front neck drop 9.99 (3.93 in) |
| 4. Center front length to hem 71.04 (27.97 in) | 18. Back neck drop 3.59 (1.41 in) |
| 5. Center back length to hem 69.25 (27.26 in) | 19. Shoulder width 15.09 (5.94 in) |
| 6. Across front 51.87 (20.42 in) | 20. Apex to apex 29.00 (11.42 in) |
| 7. Across back 46.72 (18.39 in) | 21. Bust dart to bust dart 33.18 (13.06 in) |
| 8. Across shoulders 48.78 (19.20 in) | 22. Sleeve length 56.18 (22.12 in) |
| 9. Side seam 45.07 (17.74 in) | 23. Sleeve cap length 60.20 (23.70 in) |
| 10. Waist 70.93 (27.93 in) | 24. Armhole length 57.68 (22.71 in) |
| 11. Hips 80.91 (31.85 in) | 25. Sleeve upper arm width 51.25 (20.18 in) |
| 12. Hemline sweep 78.68 (30.98 in) | 26. Sleeve opening 32.11 (12.64 in) |
| 13. Armhole length front 27.60 (10.87 in) | |
| 14. Armhole length back 30.09 (11.85 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);




1/1


28m 522
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
2wadding


4

ZIP



1/2






4
2


28m 522

BACK


MAIN FABRIC: Cut 2

2 wedding






1/6



28m 522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
Zweeding




FOLDING LINE



MAIN FABRIC: Cut 1

2 wedding

2/2



2/3



1


28m 522

FRONT

CUT ON FOLD

2/4






$\frac{2}{5}$

ZIP

2/6

3/1






$3/2$

3/3





3/4!




$\frac{3}{5}$



3/6

ZIP








ZIP

4/1


SLEEVE
MAIN FABRIC:
2wedding








4/4



Cut 2


5/1




5/2



5/3





5/4

6/1

6/2

6/3

