



Print this Calibration Test page first!

Size: Height: 152.40, Bust: 140.00, Waist: 124.00, Hips: 146.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 28s 522 , FRONT, MAIN FABRIC: Cut 1
2, 28s 522 , BACK, MAIN FABRIC: Cut 2
3, 28s 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 28s 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 28s 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 14. Neck opening 17.94 (7.06 in) |
| 2. Front length from HPS to hem 77.28 (30.43 in) | 15. Neckline length 50.32 (19.81 in) |
| 3. Across chest 75.60 (29.76 in) | 16. Front neck drop 10.00 (3.94 in) |
| 4. Center front length to hem 67.28 (26.49 in) | 17. Back neck drop 3.44 (1.35 in) |
| 5. Center back length to hem 65.50 (25.79 in) | 18. Shoulder width 15.07 (5.93 in) |
| 6. Across front 52.64 (20.72 in) | 19. Apex to apex 29.00 (11.42 in) |
| 7. Across back 46.74 (18.40 in) | 20. Bust dart to bust dart 33.22 (13.08 in) |
| 8. Across shoulders 48.89 (19.25 in) | 21. Sleeve length 52.55 (20.69 in) |
| 9. Side seam 42.56 (16.76 in) | 22. Sleeve cap length 57.95 (22.81 in) |
| 10. Waist 70.93 (27.93 in) | 23. Armhole length 55.43 (21.82 in) |
| 11. Hemline sweep 78.47 (30.89 in) | 24. Sleeve upper arm width 51.13 (20.13 in) |
| 12. Armhole length front 26.45 (10.41 in) | 25. Sleeve opening 31.49 (12.40 in) |
| 13. Armhole length back 28.98 (11.41 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);



1/1

4

28x522
BACK NECK FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2
2wadding

ZIP




1


28s 522


FRONT

MAIN FABRIC: Cut 1

2 wedding








MAIN FABRIC: Cut 2

2 wedding

BACK

285522

1/5





1/6

3

28s 522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
2wadding

FOLD ON FOLD








2/3

CUT ON FOLD

2/4





2/5


ZIP

2/6

3/1

ZIP






$3/2$


3/3

3/4



3/5





3/6


28s 522


SLEEVE

MAIN FABRIC: Cut 2

2 wedding

4/1







EASE


4/2


5





4/4





5/1


5/2




5/3




5/4



6/1



6/2



6/3