



Print this Calibration Test page first!

Size: Height: 152.40, Bust: 148.00, Waist: 135.00, Hips: 156.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 30s 522 , FRONT, MAIN FABRIC: Cut 1
2, 30s 522 , BACK, MAIN FABRIC: Cut 2
3, 30s 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 30s 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 30s 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):


- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 14. Neck opening 18.60 (7.32 in) |
| 2. Front length from HPS to hem 78.67 (30.97 in) | 15. Neckline length 51.99 (20.47 in) |
| 3. Across chest 79.92 (31.46 in) | 16. Front neck drop 10.33 (4.07 in) |
| 4. Center front length to hem 68.34 (26.91 in) | 17. Back neck drop 3.44 (1.35 in) |
| 5. Center back length to hem 65.98 (25.98 in) | 18. Shoulder width 15.10 (5.94 in) |
| 6. Across front 55.06 (21.68 in) | 19. Apex to apex 30.60 (12.05 in) |
| 7. Across back 48.33 (19.03 in) | 20. Bust dart to bust dart 34.83 (13.71 in) |
| 8. Across shoulders 49.63 (19.54 in) | 21. Sleeve length 52.60 (20.71 in) |
| 9. Side seam 42.45 (16.71 in) | 22. Sleeve cap length 59.98 (23.61 in) |
| 10. Waist 76.90 (30.28 in) | 23. Armhole length 57.38 (22.59 in) |
| 11. Hemline sweep 84.47 (33.26 in) | 24. Sleeve upper arm width 53.47 (21.05 in) |
| 12. Armhole length front 27.18 (10.70 in) | 25. Sleeve opening 34.27 (13.49 in) |
| 13. Armhole length back 30.19 (11.89 in) | |



Paper Size: A4;

Print Actual Size (100% Scale);





4
30s 522
BACK NECK FACING
MAIN FABRIC: CUT 2
FUSIBLE INTERFACING: CUT 2
Zwedding


1/1


ZIP


30s 522

FRONT

MAIN FABRIC: Cut 1
2 wedding







1/4

Zwilling


1/5


2

30s 522

BACK

MAIN FABRIC: Cut







1/6

CUT ON FOLD

3

30S 522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
2wedding







2/3

CUT ON FOLD

2/4



2

2/5


ZIP

2/6

3/1



3/2



3/3


3/4



3/5

3/6

ZIP



ZIP


4/1.

MAIN FABRIC: Cut

SLEEVE

30s 522


2wedding




EASE


4/2

5





4/4




2


5/1

5/2




5/3






5/4



6/1

6/2



6/3