



Print this Calibration Test page first!

Size: Height: 172.72, Bust: 148.00, Waist: 135.00, Hips: 156.00
Pattern Name: 2wedding


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: 2wedding

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

1, 30t 522 , FRONT, MAIN FABRIC: Cut 1
2, 30t 522 , BACK, MAIN FABRIC: Cut 2
3, 30t 522 , FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1

4, 30t 522 , BACK NECK FACING, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2
5, 30t 522 , SLEEVE, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Side invisible zipper length 50.00 (19.69 in) | 15. Neck opening 18.60 (7.32 in) |
| 2. Front length from HPS to hem 85.36 (33.61 in) | 16. Neckline length 51.87 (20.42 in) |
| 3. Across chest 79.92 (31.46 in) | 17. Front neck drop 10.31 (4.06 in) |
| 4. Center front length to hem 75.05 (29.55 in) | 18. Back neck drop 3.71 (1.46 in) |
| 5. Center back length to hem 72.67 (28.61 in) | 19. Shoulder width 15.15 (5.96 in) |
| 6. Across front 53.66 (21.13 in) | 20. Apex to apex 30.60 (12.05 in) |
| 7. Across back 48.20 (18.98 in) | 21. Bust dart to bust dart 34.76 (13.69 in) |
| 8. Across shoulders 49.42 (19.46 in) | 22. Sleeve length 59.86 (23.57 in) |
| 9. Side seam 47.01 (18.51 in) | 23. Sleeve cap length 63.94 (25.17 in) |
| 10. Waist 76.89 (30.27 in) | 24. Armhole length 61.32 (24.14 in) |
| 11. Hips 87.01 (34.26 in) | 25. Sleeve upper arm width 53.68 (21.13 in) |
| 12. Hemline sweep 84.91 (33.43 in) | 26. Sleeve opening 35.32 (13.91 in) |
| 13. Armhole length front 29.18 (11.49 in) | |
| 14. Armhole length back 32.13 (12.65 in) | |



Paper Size: A4;


Print Actual Size (100% Scale);





1/1


4


301 522
BACK NECK FACING
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2
2wadding
















301522
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
2wadding

3

1/6

CUT ON FOLD





2/3

30t 522



FRONT

MAIN FABRIC: Cut 1

2wedding

ON FOLD

2/4



2


30t 522

BACK

MAIN FABRIC: Cut 2

2 wedding


2



ZIP

2/6

3/1



$3/2$




3/3

CUT

3/4






$\frac{3}{5}$

3/6





ZIP



4/2

EASE





4/5



4/6


301_522

SLEEVE

FABRIC: Cut 2

2weddin

5/1




5

5/2

5/3






A diagram showing a trapezoid with a dashed rectangular border. A solid black line runs diagonally from the top-left corner to the bottom-right corner. The text "6/1" is centered within the trapezoid, with the diagonal line passing through it.

6/1



6/2



6/3



6/4