
Congruent Number Problem

Hikmet Burak Özcan

Adnan Menderes University

hikmetburakozcan@gmail.com

23/11/2018






FIGURE 1. Rational right triangles with respective areas 5, 6, and 7.

A Bad Algorithm

k	ℓ	(a, b, c)	(1/2)ab	Squarefree part
2	1	(3, 4, 5)	6	6
4	1	(15, 8, 17)	60	15
3	2	(5, 12, 13)	30	30
6	1	(35, 12, 37)	210	210
5	2	(21, 20, 29)	210	210
4	3	(7, 24, 25)	84	21
8	1	(63, 16, 65)	504	126
7	2	(42, 28, 53)	630	70
5	4	(9,40,41)	180	5

Signs on $(3/2, 20/3, 41/6)$	(x,y)
(+, +, +)	(25/4, 75/8)
(+, +, -)	(-4, -6)
(-, -, +)	(-4,6)
(-, -, -)	(25/4, -75/8)

Table 2. Solutions to $y^2 = x^3 - 25x$.




FIGURE 3. Some rational points on $y^2 = x^3 - 25x$.




FIGURE 4. New rational point on $y^2 = x^3 - 210^2 x$ from a secant line. (Not drawn to scale.)




FIGURE 5. Intersecting $y^2 = x^3 - n^2x$ with lines through P_0 and (0,0), (n,0), (-n,0), and reflected points.




FIGURE 6. New rational point on $y^2 = x^3 - 210^2 x$ from a tangent line. (Not drawn to scale.)

First Point	Second Point	Third Point
(x,y)	(0,0)	$(-n^2/x, -n^2y/x^2)$
(x, -y)	(0,0)	$(-n^2/x, n^2y/x^2)$
(x,y)	(n, 0)	$(n(x+n)/(x-n), 2n^2y/(x-n)^2)$
(x, -y)	(n, 0)	$(n(x+n)/(x-n), -2n^2y/(x-n)^2)$
(x,y)	(-n,0)	$(-n(x-n)/(x+n), 2n^2y/(x+n)^2)$
(x, -y)	(-n,0)	$(-n(x-n)/(x+n), -2n^2y/(x+n)^2)$

Table 3. Third Intersection Point of a Line with $y^2 = x^3 - n^2x$.

Pair	Triple
(x,y)	(a,b,c)
(x, -y)	(-a, -b, -c)
$(-n^2/x, -n^2y/x^2)$	(a,b,-c)
$(-n^2/x, n^2y/x^2)$	(-a, -b, c)
$(n(x+n)/(x-n), 2n^2y/(x-n)^2)$	(b, a, c)
$(n(x+n)/(x-n), -2n^2y/(x-n)^2)$	(-b, -a, -c)
$(-n(x-n)/(x+n), 2n^2y/(x+n)^2)$	(-b, -a, c)
$(-n(x-n)/(x+n), -2n^2y/(x+n)^2)$	(b, a, -c)

$$(Thank)^2 + (You)^2 = (DEU)^2$$