


vSFG-7 · AI ATC ON SRS

# SKYEYE ATC

## HORNET · VIPER

Command · Deckboss · Marshal · JTAC · Towers

Persian Gulf · Syria · Black Sea

**v1.25 · 16 OCT 2026**

Intellectual property of vSFG-7. For virtual simulation only.

# SKYEYE ATC

AI controllers on SRS · Command, Deckboss, Marshal, towers · Persian Gulf · Syria · Black Sea

## WHAT IT IS

read this first

- **An AI controller that talks to you over SRS.** It hears you with speech recognition, answers in a generated voice, and sees where you are through Tacview - so when you say "10 DME" it can check.
- **It listens for key words, not exact sentences.** Speak normally, but use the words on these cards - they are the triggers the code actually matches.

## THE ROLES

same calls in every theatre

| | |
|---|---|
| COMMAND - squadron net | **282.000 AM** |
| DECKBOSS - carrier deck | **128.600 AM** |
| MARSHAL - carrier stack | **306.300 AM · every theatre** |
| HITMAN 1-1 / 2-1 - JTAC, Black Sea | **61.0 / 62.0 FM · cards 12 - 13** |
| RANGE AREAS + OVERLORD - on Command | **cards 14 - 15** |
| TOWERS - one per airfield | **cards 17 - 22** |

## HOW TO BE HEARD

every call

- **Lead with the role name, then your callsign.** "Marshal, Raider 1, ..." - for a tower, the field name. Marshal ignores any call that does not start with its name; Deckboss ignores most of them.
- **Say your full callsign every time.** "Raider 1", not "1".
- **Pause half a second after you key the mic,** then speak. Calls shorter than about 0.2 s are thrown away.
- **Wait 2 - 3 seconds for the answer.** Recognition, the reply and the voice take that long. Do not re-key over it.
- **Radios AM (Hitman FM), encryption off.** Keep each call short - two short calls beat one long one.

ATIS is listen-only. There is no SkyEye LSO.

# FREQUENCIES

Where SkyEye actually listens · per theatre · Hornet preset shown for each; Vipers use Command only.

## PERSIAN GULF — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## SYRIA — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## BLACK SEA — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## READING THE PRESET CARDS — read this

- **"AI" on a carrier preset means SkyEye.** COMM 1 CH 3 "CVN-72 AI MARSHALL" 306.300 is SkyEye Marshal in every theatre (operator ruling 2026-09-20).
- **COMM 1 CH 2 "CVN-72 MARSHAL" 306.200 is for a live human Marshal.** SkyEye never answers there.
- **Deckboss 128.600 is shared** with the DCS AI carrier controller - you may hear both.
- **LIVE LSO 128.100 (COMM 2 CH 2) is silent.** SkyEye has no LSO - fly the ball yourself.

Voices: towers British or Australian · Command, Marshal, Deckboss American · Hitman 1-1 Australian.

# DECKBOSS

Carrier deck · 128.600 AM · Hornet COMM 1 CH 1 · Cat assignment, conga line, launch.

## THE LAUNCH — in order

| | |
|---|---|
| **REQUEST TAXI** | "Deckboss, Raider 1, request taxi" - or green jet. |
| | Reply: cleared to cat N, or join the conga line. |
| **TENSION** | "Deckboss, Raider 1, ready cat 2" - or shoot. |
| | Reply: under tension, spin it up, shooter's discretion. |
| **T + 10 s** | Your cat is freed; the next jet hears cat N is clear. |
| **AIRBORNE** | "Raider 1, airborne" - no address needed. |
| | Reply: copy airborne, push Marshal and its frequency. |

## THE RULES

- **Deckboss does not call the shot.** Nobody says shoot on the radio - the shooter fires you. Run up when you hear "spin it up".
- **Four cats: 1 and 2 on the bow, 3 and 4 on the waist.** If all four are taken you join the conga line; it holds six. After that you hear "deck is full, hold clear".
- **Checking in twice does not take a second cat.** If you are already in the line you are told your number.

# DECKBOSS CALLS

Every call it answers · lead with "Deckboss," · The airborne call is the only one that works without it.

| YOU SAY | Deckboss replies |
|---|---|
| request taxi / ready for taxi / green jet | cat N or conga |
| ready cat N / tension cat N / shoot | under tension |
| airborne / clear traffic | push Marshal |
| remain in bolter | contact LSO |
| say BRC / request BRC | mother's BRC, magnetic |
| radio check / comm check / how copy | loud and clear |
| pushing Marshal / pushing command | short ack |

**SAMPLE** — Raider 1 and Raider 2 on the deck

| | |
|---|---|
| RAIDER 1 | Deckboss, Raider 1, request taxi. |
| DECKBOSS | Raider 1, Deckboss, cleared to cat two. |
| RAIDER 1 | Deckboss, Raider 1, ready cat two. |
| DECKBOSS | Raider 1, Deckboss, under tension cat two, |
| | spin it up, shooter's discretion. |
| DECKBOSS | Raider 2, Deckboss, cat two is clear. |
| RAIDER 1 | Raider 1, airborne. |
| DECKBOSS | Raider 1, Deckboss, copy airborne, |
| | push Marshal, three zero six point three. |

Bolter practice: Deckboss hands you to the LSO, who is silent. Fly the ball.

# MARSHAL CASE I

Carrier stack · 306.300 · every theatre · Lead every call with "Marshal," - or it is ignored.

## THE RECOVERY

Case I and Case II use these calls

| | |
|---|---|
| **MARKING MOMS** | Marshal, Raider 1, marking moms, 30 DME, |
| | angels 12, state 6.5. |
| | Reply: radar contact, weather, case, BRC, |
| | altimeter, Marshal at angels N, |
| | report see me at ten. |
| **DME REPORTS** | Marshal, Raider 1, 20 DME - optional, acked. |
| **SEE YOU AT 10** | Reply: visual at ten, report altitude and range. |
| **STATE** | Marshal, Raider 1, state 5.2 - under 2.0 is priority. |
| **ESTABLISHED** | Marshal, Raider 1, established angels 3 |
| | Reply: signal Charlie - or your stack position, hold. |
| **COMMENCING** | Reply: call three mile initial for paddles. |
| **INITIAL** | At 3 nm. Reply: contact paddles, good luck. |

## THE STACK

- **"Marshal at angels N" is your stack altitude.** The lowest free altitude from angels 2 to angels 9. Marshal counts aircraft already in the stack and any contact within 50 nm at that altitude.
- **When someone commences, the stack steps down silently.** There is no radio call for it - keep flying your assigned angels.
- **After initial there is nobody to talk to.** Paddles has no SkyEye role - fly the ball and trap.

## ANY TIME

- **"Marshal, Raider 1, say BRC"** - mother's BRC, magnetic. "request BRC" and a bare "BRC" work too.
- **"Marshal, Raider 1, checking in"** - your range and bearing from mother, then marking moms please.

Word-for-word calls and replies: cards 7 - 9.

# MARSHAL CASE III

Night or low weather · same trigger words, new answers · Marshal picks the case itself from time and weather.

## WHICH CASE — decided by SkyEye

| | |
|---|---|
| Night (local 1800 - 0600) | CASE III |
| Ceiling under 1,500 ft or vis under 3 nm | CASE III |
| Ceiling under 3,000 ft or vis under 5 nm | CASE II |
| Otherwise | CASE I |

- **If the case changes while you are inbound,** you hear: "All marshal aircraft, recovery is now Case Three, acknowledge on next push."

## CASE III CALLS — what changes

| | |
|---|---|
| MARKING MOMS | Reply: hold on the radial NNN at angels N, commence at MM, report established. |
| ESTABLISHED | Reply: commence at MM. There is no Charlie. |
| COMMENCING | At your MM. Reply: descend to platform 5,000, final bearing NNN, confirm BRC NNN, report platform. |
| PLATFORM | Passing 5,000 ft. Reply: final bearing NNN. |
| INITIAL | Do not call it in Case III - platform is your last call. |

- **Holding radial = BRC + 180. Final bearing = BRC - 9.** All magnetic. MM is minutes past the hour. The first aircraft commences 10 minutes out; each one after adds a minute.

# MARSHAL CALLS 1

Word for word · check-in, marking moms, BRC, radar · Example: BRC 275, alt 29.92, angels 12, 30 nm on the 340.

## CHECKING IN — optional first call

| | |
|---|---|
| YOU | Marshal, Raider 1, checking in. |
| MARSHAL | Raider 1, Union Marshal, radar contact, angels 12, 30 miles from mother, bearing three four zero, say marking mom's and state. |
| NO RADAR | Raider 1, Union Marshal, go ahead with marking mom's and state. |

## MARKING MOMS — Case I and Case II

| | |
|---|---|
| YOU | Marshal, Raider 1, marking moms 340 for 30, angels 12, state 6.5. |
| MARSHAL | Raider 1, Union Marshal, radar contact, angels 12, range 30 miles, bearing three four zero from mother, mother's weather ceiling unrestricted, visibility ten plus, expect Case One recovery, BRC 275, altimeter two niner niner two, Marshal at angels two, report see me at ten. |
| 2+ IN STACK | The reply ends: Stack has 2 aircraft. |
| NO RADAR | The radar contact part is left out. |

## BRC — any time

| | |
|---|---|
| YOU | Marshal, Raider 1, say BRC. |
| MARSHAL | Raider 1, Union Marshal, mother's BRC is 275. |
| NO CARRIER | Raider 1, Union Marshal, BRC unknown, mother off scope. |

## RADAR CHECK AND RADIO CHECK

| | |
|---|---|
| YOU | Marshal, Raider 1, radar check. |
| MARSHAL | Raider 1, Union Marshal, radar contact, angels 12, range 30 miles, bearing three four zero from mother. |
| NO RADAR | Raider 1, Union Marshal, negative radar contact, say posit relative mother. |
| YOU | Marshal, Raider 1, radio check. |
| MARSHAL | Raider 1, Union Marshal, loud and clear. |

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# MARSHAL CALLS 2

Word for word · inbound to the trap, and the departure · Case I and Case II. Example as card 7.

## INBOUND — in order

| | |
|---|---|
| **YOU** | Marshal, Raider 1, 20 DME. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, 20 DME, continue. |
| **YOU** | Marshal, Raider 1, see you at ten. |
| **MARSHAL** | Raider 1, Union Marshal, visual carrier at ten miles, |
| | report altitude and range. |
| **YOU** | Marshal, Raider 1, state 5.2. |
| **MARSHAL** | Raider 1, Union Marshal, copy state 5.2. |
| **UNDER 2.0** | Raider 1, Union Marshal, state 1.8, expedite recovery. |

## THE STACK — to the trap

| | |
|---|---|
| **YOU** | Marshal, Raider 1, established angels two. |
| **DECK CLEAR** | Raider 1, Union Marshal, signal Charlie. |
| **DECK BUSY** | Raider 1, Union Marshal, entering stack at angels two, |
| | position one, hold for Charlie. |
| **YOU** | Marshal, Raider 1, commencing, state 4.0. |
| **MARSHAL** | Raider 1, Union Marshal, copy commencing, state 4.0, |
| | check in three mile initial, paddles handoff. |
| **YOU** | Marshal, Raider 1, initial. |
| **MARSHAL** | Raider 1, Union Marshal, contact paddles, good luck. |

## OFF THE BOAT — after Deckboss pushes you

| | |
|---|---|
| **YOU** | Marshal, Raider 1, clear seven miles. |
| **MARSHAL** | Raider 1, Union Marshal, clear of Union control zone, |
| | push vSFG-7-Command, two eight two point zero, |
| | channel four, for tasking. |
| **YOU** | Marshal, Raider 1, pushing command. |
| **MARSHAL** | Raider 1, Union Marshal, cleared handoff to |
| | vSFG-7-Command, good day. |

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# MARSHAL CALLS 3

Word for word · Case III (night or low weather) · Example: BRC 275, ceiling 800, vis 2, commence at 15.

## MARKING MOMS — Case III

| | |
|---|---|
| **YOU** | Marshal, Raider 1, marking moms 340 for 30, |
| | angels 12, state 6.5. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, angels 12, |
| | range 30 miles from the Abe, bearing three four zero, |
| | mother's weather ceiling eight hundred overcast, |
| | visibility 2, Case Three recovery, BRC 275, |
| | altimeter two niner niner two, hold on the zero niner |
| | five at angels two, commence at one five, |
| | report established. |

## HOLD TO PLATFORM — in order

| | |
|---|---|
| **YOU** | Marshal, Raider 1, established angels two. |
| **MARSHAL** | Raider 1, Union Marshal, roger established angels two |
| | on the zero niner five, commence at one five. |
| **YOU** | Marshal, Raider 1, commencing. |
| **MARSHAL** | Raider 1, Union Marshal, copy commencing, descend to |
| | platform five thousand, final bearing two six six, |
| | confirm BRC two seven five, report platform. |
| **YOU** | Marshal, Raider 1, platform. |
| **MARSHAL** | Raider 1, Union Marshal, copy platform, |
| | final bearing two six six. |

## CASE CHANGE — to everyone in the stack

| | |
|---|---|
| **MARSHAL** | All marshal aircraft, Union Marshal, recovery is now |
| | Case Three, acknowledge on next push. |

- **Radial 095 = BRC 275 + 180. Final bearing 266 = BRC - 9.** "Commence at one five" is 15 minutes past the hour.

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# OFF THE BOAT

Launch to Command · Deckboss -> Marshal -> Command · Three legs, three frequencies.

## THE CHAIN — in order

| | |
|---|---|
| **1 DECKBOSS** | Raider 1, airborne. |
| | Reply: copy airborne, push Marshal and its frequency. |
| **2 MARSHAL** | Marshal, Raider 1, clear seven miles. |
| | Reply: clear of Union control zone, |
| | push vSFG-7-Command, |
| | two eight two point zero, channel four, for tasking. |
| **3 COMMAND** | Command, Raider 1, checking in. |

## GET THE CLEAR CALL RIGHT

- **Say "clear" and a distance:** "clear seven miles", "clear seven DME", "clear of mother" or "clear mothers".
- **Do not add recovery words to it.** If the call also has marking moms, state, initial, established, commencing, platform or bolter in it, Marshal treats you as inbound.
- **"Channel four" is the Hornet's Command preset.** Vipers never launch from the boat - their Command is COMM 1 CH 1.
- **Deckboss names the right Marshal for the theatre:** 306.300 in every theatre.

# COMMAND

282.000 AM · Hornet COMM 1 CH 4 · Viper COMM 1 CH 1 · The squadron net. Both jets, every theatre.

## YOU SAY — Command replies

| | |
|---|---|
| radio check / comm check / how copy | **loud and clear** |
| checking in / check in | **proceed mission** |
| fence in / fence check | **cleared hot** |
| on station | **good hunting** |
| off station / departing station | **proceed to assigned pattern** |
| fence out | **safe passage** |
| RTB / request recovery / bingo home plate | **expect handoff at 30 nm** |
| state 5.2 | **copy state** |
| say bullseye / request bullseye | **bullseye NNN for NN** |
| request tanker / say texaco | **bearing, range, angels** |
| request tasking (Black Sea training) | **contact Hitman 1-1 or 2-1 - card 12** |
| proceeding to / request Alpha (Black Sea) | **range areas - cards 14 - 15** |

- **"RTB, fence out" is read as RTB.** The recovery words are checked before fence out.
- **Add your state to any call.** "fence out, state 1.8" - under 2.0 Command tells you you are bingo.

## BULLSEYE AND TANKER — from the radar picture

- **Bearings are magnetic.** Bullseye is your own side's. The tanker is the nearest friendly one - by type, or a Texaco, Arco or Shell callsign.
- **No picture, no answer:** you hear "unable" or "negative tanker on scope".

## THE AUTOMATIC HANDOFF — you do not ask for it

- **Once you have talked to Command, it watches you on Tacview** - when the rig has Tacview connected. Inside 30 nm of your nearest recovery - a field or the carrier - it calls you once.
- **Field:** "contact <field> tower on <frequency>, switching now approved, good landing."
- **Carrier:** "contact Marshal on <frequency>, switching now approved, call marking mom."
- **Launched from the boat?** You are sent to Marshal inside 30 nm of it, even when a field is nearer.

# HITMAN 1-1 / 2-1

1-1 61.000 FM · Hornet COMM 2 CH 12 · Viper COMM 2 CH 8 · 2-1 62.000 FM · no preset yet - dial it

## THE RUN

every call starts "Hitman, Raider 1, ..."

| | |
|---|---|
| **COMMAND** | request tasking -> contact Hitman 1-1 or 2-1 |
| **CHECK IN** | checking in -> Hitman picks the target, 9-line |
| **COPY** | copy -> report IP inbound |
| **IP INBOUND** | IP inbound -> continue |
| **IN** | in from the <dir> -> cleared hot, or abort |
| **OFF** | off -> egress per line 9 |

## THE 9-LINE

by reference to your kneeboard card

- **Two JTACs, one sector each.** Hitman 1-1 runs Kuban Valley (1 - 3), Hitman 2-1 Cherkessk (4 - 5). Command sends you to the one with a free target - the other sector when you come back for more.
- **Hitman picks the target, at random.** Not one another flight is working, not the one you just did. Hitman reads its number, name and IP, and the IP's bearing if you are not there yet - elevation, attack headings and egress are on that kneeboard card.
- **Another target:** after "off", say "request tasking" to Hitman - or ask Command again.

JTAC LIVE 60.000 (Hornet COMM 2 CH 15) is for a human JTAC. Hitman never answers there.

# CLEARED HOT?

What Hitman checks · from Tacview, against your 9-line card · Bearings and headings magnetic.

## HITMAN CHECKS — or tells you why not

| | |
|---|---|
| IP inbound | **within 20 nm of the IP** |
| not there | **negative - IP bears NNN for NN** |
| off the run-in line | **continue, run in heading NNN** |
| nose off the target | **continue, check heading** |
| In call | **inside the final attack heading** |
| and | **0.5 - 15 nm from the target** |
| outside either | **abort, abort, abort - and why** |

## AFTER CLEARED HOT — Hitman keeps watching

- **Swing more than 10 deg outside the final attack heading** while still pointed at the target, before a weapon comes off, and Hitman calls the abort. Go round from the IP.
- **Pulling off, a release, or 1.5 nm to go** ends the watch.
- **No radar picture of you** (Tacview down, callsign not matched): no checks - still cleared hot.

## BDA — about 15 s after your bombs land

| | |
|---|---|
| good effects / good hits / shack | **egress, ready for more tasking** |
| partial effects | **kills so far, re-attack approved** |
| no effects | **correct <dir> <metres>, re-attack** |
| unable to assess (the bridges) | **say your observed effects** |

- **Asked for your effects?** "bridge dropped" or "good hits" closes it; "no effects" gets a re-attack. "request BDA" repeats the call.

## ALSO — any time

| | |
|---|---|
| abort | **copy abort, re-attack from the IP** |
| radio check | **loud and clear** |

# RANGE AREAS



Command · 282.000 AM · Black Sea training · Letters match the kneeboard TARGET RANGES card.

| WHAT COMMAND TELLS YOU | threat |
|---|---|
| A Maykop airfield · SA-6, parked aircraft | SA-6 |
| B Krasnodar Pashkovsky · SA-6, aircraft | SA-6 |
| C 22 nm NE Maykop · SA-6, armour, infantry | SA-6 |
| D 9-line targets 1 + 2 | Hitman 1-1 |
| E 191 nm NW Anapa · SA-10 site | SA-10 |
| F 14 nm SW Krasnodar · armour, infantry | none |
| G 9 nm N Krymsk · SA-2 site | SA-2 |
| H / I 9-line targets 4 / 5 | Hitman 2-1 |
| J 9 nm SW Krymsk · armour, trucks | none |
| K 104 nm N Anapa · Kuznetsov, 2 corvettes | SA-N-9, SA-15 |
| L 36 nm NE Krasnodar · train | none |
| M 187 nm W Anapa · cruiser Moskva group | SA-N-6, SA-N-9 |
| N / O Anapa trucks / Kutaisi boats | none |

- **The kneeboard card under-reports three:** E and G are listed "soft x5" - they are an SA-10 and an SA-2 site. M is blank - it is the Moskva's group.

# OVERLORD ACTUAL

Ask for an area, close out the run · Command 282.000 AM · Overlord is a second voice on Command's frequency.

## THE EXCHANGE — "Command, Raider 1, ..."

| | |
|---|---|
| **ASK** | permission to proceed to Alpha -> stand by for Overlord |
| **~10 S** | Overlord: you are Irene for Alpha, report copy |
| **COPY** | copy Irene -> Command: what is there, threat, bearing |
| **OFF** | off target -> copy off Alpha, say intentions |
| **HOME** | Winchester, RTB -> handoff at 30 nm |

## ALSO — Command replies

| | |
|---|---|
| request Alpha / request to work Alpha | **goes to Overlord** |
| proceeding / pushing / inbound Alpha | **brief at once, no Overlord** |
| negative Irene | **another flight has it - ask again** |
| Bingo, RTB | **nearest tanker, handoff at 30 nm** |
| Joker | **copy Joker** |

- **"Irene" and "cleared to engage" both mean go.** Overlord uses either. A flight already on your area is called out - call off target when you are done so it frees up.

# A FULL SORTIE

Off the boat and back · every SkyEye call, in order · Hornet, Case I, Persian Gulf frequencies.

## OUTBOUND

| | |
|---|---|
| **DECKBOSS 128.6** | request taxi · ready cat N · airborne |
| **MARSHAL 306.3** | clear seven miles |
| **COMMAND 282.0** | checking in · fence in · on station |

## ON THE JOB

| | |
|---|---|
| **COMMAND 282.0** | state · request tanker · say bullseye |
| **COMMAND 282.0** | off station · fence out · RTB |
| **COMMAND 282.0** | Inside 30 nm: contact Marshal, call marking mom. |

## RECOVERY

| | |
|---|---|
| **MARSHAL 306.3** | marking moms · DME reports · see you at ten |
| **MARSHAL 306.3** | state · established angels N · Charlie |
| **MARSHAL 306.3** | commencing · initial at 3 nm |
| **PADDLES** | No SkyEye LSO. Ball, trap, clear the landing area. |

- **Syria and Black Sea:** the same frequencies - Marshal 306.300 on COMM 1 CH 3.
- **Vipers:** only the Command calls apply here. Towers are cards 17 - 22.

# AIRFIELD ATC

One AI tower per field · UHF AM · Gulf, Black Sea, Syria · Same calls at every field; only name and frequency change.

## HOW TO BE HEARD — every tower call

- **Open with the field name, then your callsign.** "Minhad Tower, Raider 1, request taxi". "Tower" can be dropped when the field name comes first: "Akrotiri, Raider 1, ...".
- **No field name, no answer.** "Raider 1, request taxi" is ignored. A bare "Tower, Raider 1, ..." does work.
- **Misheard names are forgiven.** A letter or two off still counts. Mafraq also answers to King Hussein, and H4 to H-4.
- **CTAF style works too:** "Senaki traffic, Raider 1, rolling runway 09".

## WHAT THE TOWER KNOWS

- **Runway, wind and altimeter come from the mission weather.** Listen to ATIS first - it gives the same runway.
- **It sees you only through Tacview.** Radar check, traffic holds, go-around and speed calls need the rig's Tacview feed.
- **IMC changes the pattern.** Ceiling under 1,500 ft or visibility under 3 nm: no overhead, straight-in only.

## THE TOWER CALLS YOU — no request needed

| | |
|---|---|
| Over 350 kt inside 10 nm | **speed check** |
| Inside 5 nm while a jet is rolling | **go around** |
| Wind shift changes the runway | **runway in use is now NN** |
| Held short, and the traffic has cleared | **cleared for takeoff** |

Built but switched off: "say intentions" and "report clear of the runway".

# TOWER RADIOS

Gulf and Black Sea · tower, ATIS, COMM 1 preset · Presets read off the squadron Hornet and Viper cards.

| PERSIAN GULF | Hornet / Viper |
|---|---|
| AL DHAFRA TOWER 251.100 · ATIS 248.200 | CH 8 / CH 12 |
| AL MINHAD TOWER 250.100 · ATIS 248.300 | CH 10 / CH 14 |
| AL AIN TOWER 250.700 · ATIS 248.850 | CH 16 / CH 19 |

| BLACK SEA | Hornet / Viper |
|---|---|
| BATUMI TOWER 260.000 · ATIS 230.000 | CH 8 / CH 12 |
| KOBULETI TOWER 262.000 · ATIS 232.000 | CH 10 / CH 14 |
| KUTAISI TOWER 263.000 · ATIS 233.000 | CH 12 / CH 18 |
| SENAKI TOWER 261.000 · ATIS 234.000 | CH 14 / CH 16 |
| TBILISI TOWER 267.000 · ATIS 237.000 | CH 18 / CH 10 |

## THE 7-MILE HANDOFF NAMES A CHANNEL

check it

- **Towers send you to Command on 282.000 and add a channel.** Gulf towers say "channel four"; Black Sea towers say "channel one".
- **That channel is only right for one jet.** Gulf: Viper Command is CH 1, not 4. Black Sea: Hornet Command is CH 4 - Hornet CH 1 is Deckboss.
- **Trust the frequency.** 282.000 is right in every theatre.
- **ATIS is one channel above its tower on every card,** except Viper Gulf CH 20: printed 119.850, but SkyEye's Al Ain ATIS is 248.850.

# SYRIA TOWERS

Eastern Med · Foothold · 5 fields · tower and ATIS · Read from the start scripts - dial the frequency.

## THE TOWERS

tower · ATIS

| | | |
|---|---|---|
| AKROTIRI TOWER | 252.000 | ATIS 249.500 |
| BASSEL AL-ASSAD TOWER | 250.600 | ATIS 249.600 |
| BEIRUT TOWER | 250.650 | ATIS 249.700 |
| INCIRLIK TOWER | 360.100 | ATIS 360.200 |
| RAMAT DAVID TOWER | 251.300 | ATIS 256.150 |

## KNOW BEFORE YOU FLY

Syria

- **Check the frequency, not only the channel.** The Foothold preset cards number the channels per airframe.
- **ATIS speaks English, then a local language** (Akrotiri English only).
- **The DCS F-menu tower is somewhere else.** Except at Incirlik, DCS's own controller is not on SkyEye's frequency.
- **The 7-mile handoff says "channel four"** - Hornet Command, 282.000.

# DEPARTURE

Parking to Command · every SkyEye field · Wait for each reply before the next call.

## THE DEPARTURE — in order

| | |
|---|---|
| **REQUEST TAXI** | Minhad Tower, Raider 1, request taxi. |
| | Reply: taxi to runway NN, altimeter, hold short. |
| **HOLDING SHORT** | Minhad Tower, Raider 1, holding short. |
| | Reply: line up and wait. |
| **+ 5 s** | Reply: wind, runway, cleared for takeoff. |
| **AIRBORNE** | Minhad Tower, Raider 1, airborne. |
| | Reply: angels N, expect handoff at seven DME. |
| **7 MILES** | The tower calls you - you say nothing. |
| | Tower: leaving my airspace, contact command. |
| **COMMAND** | Command, Raider 1, checking in. |

## IF YOU ARE HELD

- **Traffic inside 20 nm holds you.** Inside 15 nm: "hold short, traffic on N mile final". 15 - 20 nm: line up and wait, no takeoff clearance.
- **60 s between departures.** Too soon after the last jet: "hold short, departure spacing N seconds".
- **Stay put - the tower calls you.** When the traffic or the spacing clears you get your takeoff clearance.

## GOOD TO KNOW

- **"ready for takeoff" skips line up and wait:** with no traffic you are cleared at once.
- **"rolling runway NN" (CTAF), "departing" or "clear the active"** after takeoff gets the same reply as airborne.
- **No 7 DME call needed.** The tower calls you at 7 miles (Tacview). Call it anyway and the reply is "copy".
- **Optional:** "pushing command" gets a short good day; "request startup" gets Ground's startup approval.

# ARRIVAL

Overhead or straight in · one call per leg · Give your distance with inbound, initial or final.

## THE OVERHEAD — VMC

| | |
|---|---|
| **INBOUND** | Minhad Tower, Raider 1, 10 mile initial. |
| | Reply: runway, wind, altimeter, report initial. |
| **INITIAL** | Minhad Tower, Raider 1, 3 mile initial. |
| | Reply: left break runway NN, number N, report base. |
| **DOWNWIND** | Optional. Reply: number N, report base. |
| **BASE** | Minhad Tower, Raider 1, base, gear down. |
| | Number one: cleared to land. Otherwise: affirmative. |
| **FINAL** | Minhad Tower, Raider 1, on final. |
| | Reply: runway, wind, cleared to land. |
| **VACATED** | Minhad Tower, Raider 1, clear of the active. |

- **Past 15 nm you hear "continue inbound, report N miles".** Answer "15 miles inbound" or "15 mile initial".
- **Say "gear down" in your base or final call,** or the tower adds "check wheels down".
- **"initial" or "break" on its own is taken as your break** (reply: report downwind). Give the distance: "3 mile initial".
- **"touch and go", "low approach" or "the option"** in the final call gets that clearance instead.

## DISTANCES

- **"15 miles inbound" and "15 mile initial" both work.** So does a bare "15 miles". "7 miles" on its own is the 7 DME departure call.
- **A DME needs "inbound" or "initial".** "12 DME inbound" works; "12 DME" on its own is a departure call.
- **"5 mile final" is a landing call,** the same as "on final".

## STRAIGHT IN, IMC, HUNG ORDNANCE

- **"request straight in", "ILS" or "visual approach":** straight-in runway NN approved, altimeter, report final.
- **IMC: the overhead is refused.** Inbound, initial and break get "straight-in only, report ten mile final". Then call "ten mile final".
- **"hung ordnance":** straight in, no overflight, stop at the end of the runway for dearm.

# TOWER CALLS

Every call a tower answers · lead with the field name · Silent calls are heard but get no reply.

## GROUND AND DEPARTURE

| | tower replies |
|---|---|
| request taxi / ready to taxi | **taxi, hold short** |
| holding short / at the hold | **line up and wait** |
| ready for takeoff / request takeoff | **cleared for takeoff** |
| airborne / departing / rolling | **angels, expect handoff** |
| (at 7 miles the tower calls you) | **contact Command** |
| seven DME / seven miles | **copy (optional)** |
| pushing command | **good day** |

## ARRIVAL AND LANDING

| | |
|---|---|
| N mile initial / N miles inbound | **field information** |
| 3 mile initial / overhead | **break approved** |
| downwind | **number N, report base** |
| base / on final / N mile final | **cleared to land** |
| request straight in / ILS | **straight-in approved** |
| touch and go / low approach / the option | **cleared touch and go** |
| going around | **report downwind** |
| runway vacated / clear of the active | **taxi to parking** |

## ANY TIME

| | |
|---|---|
| say again | **your last call, 2 min** |
| wind check / say altimeter | **wind and altimeter** |
| radar check | **angels, range, bearing** |
| radio check / checking in | **loud and clear** |
| hung ordnance | **straight in, dearm** |
| mayday / pan pan / emergency | **runway is yours** |
| tally / no joy / altitude check / roger | **silent** |

Anything else gets "say again your request".

# NO ANSWER?

Work down the list · most misses are the first three · Tell the operator what you said, word for word.

## CHECK — in order

| | |
|---|---|
| 1 | Waited 2 - 3 seconds? |
| 2 | Led with the role or field name - Marshal, Minhad Tower? |
| 3 | Said your full callsign? |
| 4 | Used a trigger word from the calls cards? |
| 5 | Half-second pause after keying - call not clipped? |
| 6 | Right frequency? Marshal 306.3 everywhere; Hitman 61.0 FM. |
| 7 | SRS shows your TX light? Radio AM (Hitman FM), encryption off? |

## KNOWN QUIRKS

- **Your callsign may be misheard.** Raider as reader or radar, Venom as vino. SkyEye corrects most; if not, slow down and say the digits one at a time.
- **The same call can get a different reply.** Each answer has two to four versions picked at random - the meaning is the same.
- **Marshal needs the number in your callsign.** "Marshal, Raider 1, ..." - a call with no number gets no answer.
- **Paddles never answers.** There is no LSO role yet.
- **Deckboss uses the DCS AI carrier frequency.** You may hear the AI carrier controller on 128.600 as well.

Built from the SkyeyeATC code, origin/main 15c969b, 16 OCT 2026.