


vSFG-7 · AI ATC ON SRS

# SKYEYE ATC

## HORNET · VIPER

Command · Deckboss · Marshal · JTAC · Towers

Persian Gulf · Syria · Black Sea

**v1.22 · 14 OCT 2026**

Intellectual property of vSFG-7. For virtual simulation only.

# SKYEYE ATC

AI controllers on SRS · Command, Deckboss, Marshal, towers · Persian Gulf · Syria · Black Sea

## WHAT IT IS

read this first

- **An AI controller that talks to you over SRS.** It hears you with speech recognition, answers in a generated voice, and sees where you are through Tacview - so when you say "10 DME" it can check.
- **It listens for key words, not exact sentences.** Speak normally, but use the words on these cards - they are the triggers the code actually matches.

## THE ROLES

same calls in every theatre

| | |
|---|---|
| COMMAND - squadron net | **282.000 AM** |
| DECKBOSS - carrier deck | **128.600 AM** |
| MARSHAL - carrier stack | **306.300 AM · every theatre** |
| HITMAN 1-1 - JTAC, Black Sea training | **61.000 FM · cards 12 - 13** |
| TOWERS - one per airfield | **cards 15 - 20** |

## HOW TO BE HEARD

every call

- **Lead with the role name, then your callsign.** "Marshal, Raider 1, ..." - for a tower, the field name. Marshal ignores any call that does not start with its name; Deckboss ignores most of them.
- **Say your full callsign every time.** "Raider 1", not "1".
- **Pause half a second after you key the mic,** then speak. Calls shorter than about 0.2 s are thrown away.
- **Wait 2 - 3 seconds for the answer.** Recognition, the reply and the voice take that long. Do not re-key over it.
- **Radios AM (Hitman FM), encryption off.** Keep each call short - two short calls beat one long one.

ATIS is listen-only. There is no SkyEye LSO.

# FREQUENCIES



Where SkyEye actually listens · per theatre · Hornet preset shown for each; Vipers use Command only.

## PERSIAN GULF — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## SYRIA — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## BLACK SEA — Hornet preset

| | |
|---|---|
| COMMAND 282.000 | COMM 1 CH 4 · Viper COMM 1 CH 1 |
| DECKBOSS 128.600 | COMM 1 CH 1 |
| MARSHAL 306.300 | COMM 1 CH 3 |

## READING THE PRESET CARDS — read this

- **"AI" on a carrier preset means SkyEye.** COMM 1 CH 3 "CVN-72 AI MARSHALL" 306.300 is SkyEye Marshal in every theatre (operator ruling 2026-09-20).
- **COMM 1 CH 2 "CVN-72 MARSHAL" 306.200 is for a live human Marshal.** SkyEye never answers there.
- **Deckboss 128.600 is shared** with the DCS AI carrier controller - you may hear both.
- **LIVE LSO 128.100 (COMM 2 CH 2) is silent.** SkyEye has no LSO - fly the ball yourself.

Voices: Command onyx (stern English) · Deckboss shimmer · Marshal coral (Syria sage).

# DECKBOSS

Carrier deck · 128.600 AM · Hornet COMM 1 CH 1 · Cat assignment, conga line, launch.

## THE LAUNCH — in order

| | |
|---|---|
| **REQUEST TAXI** | "Deckboss, Raider 1, request taxi" - or green jet. |
| | Reply: cleared to cat N, or join the conga line. |
| **TENSION** | "Deckboss, Raider 1, ready cat 2" - or shoot. |
| | Reply: under tension, spin it up, shooter's discretion. |
| **T + 10 s** | Your cat is freed; the next jet hears cat N is clear. |
| **AIRBORNE** | "Raider 1, airborne" - no address needed. |
| | Reply: copy airborne, push Marshal and its frequency. |

## THE RULES

- **Deckboss does not call the shot.** Nobody says shoot on the radio - the shooter fires you. Run up when you hear "spin it up".
- **Four cats: 1 and 2 on the bow, 3 and 4 on the waist.** If all four are taken you join the conga line; it holds six. After that you hear "deck is full, hold clear".
- **Checking in twice does not take a second cat.** If you are already in the line you are told your number.

# DECKBOSS CALLS

Every call it answers · lead with "Deckboss," · The airborne call is the only one that works without it.

| YOU SAY | Deckboss replies |
|---|---|
| request taxi / ready for taxi / green jet | cat N or conga |
| ready cat N / tension cat N / shoot | under tension |
| airborne / clear traffic | push Marshal |
| remain in bolter | contact LSO |
| say BRC / request BRC | mother's BRC, magnetic |
| radio check / comm check / how copy | loud and clear |
| pushing Marshal / pushing command | short ack |

## SAMPLE

Raider 1 and Raider 2 on the deck

| | |
|---|---|
| RAIDER 1 | Deckboss, Raider 1, request taxi. |
| DECKBOSS | Raider 1, Deckboss, cleared to cat two. |
| RAIDER 1 | Deckboss, Raider 1, ready cat two. |
| DECKBOSS | Raider 1, Deckboss, under tension cat two, |
| | spin it up, shooter's discretion. |
| DECKBOSS | Raider 2, Deckboss, cat two is clear. |
| RAIDER 1 | Raider 1, airborne. |
| DECKBOSS | Raider 1, Deckboss, copy airborne, |
| | push Marshal, three zero six point three. |

Bolter practice: Deckboss hands you to the LSO, who is silent. Fly the ball.

# MARSHAL CASE I

Carrier stack · 306.300 · every theatre · Lead every call with "Marshal," - or it is ignored.

## THE RECOVERY

Case I and Case II use these calls

| | |
|---|---|
| **MARKING MOMS** | Marshal, Raider 1, marking moms, 30 DME, |
| | angels 12, state 6.5. |
| | Reply: radar contact, weather, case, BRC, |
| | altimeter, Marshal at angels N, |
| | report see me at ten. |
| **DME REPORTS** | Marshal, Raider 1, 20 DME - optional, acked. |
| **SEE YOU AT 10** | Reply: visual at ten, report altitude and range. |
| **STATE** | Marshal, Raider 1, state 5.2 - under 2.0 is priority. |
| **ESTABLISHED** | Marshal, Raider 1, established angels 3 |
| | Reply: signal Charlie - or your stack position, hold. |
| **COMMENCING** | Reply: call three mile initial for paddles. |
| **INITIAL** | At 3 nm. Reply: contact paddles, good luck. |

## THE STACK

- **"Marshal at angels N" is your stack altitude.** The lowest free altitude from angels 2 to angels 9. Marshal counts aircraft already in the stack and any contact within 50 nm at that altitude.
- **When someone commences, the stack steps down silently.** There is no radio call for it - keep flying your assigned angels.
- **After initial there is nobody to talk to.** Paddles has no SkyEye role - fly the ball and trap.

## ANY TIME

- **"Marshal, Raider 1, say BRC"** - mother's BRC, magnetic. "request BRC" and a bare "BRC" work too.
- **"Marshal, Raider 1, checking in"** - your range and bearing from mother, then marking moms please.

Word-for-word calls and replies: cards 7 - 9.

# MARSHAL CASE III

Night or low weather · same trigger words, new answers · Marshal picks the case itself from time and weather.

## WHICH CASE — decided by SkyEye

| | |
|---|---|
| Night (local 1800 - 0600) | CASE III |
| Ceiling under 1,500 ft or vis under 3 nm | CASE III |
| Ceiling under 3,000 ft or vis under 5 nm | CASE II |
| Otherwise | CASE I |

- **If the case changes while you are inbound,** you hear: "All marshal aircraft, recovery is now Case Three, acknowledge on next push."

## CASE III CALLS — what changes

| | |
|---|---|
| **MARKING MOMS** | Reply: hold on the radial NNN at angels N, |
| | commence at MM, report established. |
| **ESTABLISHED** | Reply: commence at MM. There is no Charlie. |
| **COMMENCING** | At your MM. Reply: descend to platform 5,000, |
| | final bearing NNN, confirm BRC NNN, |
| | report platform. |
| **PLATFORM** | Passing 5,000 ft. Reply: final bearing NNN. |
| **INITIAL** | Do not call it in Case III - platform is your last call. |

- **Holding radial = BRC + 180. Final bearing = BRC - 9.** All magnetic. MM is minutes past the hour. The first aircraft commences 10 minutes out; each one after adds a minute.

# MARSHAL CALLS 1

Word for word · check-in, marking moms, BRC, radar · Example: BRC 275, alt 29.92, angels 12, 30 nm on the 340.

## CHECKING IN — optional first call

| | |
|---|---|
| **YOU** | Marshal, Raider 1, checking in. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, angels 12, |
| | 30 miles from mother, bearing three four zero, |
| | say marking mom's and state. |
| **NO RADAR** | Raider 1, Union Marshal, go ahead with |
| | marking mom's and state. |

## MARKING MOMS — Case I and Case II

| | |
|---|---|
| **YOU** | Marshal, Raider 1, marking moms 340 for 30, |
| | angels 12, state 6.5. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, angels 12, |
| | range 30 miles, bearing three four zero from mother, |
| | mother's weather ceiling unrestricted, |
| | visibility ten plus, expect Case One recovery, |
| | BRC 275, altimeter two niner niner two, |
| | Marshal at angels two, report see me at ten. |
| **2+ IN STACK** | The reply ends: Stack has 2 aircraft. |
| **NO RADAR** | The radar contact part is left out. |

## BRC — any time

| | |
|---|---|
| **YOU** | Marshal, Raider 1, say BRC. |
| **MARSHAL** | Raider 1, Union Marshal, mother's BRC is 275. |
| **NO CARRIER** | Raider 1, Union Marshal, BRC unknown, mother off scope. |

## RADAR CHECK AND RADIO CHECK

| | |
|---|---|
| **YOU** | Marshal, Raider 1, radar check. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, angels 12, |
| | range 30 miles, bearing three four zero from mother. |
| **NO RADAR** | Raider 1, Union Marshal, negative radar contact, |
| | say posit relative mother. |
| **YOU** | Marshal, Raider 1, radio check. |
| **MARSHAL** | Raider 1, Union Marshal, loud and clear. |

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# MARSHAL CALLS 2

Word for word · inbound to the trap, and the departure · Case I and Case II. Example as card 7.

## INBOUND — in order

| | |
|---|---|
| **YOU** | Marshal, Raider 1, 20 DME. |
| **MARSHAL** | Raider 1, Union Marshal, radar contact, 20 DME, continue. |
| **YOU** | Marshal, Raider 1, see you at ten. |
| **MARSHAL** | Raider 1, Union Marshal, visual carrier at ten miles, |
| | report altitude and range. |
| **YOU** | Marshal, Raider 1, state 5.2. |
| **MARSHAL** | Raider 1, Union Marshal, copy state 5.2. |
| **UNDER 2.0** | Raider 1, Union Marshal, state 1.8, expedite recovery. |

## THE STACK — to the trap

| | |
|---|---|
| **YOU** | Marshal, Raider 1, established angels two. |
| **DECK CLEAR** | Raider 1, Union Marshal, signal Charlie. |
| **DECK BUSY** | Raider 1, Union Marshal, entering stack at angels two, |
| | position one, hold for Charlie. |
| **YOU** | Marshal, Raider 1, commencing, state 4.0. |
| **MARSHAL** | Raider 1, Union Marshal, copy commencing, state 4.0, |
| | check in three mile initial, paddles handoff. |
| **YOU** | Marshal, Raider 1, initial. |
| **MARSHAL** | Raider 1, Union Marshal, contact paddles, good luck. |

## OFF THE BOAT — after Deckboss pushes you

| | |
|---|---|
| **YOU** | Marshal, Raider 1, clear seven miles. |
| **MARSHAL** | Raider 1, Union Marshal, clear of Union control zone, |
| | push vSFG-7-Command, two eight two point zero, |
| | channel four, for tasking. |
| **YOU** | Marshal, Raider 1, pushing command. |
| **MARSHAL** | Raider 1, Union Marshal, cleared handoff to |
| | vSFG-7-Command, good day. |

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# MARSHAL CALLS 3

Word for word · Case III (night or low weather) · Example: BRC 275, ceiling 800, vis 2, commence at 15.

## MARKING MOMS — Case III

| | |
|---|---|
| YOU | Marshal, Raider 1, marking moms 340 for 30, |
| | angels 12, state 6.5. |
| MARSHAL | Raider 1, Union Marshal, radar contact, angels 12, |
| | range 30 miles from the Abe, bearing three four zero, |
| | mother's weather ceiling eight hundred overcast, |
| | visibility 2, Case Three recovery, BRC 275, |
| | altimeter two niner niner two, hold on the zero niner |
| | five at angels two, commence at one five, |
| | report established. |

## HOLD TO PLATFORM — in order

| | |
|---|---|
| YOU | Marshal, Raider 1, established angels two. |
| MARSHAL | Raider 1, Union Marshal, roger established angels two |
| | on the zero niner five, commence at one five. |
| YOU | Marshal, Raider 1, commencing. |
| MARSHAL | Raider 1, Union Marshal, copy commencing, descend to |
| | platform five thousand, final bearing two six six, |
| | confirm BRC two seven five, report platform. |
| YOU | Marshal, Raider 1, platform. |
| MARSHAL | Raider 1, Union Marshal, copy platform, |
| | final bearing two six six. |

## CASE CHANGE — to everyone in the stack

| | |
|---|---|
| MARSHAL | All marshal aircraft, Union Marshal, recovery is now |
| | Case Three, acknowledge on next push. |

- **Radial 095 = BRC 275 + 180. Final bearing 266 = BRC - 9.** "Commence at one five" is 15 minutes past the hour.

Marshal picks one of 2 - 4 wordings at random - the first is shown. Same facts, same order of calls.

# OFF THE BOAT

Launch to Command · Deckboss -> Marshal -> Command · Three legs, three frequencies.

## THE CHAIN — in order

| | |
|---|---|
| **1 DECKBOSS** | Raider 1, airborne. |
| | Reply: copy airborne, push Marshal and its frequency. |
| **2 MARSHAL** | Marshal, Raider 1, clear seven miles. |
| | Reply: clear of Union control zone, |
| | push vSFG-7-Command, |
| | two eight two point zero, channel four, for tasking. |
| **3 COMMAND** | Command, Raider 1, checking in. |

## GET THE CLEAR CALL RIGHT

- **Say "clear" and a distance:** "clear seven miles", "clear seven DME", "clear of mother" or "clear mothers".
- **Do not add recovery words to it.** If the call also has marking moms, state, initial, established, commencing, platform or bolter in it, Marshal treats you as inbound.
- **"Channel four" is the Hornet's Command preset.** Vipers never launch from the boat - their Command is COMM 1 CH 1.
- **Deckboss names the right Marshal for the theatre:** 306.300 in every theatre.

# COMMAND

282.000 AM · Hornet COMM 1 CH 4 · Viper COMM 1 CH 1 · The squadron net. Both jets, every theatre.

## YOU SAY — Command replies

| | |
|---|---|
| radio check / comm check / how copy | **loud and clear** |
| checking in / check in | **proceed mission** |
| fence in / fence check | **cleared hot** |
| on station | **good hunting** |
| off station / departing station | **proceed to assigned pattern** |
| fence out | **safe passage** |
| RTB / request recovery / bingo home plate | **expect handoff at 30 nm** |
| state 5.2 | **copy state** |
| say bullseye / request bullseye | **bullseye NNN for NN** |
| request tanker / say texaco | **bearing, range, angels** |
| request tasking (Black Sea training) | **contact Hitman 1-1, 61.0 - card 12** |

- **"RTB, fence out" is read as RTB.** The recovery words are checked before fence out.
- **Add your state to any call.** "fence out, state 1.8" - under 2.0 Command tells you you are bingo.

## BULLSEYE AND TANKER — from the radar picture

- **Bearings are magnetic.** Bullseye is your own side's. The tanker is the nearest friendly one - by type, or a Texaco, Arco or Shell callsign.
- **No picture, no answer:** you hear "unable" or "negative tanker on scope".

## THE AUTOMATIC HANDOFF — you do not ask for it

- **Once you have talked to Command, it watches you on Tacview** - when the rig has Tacview connected. Inside 30 nm of your nearest recovery - a field or the carrier - it calls you once.
- **Field:** "contact <field> tower on <frequency>, switching now approved, good landing."
- **Carrier:** "contact Marshal on <frequency>, switching now approved, call marking mom."
- **Launched from the boat?** You are sent to Marshal inside 30 nm of it, even when a field is nearer.

# HITMAN 1-1

JTAC · 61.000 FM · Hornet COMM 2 CH 12 · Viper COMM 2 CH 8 · Black Sea (Caucasus) training · the five 9-line cards

## THE RUN

every call starts "Hitman, Raider 1, ..."

| | |
|---|---|
| **COMMAND** | request tasking -> contact Hitman 1-1 on 61.0 |
| **CHECK IN** | checking in -> Hitman picks the target, 9-line |
| **COPY** | copy -> report IP inbound |
| **IP INBOUND** | IP inbound -> continue |
| **IN** | in from the <dir> -> cleared hot, or abort |
| **OFF** | off -> egress per line 9 |

## THE 9-LINE

by reference to your kneeboard card

- **Hitman picks the target, at random.** Not one another flight is working, not the one you just did. Find that card in your kneeboard - Hitman reads you its number, name, elevation, final attack heading and egress, and the IP's bearing if you are not there yet.
- **Another target:** after "off", say "request tasking" to Hitman - or ask Command again.

JTAC LIVE 60.000 (Hornet COMM 2 CH 15) is for a human JTAC. Hitman never answers there.

# CLEARED HOT?

What Hitman checks · from Tacview, against your 9-line card · Bearings and headings magnetic.

## HITMAN CHECKS — or tells you why not

| | |
|---|---|
| IP inbound | **within 5 nm of the IP** |
| not there | **negative - IP bears NNN for NN** |
| nose off the target | **continue, check heading** |
| In call | **inside the final attack heading** |
| and | **0.5 - 15 nm from the target** |
| outside either | **abort, abort, abort - and why** |

## AFTER CLEARED HOT — Hitman keeps watching

- **Swing more than 10 deg outside the final attack heading** while still pointed at the target, before a weapon comes off, and Hitman calls the abort. Go round from the IP.
- **Pulling off, a release, or 1.5 nm to go** ends the watch.
- **No radar picture of you** (Tacview down, callsign not matched): no checks - still cleared hot.

## BDA — about 15 s after your bombs land

- **Impacts, then kills.** Where you hit against the aim point, then what is destroyed, priority targets first. "request BDA" repeats it.
- **Bridges cannot be assessed** - Hitman gives impacts, Enguri's checkpoint, and any hit on the Rioni no-strike road bridge.

## ALSO — any time

| | |
|---|---|
| abort | **copy abort, re-attack from the IP** |
| radio check | **loud and clear** |

# A FULL SORTIE

Off the boat and back · every SkyEye call, in order · Hornet, Case I, Persian Gulf frequencies.

## OUTBOUND

| | |
|---|---|
| **DECKBOSS 128.6** | request taxi · ready cat N · airborne |
| **MARSHAL 306.3** | clear seven miles |
| **COMMAND 282.0** | checking in · fence in · on station |

## ON THE JOB

| | |
|---|---|
| **COMMAND 282.0** | state · request tanker · say bullseye |
| **COMMAND 282.0** | off station · fence out · RTB |
| **COMMAND 282.0** | Inside 30 nm: contact Marshal, call marking mom. |

## RECOVERY

| | |
|---|---|
| **MARSHAL 306.3** | marking moms · DME reports · see you at ten |
| **MARSHAL 306.3** | state · established angels N · Charlie |
| **MARSHAL 306.3** | commencing · initial at 3 nm |
| **PADDLES** | No SkyEye LSO. Ball, trap, clear the landing area. |

- **Syria and Black Sea:** the same frequencies - Marshal 306.300 on COMM 1 CH 3.
- **Vipers:** only the Command calls apply here. Towers are cards 15 - 20.

# AIRFIELD ATC

One AI tower per field · UHF AM · Gulf, Black Sea, Syria · Same calls at every field; only name and frequency change.

## HOW TO BE HEARD

every tower call

- **Open with the field name, then your callsign.** "Minhad Tower, Raider 1, request taxi". "Tower" can be dropped when the field name comes first: "Akrotiri, Raider 1, ...".
- **No field name, no answer.** "Raider 1, request taxi" is ignored. A bare "Tower, Raider 1, ..." does work.
- **Misheard names are forgiven.** A letter or two off still counts. Mafraq also answers to King Hussein, and H4 to H-4.
- **CTAF style works too:** "Senaki traffic, Raider 1, rolling runway 09".

## WHAT THE TOWER KNOWS

- **Runway, wind and altimeter come from the mission weather.** Listen to ATIS first - it gives the same runway.
- **It sees you only through Tacview.** Radar check, traffic holds, go-around and speed calls need the rig's Tacview feed.
- **IMC changes the pattern.** Ceiling under 1,500 ft or visibility under 3 nm: no overhead, straight-in only.

## THE TOWER CALLS YOU

no request needed

| | |
|---|---|
| Over 350 kt inside 10 nm | **speed check** |
| Inside 5 nm while a jet is rolling | **go around** |
| Wind shift changes the runway | **runway in use is now NN** |
| Held short, and the traffic has cleared | **cleared for takeoff** |

Built but switched off: "say intentions" and "report clear of the runway".

# TOWER RADIOS

Gulf and Black Sea · tower, ATIS, COMM 1 preset · Presets read off the squadron Hornet and Viper cards.

| PERSIAN GULF | Hornet / Viper |
|---|---|
| AL DHAFRA TOWER 251.100 · ATIS 248.200 | CH 8 / CH 12 |
| AL MINHAD TOWER 250.100 · ATIS 248.300 | CH 10 / CH 14 |
| AL AIN TOWER 250.700 · ATIS 248.850 | CH 16 / CH 19 |

| BLACK SEA | Hornet / Viper |
|---|---|
| BATUMI TOWER 260.000 · ATIS 230.000 | CH 8 / CH 12 |
| KOBULETI TOWER 262.000 · ATIS 232.000 | CH 10 / CH 14 |
| KUTAISI TOWER 263.000 · ATIS 233.000 | CH 12 / CH 18 |
| SENAKI TOWER 261.000 · ATIS 234.000 | CH 14 / CH 16 |
| TBILISI TOWER 267.000 · ATIS 237.000 | CH 18 / CH 10 |

## THE 7 DME HANDOFF NAMES A CHANNEL — check it

- **Towers send you to Command on 282.000 and add a channel.** Gulf towers say "channel four"; Black Sea towers say "channel one".
- **That channel is only right for one jet.** Gulf: Viper Command is CH 1, not 4. Black Sea: Hornet Command is CH 4 - Hornet CH 1 is Deckboss.
- **Trust the frequency.** 282.000 is right in every theatre.
- **ATIS is one channel above its tower on every card,** except Viper Gulf CH 20: printed 119.850, but SkyEye's Al Ain ATIS is 248.850.

# SYRIA TOWERS

Eastern Med · Foothold · 5 fields · tower and ATIS · Read from the start scripts - dial the frequency.

## THE TOWERS

tower · ATIS

| | | |
|---|---|---|
| AKROTIRI TOWER | 252.000 | ATIS 249.500 |
| BASSEL AL-ASSAD TOWER | 250.600 | ATIS 249.600 |
| BEIRUT TOWER | 250.650 | ATIS 249.700 |
| INCIRLIK TOWER | 360.100 | ATIS 360.200 |
| RAMAT DAVID TOWER | 251.300 | ATIS 256.150 |

## KNOW BEFORE YOU FLY

Syria

- **Check the frequency, not only the channel.** The Foothold preset cards number the channels per airframe.
- **ATIS speaks English, then a local language** (Akrotiri English only).
- **The DCS F-menu tower is somewhere else.** Except at Incirlik, DCS's own controller is not on SkyEye's frequency.
- **The 7 DME handoff says "channel four"** - Hornet Command, 282.000.

# DEPARTURE

Parking to Command · every SkyEye field · Wait for each reply before the next call.

## THE DEPARTURE — in order

| | |
|---|---|
| **REQUEST TAXI** | Minhad Tower, Raider 1, request taxi. |
| | Reply: taxi to runway NN, altimeter, hold short. |
| **HOLDING SHORT** | Minhad Tower, Raider 1, holding short. |
| | Reply: line up and wait. |
| **+ 5 s** | Reply: wind, runway, cleared for takeoff. |
| **AIRBORNE** | Minhad Tower, Raider 1, airborne. |
| | Reply: angels N, contact tower at seven DME. |
| **7 DME** | Minhad Tower, Raider 1, seven DME. |
| | Reply: contact command, 282.0, channel N. |
| **COMMAND** | Command, Raider 1, checking in. |

## IF YOU ARE HELD

- **Traffic inside 20 nm holds you.** Inside 15 nm: "hold short, traffic on N mile final". 15 - 20 nm: line up and wait, no takeoff clearance.
- **60 s between departures.** Too soon after the last jet: "hold short, departure spacing N seconds".
- **Stay put - the tower calls you.** When the traffic or the spacing clears you get your takeoff clearance.

## GOOD TO KNOW

- **"ready for takeoff" skips line up and wait:** with no traffic you are cleared at once.
- **"rolling runway NN" (CTAF) or "departing"** gets the same reply as airborne.
- **Angels 3 - 6, picked at random.** "seven miles" works as the 7 DME call too.
- **Optional:** "pushing command" gets a short good day; "request startup" gets Ground's startup approval.

# ARRIVAL

Overhead or straight in · one call per leg · Give your distance with inbound, initial or final.

## THE OVERHEAD — VMC

| | |
|---|---|
| **INBOUND** | Minhad Tower, Raider 1, 10 mile initial. |
| | Reply: runway, wind, altimeter, pattern, report initial. |
| **INITIAL** | Minhad Tower, Raider 1, 3 mile initial. |
| | Reply: left break runway NN, number N, report base. |
| **DOWNWIND** | Optional. Reply: number N, report base. |
| **BASE** | Minhad Tower, Raider 1, base, gear down. |
| | Number one: cleared to land. Otherwise: affirmative. |
| **FINAL** | Minhad Tower, Raider 1, on final. |
| | Reply: runway, wind, cleared to land. |
| **VACATED** | Minhad Tower, Raider 1, clear of the active. |

- **Past 15 nm you hear "continue inbound, report N miles".** Answer "15 miles inbound" or "15 mile initial".
- **Say "gear down" in your base or final call,** or the tower adds "check wheels down".
- **"initial" or "break" on its own is taken as your break** (reply: report downwind). Give the distance: "3 mile initial".
- **"touch and go", "low approach" or "the option"** in the final call gets that clearance instead.

## DISTANCES

- **"15 miles inbound" and "15 mile initial" both work.** So does a bare "15 miles". "7 miles" on its own is the 7 DME departure call.
- **A DME needs "inbound" or "initial".** "12 DME inbound" works; "12 DME" on its own is a departure call.
- **"5 mile final" is a landing call,** the same as "on final".

## STRAIGHT IN, IMC, HUNG ORDNANCE

- **"request straight in", "ILS" or "visual approach":** straight-in runway NN approved, altimeter, report final.
- **IMC: the overhead is refused.** Inbound, initial and break get "straight-in only, report ten mile final". Then call "ten mile final".
- **"hung ordnance":** straight in, no overflight, stop at the end of the runway for dearm.

# TOWER CALLS

Every call a tower answers · lead with the field name · Silent calls are heard but get no reply.

## GROUND AND DEPARTURE

| | tower replies |
|---|---|
| request taxi / ready to taxi | taxi, hold short |
| holding short / at the hold | line up and wait |
| ready for takeoff / request takeoff | cleared for takeoff |
| airborne / departing / rolling | angels, call 7 DME |
| seven DME / seven miles | contact Command |
| pushing command | good day |

## ARRIVAL AND LANDING

| | |
|---|---|
| N mile initial / N miles inbound | field information |
| 3 mile initial / overhead | break approved |
| downwind | number N, report base |
| base / on final / N mile final | cleared to land |
| request straight in / ILS | straight-in approved |
| touch and go / low approach / the option | cleared touch and go |
| going around | report downwind |
| runway vacated / clear of the active | taxi to parking |

## ANY TIME

| | |
|---|---|
| say again | your last call, 2 min |
| wind check / say altimeter | wind and altimeter |
| radar check | angels, range, bearing |
| radio check / checking in | loud and clear |
| hung ordnance | straight in, dearm |
| mayday / pan pan / emergency | runway is yours |
| tally / no joy / altitude check / roger | silent |

Anything else gets "say again your request".

# NO ANSWER?

Work down the list · most misses are the first three · Tell the operator what you said, word for word.

## CHECK — in order

| | |
|---|---|
| 1 | Waited 2 - 3 seconds? |
| 2 | Led with the role or field name - Marshal, Minhad Tower? |
| 3 | Said your full callsign? |
| 4 | Used a trigger word from the calls cards? |
| 5 | Half-second pause after keying - call not clipped? |
| 6 | Right frequency? Marshal 306.3 everywhere; Hitman 61.0 FM. |
| 7 | SRS shows your TX light? Radio AM (Hitman FM), encryption off? |

## KNOWN QUIRKS

- **Your callsign may be misheard.** Raider as reader or radar, Venom as vino. SkyEye corrects most; if not, slow down and say the digits one at a time.
- **The same call can get a different reply.** Each answer has two to four versions picked at random - the meaning is the same.
- **Marshal needs the number in your callsign.** "Marshal, Raider 1, ..." - a call with no number gets no answer.
- **Paddles never answers.** There is no LSO role yet.
- **Deckboss uses the DCS AI carrier frequency.** You may hear the AI carrier controller on 128.600 as well.

Built from the SkyeyeATC code, origin/main b20f6b2, 15 SEP 2026; Hitman 47c9898, 14 OCT 2026.