

Toonflow Deployment Guide

Quick Overview

Item	Value
GitHub Repo	https://github.com/hiktan44/Toonflow
Coolify App URL	https://e2z8qqbf9varx40d02mc-c87y.seymata.com
Coolify Dashboard	https://seymata.com
Default Port	10588
Default Login	admin / admin123
Web UI Path	/web/index.html

Environment Variables

Variable	Description	Value
NODE_ENV	Runtime environment	dev
PORT	Server port	10588
FAL_KEY	FAL AI API key	Configured 
OSSURL	Static resource URL (optional)	Empty for local

Local Docker Setup (macOS)

Prerequisites

- Docker Desktop installed on macOS
- Git

Steps

```
# 1. Clone the repository
git clone https://github.com/hiktan44/Toonflow.git
cd Toonflow

# 2. Create .env file (copy from example)
cp .env.example .env
# Edit .env and add your FAL_KEY

# 3. Build and run with Docker Compose
docker compose up -d

# 4. Access the application
open http://localhost:10588/web/index.html
```

Manual Docker Build

```
docker build -t toonflow .
docker run -d -p 10588:10588 \
  -v toonflow-data:/app/data \
  -e FAL_KEY=your_fal_key_here \
  -e NODE_ENV=dev \
  -e PORT=10588 \
  toonflow
```

Coolify Deployment (Already Deployed!)

The application is **already deployed** on Coolify at seymata.com.

Deployment Details

- **Application UUID:** e2z8qqbf9varx40d02mcc87y
- **Project:** Toonflow (UUID: ssoizan4lkfojqryyf9cylth)
- **Build Pack:** Dockerfile
- **Domain:** https://e2z8qqbf9varx40d02mcc87y.seymata.com

Access the App

1. Go to: **https://e2z8qqbf9varx40d02mcc87y.seymata.com/web/index.html**
2. Login with: **admin / admin123**

Custom Domain (Optional)

To set a custom domain in Coolify:

```
# Via Coolify API
curl -X PATCH -H "Authorization: Bearer YOUR_COOLIFY_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"fqdn": "https://toonflow.yourdomain.com"}' \
  https://seymata.com/api/v1/applications/e2z8qqbf9varx40d02mcc87y
```

Or via the Coolify web dashboard:

1. Log in to https://seymata.com

2. Navigate to Toonflow project → Toonflow application
3. In Settings → Domains, add your custom domain
4. Ensure DNS points to your Coolify server IP

Redeploy (After Code Changes)

```
# Push changes to GitHub
cd Toonflow
git add .
git commit -m "Your changes"
git push origin master

# Trigger redeploy via Coolify API
curl -X POST -H "Authorization: Bearer 9|snKZNq3f9J4Hs93sLtJJ1v5lliELcZuBlj5yVHyT6d-f7c6f3" \
  "https://seymata.com/api/v1/deploy?uuid=e2z8qqbf9varx40d02mcc87y&force=true"
```

FAL AI Configuration

FAL AI API key is configured as an environment variable (`FAL_KEY`). However, Toonflow uses a **vendor plugin system** for AI model providers. To configure AI models within the app:

1. Login to Toonflow web UI
2. Go to **Settings** → **Vendor Configuration** (供应商配置)
3. You can:
 - Enable/configure the built-in **Toonflow official platform** vendor
 - Add custom vendor plugins (OpenAI, DeepSeek, KlingAI, etc.)
 - Configure API keys per vendor through the UI

Available Built-in Vendors

- Toonflow Official Platform
 - OpenAI
 - DeepSeek
 - KlingAI
 - MiniMax
 - Vidu
 - VolcEngine
 - AtlasCloud
 - GRSAl
-

Project Structure

```
Toonflow/
├── Dockerfile                # Docker build file
├── docker-compose.yml        # Docker Compose for local/Coolify
├── .env.example               # Environment variable template
├── .env.production            # Production environment config
├── src/                       # Source code (TypeScript)
├── data/
│   ├── vendor/                # AI vendor plugins
│   ├── web/                   # Frontend build (pre-built)
│   ├── skills/                # Agent skill prompts
│   └── models/                 # Local AI models
└── package.json
```

Important Notes

1. **First login:** Use `admin / admin123` , then change the password
2. **Data persistence:** The SQLite database and uploads are stored in `/app/data` - use Docker volumes to persist data
3. **FAL AI:** The `FAL_KEY` env var is available for custom integrations. The main AI model configuration happens through the Toonflow web UI vendor system
4. **Node.js:** The app requires Node.js 24.x (included in Docker image)