


# XML/JSON Analysis Template

## Results for Automated Identification System (AIS) Use Case

### Plaintext Comparisons

A. How do JSON and XML compare when plaintext-encoded?

```
## [1] "Series:  json"
## [1] "Baseline: xml"
##      json
## Min.   :0.8535
## 1st Qu.:0.9346
## Median :0.9446
## Mean   :0.9370
## 3rd Qu.:0.9454
## Max.   :0.9456
```




B. How do JSON and XML compare when compressed with conventional compression algorithms?

```
## [1] "Series:  json.gz, json.bz2, xml.gz, xml.bz2"
```

```
## [1] "Baseline:  xml"
```


	json.gz	json.bz2	xml.gz	xml.bz2
## Min. :	0.1108	Min. :0.07101	Min. :0.1112	Min. :0.07113
## 1st Qu.:	0.1131	1st Qu.:0.07589	1st Qu.:0.1135	1st Qu.:0.07633
## Median :	0.1247	Median :0.09735	Median :0.1256	Median :0.09847
## Mean :	0.1785	Mean :0.16133	Mean :0.1861	Mean :0.17029
## 3rd Qu.:	0.2140	3rd Qu.:0.22674	3rd Qu.:0.2236	3rd Qu.:0.24018
## Max. :	0.6930	Max. :0.67887	Max. :0.7775	Max. :0.77465



## JSON-Specific Exploratory

C. For binary JSON formats, does post-compression with conventional compression algorithms improve compactness?


```
## [1] "Series:  json.bson, json.bson.gz, json.bson.bz2, json.cbor, json.cbor.gz, json.cbor.bz2"
## [1] "Baseline: json"
##      json.bson      json.bson.gz      json.bson.bz2      json.cbor
## Min.   :0.9088      Min.   :0.1423      Min.   :0.1106      Min.   :0.7522
## 1st Qu.:0.9241      1st Qu.:0.1451      1st Qu.:0.1190      1st Qu.:0.7651
## Median :0.9254      Median :0.1542      Median :0.1529      Median :0.7678
## Mean   :0.9259      Mean   :0.2179      Mean   :0.2285      Mean   :0.7674
## 3rd Qu.:0.9275      3rd Qu.:0.2559      3rd Qu.:0.3270      3rd Qu.:0.7690
## Max.   :0.9505      Max.   :0.8251      Max.   :0.8779      Max.   :0.7798
##      json.cbor.gz      json.cbor.bz2
## Min.   :0.1287      Min.   :0.09942
## 1st Qu.:0.1308      1st Qu.:0.10667
## Median :0.1416      Median :0.13760
## Mean   :0.1989      Mean   :0.21112
## 3rd Qu.:0.2350      3rd Qu.:0.29674
## Max.   :0.7855      Max.   :0.85809
```



## EXI Exploratory

D. How do the primary EXI modes compare for schemaless & schema-informed encodings?


```
## [1] "Series:  xml.bitpacked_exi, xml.schema_bitpacked_exi, xml.compress_exi, xml.schema_compress_exi"
## [1] "Baseline:  xml"
##  xml.bitpacked_exi xml.schema_bitpacked_exi xml.compress_exi
## Min.   :0.2487      Min.   :0.09009      Min.   :0.08339
## 1st Qu.:0.2508      1st Qu.:0.09892      1st Qu.:0.08643
## Median :0.2566      Median :0.09962      Median :0.10028
## Mean   :0.3021      Mean   :0.09878      Mean   :0.15230
## 3rd Qu.:0.3184      3rd Qu.:0.09994      3rd Qu.:0.18394
## Max.   :0.7887      Max.   :0.10117      Max.   :0.65352
##  xml.schema_compress_exi
## Min.   :0.07008
## 1st Qu.:0.07280
## Median :0.08173
## Mean   :0.08643
## 3rd Qu.:0.10155
## Max.   :0.12384
```



## Binary-comparisons

E. Which binary format is the most compact?

```
## [1] "Series:  xml.strict_compress_exl, xml.strict_bitpacked_exl, xml.compress_exl, json.gz, json.cb
## [1] "Baseline:  xml"
##  xml.strict_compress_exl xml.strict_bitpacked_exl xml.compress_exl
##  Min.      :0.07001      Min.      :0.08333      Min.      :0.08339
##  1st Qu.:0.07270      1st Qu.:0.09233      1st Qu.:0.08643
##  Median :0.08142      Median :0.09288      Median :0.10028
##  Mean    :0.08616      Mean    :0.09208      Mean    :0.15230
##  3rd Qu.:0.10202      3rd Qu.:0.09316      3rd Qu.:0.18394
##  Max.    :0.12229      Max.    :0.09452      Max.    :0.65352
##      json.gz      json.cbor.gz      json.bson.gz
##  Min.      :0.1108      Min.      :0.1217      Min.      :0.1345
##  1st Qu.:0.1131      1st Qu.:0.1236      1st Qu.:0.1372
##  Median :0.1247      Median :0.1338      Median :0.1457
##  Mean    :0.1785      Mean    :0.1840      Mean    :0.2018
##  3rd Qu.:0.2140      3rd Qu.:0.2195      3rd Qu.:0.2391
##  Max.    :0.6930      Max.    :0.6704      Max.    :0.7042
```



F. Do any of the binary formats offer improvement for a network already using gzip?

```
## [1] "Series:  xml.strict_compress_exl xml.strict_bitpacked_exl xml.compress_exl json.gz, json.cb
## [1] "Baseline:  xml.gz"
## xml.strict_compress_exl xml.strict_bitpacked_exl xml.compress_exl
## Min.    :0.1486          Min.    :0.1087          Min.    :0.7431
## 1st Qu.:0.4821          1st Qu.:0.4103          1st Qu.:0.7621
## Median :0.6305          Median :0.7412          Median :0.7935
## Mean    :0.5581          Mean    :0.6386          Mean    :0.7967
## 3rd Qu.:0.6429          3rd Qu.:0.8206          3rd Qu.:0.8188
## Max.    :0.6770          Max.    :0.8387          Max.    :0.8827
## json.gz json.cbor.gz json.bson.gz
## Min.    :0.8913      Min.    :0.8623      Min.    :0.9058
## 1st Qu.:0.9590      1st Qu.:0.9826      1st Qu.:1.0773
## Median :0.9918      Median :1.0526      Median :1.1667
## Mean    :0.9774      Mean    :1.0334      Mean    :1.1392
## 3rd Qu.:0.9956      3rd Qu.:1.0946      3rd Qu.:1.2042
## Max.    :0.9972      Max.    :1.1111      Max.    :1.2333
```

