

Homework 3

Steve Hill

1 Problem 1

Define functional margin and geometric margin. Explain why functional margin is not a good objective to optimize in order to learn a maximum margin classifier:

Functional Margin - Functional margin is the margin defined by $wx + b = 0$. So if you multiply some point y_i by the functional margin, you should get a classifier such that if classifier ≥ 0 then it is positive.


The problem comes if the bound is too tightly fit, we want things to fit better, so we should look to expand the margin.

Geometric Margin - The geometric margin is a wider margin represented by the first useful example points in each class. By fitting two margins, $wx + b = 1$ and $wx + b = -1$, we can create a wider margin that is as large as possible. This is what we want.


2 Problem 2

For the soft-margin SVM, parameter c controls the trade-off between maximizing the margin and minimizing the slack variables (aka the error of the fat decision boundary). Consider the following data set, what linear decision boundary will soft-margin SVM learn when:

Note that the outmost boundaries are the fat boundary for each c value.



3 Problem 3



$$Gray = wx + b = 1$$

$$Red = wx + b = -1$$

$$Black = wx + b = 0$$

Part b) The Gray and Red lines represent two support vectors

Part c) The w value is $(1, 2)$ and the b value is 10 .

4 Problem 4

Data set: $(-1.8, -1.7, -0.3, -0.1, 0.2, 0.4, 1.6, 1.7, 1.9, 2.0)$

Dendograms:

