
Discover Egypt - ERD

Accounts, profiles and Guide verification




Core table · Booking / money table · Lookup table · Join table (composite PK) · Referenced table (Id only)

exactly one · zero or one · one or many · zero or many

All Ids are Guid. Any *AdminId column is an FK to ApplicationUser (Admin role). Enums are columns, not tables. Enum values and timestamps follow Context V2.0 (UTC).

Discover Egypt - ERD

Tourist preferences




Core table · Booking / money table · Lookup table · Join table (composite PK) · Referenced table (Id only)

exactly one · zero or one · one or many · zero or many

All Ids are Guid. Any *AdminId column is an FK to ApplicationUser (Admin role). Enums are columns, not tables. Enum values and timestamps follow Context V2.0 (UTC).

Discover Egypt - ERD

Experiences, media and evidence




Core table · Booking / money table · Lookup table · Join table (composite PK) · Referenced table (Id only)

exactly one · zero or one · one or many · zero or many

All Ids are Guid. Any *AdminId column is an FK to ApplicationUser (Admin role). Enums are columns, not tables. Enum values and timestamps follow Context V2.0 (UTC).

Discover Egypt - ERD

Bookings, payments, disputes and notifications



Core table · Booking / money table · Lookup table · Join table (composite PK) · Referenced table (Id only)

exactly one · zero or one · one or many · zero or many

All Ids are Guid. Any *AdminId column is an FK to ApplicationUser (Admin role). Enums are columns, not tables. Enum values and timestamps follow Context V2.0 (UTC).