




female_psg_negative: best-fit distributions by AIC / BIC

Observed Best by AIC (and BIC if same) Best by BIC (when different)



n_clusters_with_tumor



female_psg_negative | n = 170 | Discrete count | best AIC: Negative Binomial | best BIC: Negative Binomial | Δ AIC to 2nd best = 175.88





Fitted parameters - Negative Binomial: size_r=2.90065; mu=6.17647; p=0.319556
Notes: overdispersed (var/mean=3.5) -> Negative Binomial preferred over Poisson; right-skewed (skew=1.40)

wsi_tumor_n_islands


female_psg_negative | n = 170 | Discrete count | best AIC: Negative Binomial | best BIC: Negative Binomial | ΔAIC to 2nd best = 156387.27



Fitted parameters - Negative Binomial: size_r=1.20022; mu=1266.25; p=0.000946956
Notes: overdispersed (var/mean=1073.4) -> Negative Binomial preferred over Poisson; right-skewed (skew=1.75)





wsi_tumor_area_mm2
female_psg_negative | n = 170 | Positive continuous | best AIC: Gamma | best BIC: Gamma | Δ AIC to 2nd best = 5.37



Fitted parameters - Gamma: shape=0.957122; scale=47.3219
Notes: right-skewed (skew=2.00)

wsi_tumor_perimeter_mm

female_psg_negative | n = 170 | Positive continuous | best AIC: Gamma | best BIC: Gamma | Δ AIC to 2nd best = 22.67





Fitted parameters - Gamma: shape=1.28836; scale=1467.01



Notes: right-skewed (skew=1.43)

wsi_tumor_fraction_of_cluster

female_psg_negative | n = 170 | Continuous proportion | best AIC: Beta | best BIC: Beta | Δ AIC to 2nd best = 6.18





Fitted parameters - Beta: alpha=4.18985; beta=6.01661





Fitted parameters - Gamma: shape=2.9231; scale=20.2799
Notes: right-skewed (skew=1.67)



wsi_tumor_patch_density_per_mm2

female_psg_negative | n = 170 | Positive continuous | best AIC: Gamma | best BIC: Gamma | Δ AIC to 2nd best = 6.46





Fitted parameters - Gamma: shape=3.05501; scale=4.73151
Notes: roughly symmetric (skew=0.48)







wsi_area_weighted_tumor_solidity_mean

female_psg_negative | n = 170 | Bounded continuous | best AIC: Normal | best BIC: Normal | Δ AIC to 2nd best = 5.04





Fitted parameters - Normal: mu=0.59841; sigma=0.0652404
Notes: roughly symmetric (skew=0.33)





Fitted parameters - Gamma: shape=58.0279; scale=0.0309772
Notes: roughly symmetric (skew=0.25)

wsi_area_weighted_tumor_boundary_fractal_dimension


female_psg_negative | n = 170 | Continuous | best AIC: Normal | best BIC: Normal



Fitted parameters - Normal: mu=1.63969; sigma=0.135655



Fitted parameters - Log-normal: meanlog=4.85158; sdlog=0.253031
Notes: right-skewed (skew=5.07)



Fitted parameters - Log-normal: meanlog=2.45835; sdlog=0.378974
Notes: right-skewed (skew=2.69)