

Checkout with My Account

Execution Environment

Host name	Himangi - ip-192-168-5-123.ap-southeast-1.compute.internal
OS	Windows 10 64bit
Katalon version	6.1.0.1
Browser	Chrome 75.0.3770.100

Summary

ID	Test Suites/Checkout with My Account		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2019-07-05 10:53:54	End	2019-07-05 10:55:40
Elapsed	1m - 45.511s		

#	ID	Description	Status
1	Test Cases/Guest_Login_Checkout		FAILED
2	Test Cases/Add Receipt ATM		FAILED

Guest_Login_Checkout

Information

ID	Test Cases/Guest_Login_Checkout		
Description			
Start	2019-07-05 10:53:55	End	2019-07-05 10:54:52
Elapsed	57.414s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(toString()) Browser is opened with url: 'Script1560161294020@4aa83f4f'	5.028s	PASSED
2	navigateToUrl("http://18.138.12.239/") Navigate to 'http://18.138.12.239/' successfully	8.625s	PASSED
3	maximizeWindow() Current window maximized	1.182s	PASSED
4	delay(10) Delayed 10 second(s)	10.046s	PASSED
5	check(findTestObject("Object Repository/add to cart/Page_Welcome to The Thread Theory The Thread Theory/span_concat(Don t show this popup again)_check")) Object 'Object Repository/add to cart/Page_Welcome to The Thread Theory The Thread Theory/span_concat(Don t show this popup again)_check' is checked	0.219s	PASSED
6	click(findTestObject("Object Repository/add to cart/Page_Welcome to The Thread Theory The Thread Theory/button_Close")) Object: 'Object Repository/add to cart/Page_Welcome to The Thread Theory The Thread Theory/button_Close' is clicked on	0.105s	PASSED
7	delay(10) Delayed 10 second(s)	10.007s	PASSED

Guest_Login_Checkout

#	Description	Elapsed	Status
8	mouseOver(findTestObject("add to cart/menu_cart_mini/Page_Work Wear - DRESSES - SHOP/span_SHOP")) Object: 'Object Repository/add to cart/menu_cart_mini/Page_Work Wear - DRESSES - SHOP/span_SHOP' is hovered	0.110s	PASSED
9	click(findTestObject("add to cart/menu_cart_mini/Page_Work Wear - DRESSES - SHOP/span_Work Wear")) Object: 'Object Repository/add to cart/menu_cart_mini/Page_Work Wear - DRESSES - SHOP/span_Work Wear' is clicked on	13.017s	PASSED
10	delay(5) Delayed 5 second(s)	5.019s	PASSED
11	scrollToElement(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional"), 5) Scroll to object 'Object Repository/Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional' successfully	0.058s	PASSED
12	mouseOver(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional")) Object: 'Object Repository/Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional' is hovered	0.138s	PASSED

Guest_Login_Checkout

#	Description	Elapsed	Status
13	<p>click(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional"))</p> <p>click(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional")) FAILED. Reason: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_imgage-additional' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source) at Guest_Login_Checkout.run(Guest_Login_Checkout:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:322) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:293) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:227) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:129) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:112) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:81) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1562304233061.run(TempTestSuite1562304233061.groovy:35) Caused by: org.openqa.selenium.ElementNotVisibleException: element not interactable (Session info: chrome=75.0.3770.100) (Driver info: chromedriver=2.43.600210 (68dcf5eebde37173d4027fa8635e332711d2874a),platform=Windows NT 10.0.17763 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.7.1', revision: '8a0099a', time: '2017-11-06T21:07:36.161Z' System info: host: 'WD01-QAHIMANGI', ip: '192.168.5.123', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false,</p>	0.724s	FAILED

Guest_Login_Checkout


#	Description	Elapsed	Status
	<pre>browserName: chrome, chrome: {chromedriverVersion: 2.43.600210 (68dcf5eebde371..., userDataDir: C:\Users\Himangi\AppData\Lo...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions: {debuggerAddress: localhost:52342}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 75.0.3770.100, webStorageEnabled: true} Session ID: 0cf41720586bb0084625d56c01606265 at org.openqa.selenium.remote.ErrorHandler.createThrowable (ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed (ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpStatusCode. reconstructValue(JsonHttpStatusCode.java:40) at org.openqa.selenium.remote.http.AbstractHttpStatusCode. decode(AbstractHttpStatusCode.java:80) at org.openqa.selenium.remote.http.AbstractHttpStatusCode. decode(AbstractHttpStatusCode.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:600) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:279) at org.openqa.selenium.remote.RemoteWebElement.click (RemoteWebElement.java:83) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3. call(Unknown Source) at Script1560161294020.run(Script1560161294020.groovy:40) ... 13 more</pre>		

Guest_Login_Checkout

#	Description	Elapsed	Status
	<pre>click(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_image-additional")) click(findTestObject("Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_image-additional")) FAILED. Reason: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Filter_Sort/Page_Work Wear - DRESSES - SHOP/img_Quick View_image-additional' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source) at Guest_Login_Checkout.run(Guest_Login_Checkout:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:322) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:293) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:227) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:129) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:112) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:81) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1562304233061.run(TempTestSuite1562304233061.groovy:35) Caused by: org.openqa.selenium.ElementNotVisibleException: element not interactable (Session info: chrome=75.0.3770.100) (Driver info: chromedriver=2.43.600210 (68dcf5eebde37173d4027fa8635e332711d2874a),platform=Windows NT 10.0.17763 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.7.1', revision: '8a0099a', time: '2017-11-06T21:07:36.161Z' System info: host: 'WD01-QAHIMANGI', ip: '192.168.5.123', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false,</pre>		

Guest_Login_Checkout

#	Description	Elapsed	Status
	<pre>browserName: chrome, chrome: {chromedriverVersion: 2.43.600210 (68dcf5eebde371..., userDataDir: C:\Users\Himangi\AppData\Lo...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions: {debuggerAddress: localhost:52342}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 75.0.3770.100, webStorageEnabled: true} Session ID: 0cf41720586bb0084625d56c01606265 at org.openqa.selenium.remote.ErrorHandler.createThrowable (ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed (ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpStatusCode. reconstructValue(JsonHttpStatusCode.java:40) at org.openqa.selenium.remote.http.AbstractHttpStatusCode. decode(AbstractHttpStatusCode.java:80) at org.openqa.selenium.remote.http.AbstractHttpStatusCode. decode(AbstractHttpStatusCode.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:600) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:279) at org.openqa.selenium.remote.RemoteWebElement.click (RemoteWebElement.java:83) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3. call(Unknown Source) at Script1560161294020.run(Script1560161294020.groovy:40) ... 13 more</pre>		



Add Receipt ATM

Information

ID	Test Cases/Add Receipt ATM		
Description			
Start	2019-07-05 10:54:52	End	2019-07-05 10:55:39
Elapsed	46.958s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("My Order/Page_My Orders/img")) Object: 'Object Repository/My Order/Page_My Orders/img' is clicked on	2.861s	PASSED
2	delay(10) Delayed 10 second(s)	10.017s	PASSED
3	click(findTestObject("Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/span_Start shopping now _login-b-icon")) Object: 'Object Repository/Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/span_Start shopping now _login-b-icon' is clicked on	0.157s	PASSED

Add Receipt ATM

#	Description	Elapsed	Status
4	<p>click(findTestObject("Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/li_My Orders"))</p> <p>click(findTestObject("Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/li_My Orders")) FAILED.</p> <p>Reason:</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/li_My Orders'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source)</p> <p>at Add Receipt ATM.run(Add Receipt ATM:22)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:331)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:293)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:227)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:129)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:112)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:81)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1562304233061.run(TempTestSuite1562304233061.groovy:35)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Add Receipt/Page_Welcome to The Thread Theory The Thread Theory/li_My Orders' located by 'By.xpath: //div[@id='customer-acc-info']/ul/li[3]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1053)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:77)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)</p>	31.530s	FAILED

Add Receipt ATM

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source) at Script1560853055816.run(Script1560853055816.groovy:22) ... 13 more</pre>		
			