

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
.Net Core and Progressive Web Application Practical

Practical – VI(Curiosity Question)

Roll No.: T016	Name: Himani Malankar
Class:TYIT	Batch:1
Date of Assignment: 30/07/2026	Date/Time of Submission: 30/07/2026

CODE:

(manifest.json):

```
{
  "name": "College Information Portal",
  "short_name": "College Portal",
  "description": "College website for notices, timetables and study materials.",
  "start_url": "/",
  "display": "standalone",
  "background_color": "#ffffff",
  "theme_color": "#0d6efd",
  "icons": [
    {
      "src": "/icons/icon2.png",
      "sizes": "192x192",
      "type": "image/png"
    },
    {
      "src": "/icons/icon1.png",
      "sizes": "512x512",
      "type": "image/png"
    }
  ]
}
```

(Offline.html):

```
<!DOCTYPE html>
<html>

<head>

  <title>Offline</title>

</head>

<body>

  <h1>You are Offline</h1>

  <p>Internet connection is not available.</p>

  <p>Please connect to the internet to access the College Information Portal.</p>

</body>

</html>
```

(service-worker.js):

```
const CACHE_NAME = "college-pwa-cache-v1";

const FILES_TO_CACHE = [
  "/",
  "/offline.html",
  "/manifest.json"
];

self.addEventListener("install", event => {
  event.waitUntil(
    caches.open(CACHE_NAME).then(cache => {
      return cache.addAll(FILES_TO_CACHE);
    })
  );
  console.log("Service Worker Installed");
});

self.addEventListener("activate", event => {
  console.log("Service Worker Activated");
});

self.addEventListener("fetch", event => {
  event.respondWith(
    fetch(event.request)
      .catch(() => {
        return caches.match("/offline.html");
      })
  );
});
```

(_Layout.cshtml):

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>@ViewData["Title"] - Practical_6CQ</title>
  <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />
  <link rel="stylesheet" href="~/Practical_6CQ.styles.css" asp-append-version="true" />
  <link rel="manifest" href="/manifest.json">
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white
border-bottom box-shadow mb-3">
```

```

        <div class="container-fluid">
            <a class="navbar-brand" asp-area="" asp-controller="Home"
asp-action="Index">Practical 6CQ</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
                <ul class="navbar-nav flex-grow-1">
                    <li class="nav-item">
                        <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Index">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
</header>
<div class="container">
    <main role="main" class="pb-3">
        @RenderBody()
    </main>
</div>

<footer class="border-top footer text-muted">
    <div class="container">
        &copy; 2026 - Practical 6CQ - <a asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
    </div>
</footer>
<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
<script src="~/js/site.js" asp-append-version="true"></script>
@await RenderSectionAsync("Scripts", required: false)
<script>if ("serviceWorker" in navigator) {

    navigator.serviceWorker.register("/service-worker.js");

}
</script>
</body>
</html>

```

OUTPUT:

