

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
.Net Core and Progressive Web Application Practical

Practical – VIII

Roll No.: T016	Name: Himani Malankar
Class: TYIT	Batch: 1
Date of Assignment: 06/08/2026	Date/Time of Submission: 06/08/2026

A. Create an HTML page that would be the starting point of the application. This HTML will contain a link to the file named manifest.json. This is an important file that would be created in the next step.

CODE:

([Student.cs](#)):

```
namespace Practical_8A.Models
{
    public class Student
    {
        public string RollNo { get; set; }
        public string Name { get; set; }
    }
}
```

([studentController.cs](#)):

```
using Microsoft.AspNetCore.Mvc;

namespace StudentPWA.Controllers
{
    [ApiController]
    [Route("api/[controller]")]
    public class StudentController : ControllerBase
    {
        [HttpGet]
        public IActionResult Get()
        {
            return Ok(new
            {
                RollNo = "T016",
                Name = "Himani"
            });
        }
    }
}
```

([Index.cshtml](#)):

```
<h2>Student Record</h2>

<button onclick="loadStudent()">Load Student</button>

<p id="data"></p>
```

```

<script>function loadStudent() {
    fetch("/api/student")
    .then(response => response.json())
    .then(student => {
        document.getElementById("data").innerHTML =
            "Roll No : " + student.rollNo +
            "<br>Name : " + student.name;
    });
}
</script>

```

(manifest.json):

```

{
  "name": "Practical_8A (T016)",
  "short_name": "Student",
  "start_url": "/",
  "display": "standalone"
}

```

(_Layout.cshtml):

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>@ViewData["Title"] - Practical_8A</title>
  <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />
  <link rel="stylesheet" href="~/Practical_8A.styles.css" asp-append-version="true" />
  <link rel="manifest" href="/manifest.json"/>
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white
border-bottom box-shadow mb-3">
      <div class="container-fluid">
        <a class="navbar-brand" asp-area="" asp-controller="Home"
asp-action="Index">Practical_8A</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
          <ul class="navbar-nav flex-grow-1">
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Index">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  </header>
  <div class="container">
    <main role="main" class="pb-3">
      @RenderBody()
    </main>
  </div>

```

```
<footer class="border-top footer text-muted">
  <div class="container">
    &copy; 2026 - Practical 8A - <a asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
  </div>
</footer>
<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
<script src="~/js/site.js" asp-append-version="true"></script>
@await RenderSectionAsync("Scripts", required: false)
</body>
</html>
```

OUTPUT:

```
Pretty print ☐
{"rollNo":"T016","name":"Himani"}
```

localhost:7019

Practical_8A Home Privacy

Student Record

Load Student

Roll No : T016

Name : Himani

localhost:7019

Practical_8A Home Privacy

Student Record

Load Student

Roll No : T016

Name : Himani

© 2026 - Practical_8A - [Privacy](#)

Application

- Manifest
- Service workers
- Storage
 - Local storage
 - Session storage
 - Extension storage
 - IndexedDB
- Cookies
- Private state tokens
- Interest groups
- Shared storage
- Cache storage
- Storage buckets

Background services

- Back/forward cache
- Background fetch
- Background sync
- Bounce tracking mit...
- Notifications

Installability

Manifest does not contain a suitable icon—PNG, SVG, or WebP format of at least 144px is required, the 'sizes' attribute must be set, and the 'purpose' attribute, if set, must include 'any'.

No supplied icon is at least 144 pixels square in PNG, SVG, or WebP format, with the purpose attribute unset or set to 'any'.

Identity

Name	Practical_8A (T016)
Short name	Student
Description	
Computed App ID	https://localhost:7019/ Learn more

Note: id is not specified in the manifest, start_url is used instead. To specify an App ID that matches the current identity, set the id field to / .

Presentation

Start URL

Console

AI assistance

Issues

top Filter Default levels No issues

cmd() to turn on code suggestions. Don't show again