

C. Develop a web application to perform CRUD Operations (Create, Read, Update, Delete) on the Employee table using EF Core.

ALGORITHM:

STEP 1 :- START

STEP 2 :- Connect to the SQL Server database.

STEP 3 :- Perform CRUD operations (Create, Read, Update, Delete) on Employee records.

STEP 4 :- Display the updated Employee information to the user.

STEP 5 :- STOP

CODE:

(Employee.cs):

```
using Microsoft.EntityFrameworkCore.Storage;

namespace Practical_5C.Models
{
    public class Employee
    {
        public int Id { get; set; }
        public required string Name { get; set; }
        public required string Dept { get; set; }
        public double salary { get; set; }
    }
}
```

(Program.cs):

```
using Microsoft.EntityFrameworkCore;
using Practical_5C.Data;

var builder = WebApplication.CreateBuilder(args);

// Add services to the container.
builder.Services.AddControllersWithViews();

builder.Services.AddDbContext<AppDbContext>(options =>
options.UseSqlServer(builder.Configuration.GetConnectionString("MyConnection")));

var app = builder.Build();

// Configure the HTTP request pipeline.
if (!app.Environment.IsDevelopment())
{
    app.UseExceptionHandler("/Home/Error");
    // The default HSTS value is 30 days. You may want to change this for production
    scenarios, see https://aka.ms/aspnetcore-hsts.
    app.UseHsts();
}

app.UseHttpsRedirection();
app.UseRouting();

app.UseAuthorization();

app.MapStaticAssets();

app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Home}/{action=Index}/{id?}")
    .WithStaticAssets();
```

```
app.Run();
```


(EmployeesController.cs) → is created by the software itself by doing the Scaffold.




(appsettings.json):

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  },
  "AllowedHosts": "*",
  "ConnectionStrings": {
    "MyConnection": "Server = (localdb)\\MSSQLLocalDB; Database = EmployeeDB;
Trusted_Connection = True; trustServerCertificate = True",
    "AppDbContext":
"Server=(localdb)\\mssqllocaldb;Database=AppDbContext;Trusted_Connection=True;Multipl
eActiveResultSets=true"
  }
}
```



(AppDbContext.cs):

```
using Microsoft.EntityFrameworkCore;
using Practical_5C.Models;
namespace Practical_5C.Data
{
    public class AppDbContext : DbContext
    {
        public AppDbContext(DbContextOptions<AppDbContext> options) : base(options) { }
        public DbSet<Employee> Employees { get; set; }
    }
}
```





OUTPUT:



Practical_5C Home Privacy

Index

[Create New](#)

Name	Dept	salary
------	------	--------

Practical_5C Home Privacy

Create Employee

Name

Himani

Dept

Information Technology

salary

200000

[Create](#)

[Back to List](#)

Edit Employee

Name

Himani Malankar

Dept

Information Technology

salary

200000

[Save](#)

[Back to List](#)

Name	Dept	salary	
Himani	Information Technology	200000	Edit Details Delete

Name	Dept	salary	
Himani Malankar	Information Technology	200000	Edit Details Delete

Name	Dept	salary	
Himani Malankar	Information Technology	200000	Edit Details Delete
Shubham Mandavkar	EXTC	200000	Edit Details Delete
Ritesh Chaubey	Computer Science	20000	Edit Details Delete
Saqlain Khan	Information Technology	150000	Edit Details Delete
Reze	Anime	5000	Edit Details Delete

Delete

Are you sure you want to delete this?

Practical_5C.Models.Employee

Name	Reze
Dept	Anime
salary	5000

[Delete](#) | [Back to List](#)

Name	Dept	salary	
Himani Malankar	Information Technology	200000	Edit Details Delete
Shubham Mandavkar	EXTC	200000	Edit Details Delete
Ritesh Chaubey	Computer Science	20000	Edit Details Delete
Saqlain Khan	Information Technology	150000	Edit Details Delete