

C. Create a registration and login JSP application to register and authenticate the user based on username and password using JDBC.

CODE:

(index.jsp):

```
<!DOCTYPE html>
<html>
<head>
<title>Home</title>
</head>

<body>

<h2>Registration & Login System</h2>

<a href="register.jsp">Register</a>

<br><br>

<a href="login.jsp">Login</a>

</body>
</html>
```

(register.jsp):

```
<%@page import="java.sql.*"%>
<%@page import="db.DBConnection"%>

<%

String msg="";

if(request.getParameter("register")!=null)
{

String username=request.getParameter("username");
String password=request.getParameter("password");

Connection con=DBConnection.getConnection();

PreparedStatement ps=con.prepareStatement(
"insert into users(username,password) values(?,?)");

ps.setString(1,username);
ps.setString(2,password);

int i=ps.executeUpdate();

if(i>0)
msg="Registration Successful!";
else
msg="Registration Failed";

}

%>

<!DOCTYPE html>

<html>

<head>
```

```
<title>Register</title>

</head>

<body>

<h2>User Registration</h2>

<form method="post">

Username

<input type="text" name="username">

<br><br>

Password

<input type="password" name="password">

<br><br>

<input type="submit" name="register" value="Register">

</form>

<br>

<%=msg%>

<br><br>

<a href="login.jsp">Go to Login</a>

</body>
</html>
```

(login.jsp):

```
<%@page import="java.sql.*"%>
<%@page import="db.DBConnection"%>

<%

if(request.getParameter("login")!=null)
{

String username=request.getParameter("username");
String password=request.getParameter("password");

Connection con=DBConnection.getConnection();

PreparedStatement ps=con.prepareStatement(

"select * from users where username=? and password=?"

);

ps.setString(1,username);
ps.setString(2,password);

ResultSet rs=ps.executeQuery();

if(rs.next())
{
```

```
session.setAttribute("user",username);
response.sendRedirect("success.jsp");
}
else
{
response.sendRedirect("error.jsp");
}
}
%>
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
</head>
<body>
<h2>User Login</h2>
<form method="post">
Username
<input type="text" name="username">
<br><br>
Password
<input type="password" name="password">
<br><br>
<input type="submit" name="login" value="Login">
</form>
</body>
</html>
(success.jsp):
<%
String user=(String)session.getAttribute("user");
if(user==null)
{
response.sendRedirect("login.jsp");
return;
}
%>
```

```
<!DOCTYPE html>

<html>

<head>

<title>Success</title>

</head>

<body>

<h1>Login Successful</h1>

<h2>Welcome <%=user%></h2>

</body>

</html>
```

(error.jsp):

```
<!DOCTYPE html>

<html>

<head>

<title>Error</title>

</head>

<body>

<h2>Invalid Username or Password</h2>

<a href="login.jsp">Try Again</a>

</body>

</html>
```

(DBConnection.java):

```
package db;

import java.sql.Connection;
import java.sql.DriverManager;

public class DBConnection {

    public static Connection getConnection() {

        Connection con = null;

        try {

            Class.forName("com.mysql.cj.jdbc.Driver");

            con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/studentdb",
                "root",
                "mysql_2026");

        } catch (Exception e) {
            e.printStackTrace();
        }

    }

}
```

```
        return con;
    }
}

(mysql code):
CREATE DATABASE studentdb;

USE studentdb;

CREATE TABLE users
(
    id INT PRIMARY KEY AUTO_INCREMENT,
    username VARCHAR(50) UNIQUE,
    password VARCHAR(50)
);
```

OUTPUT:

User Login

Username

Password

Login Successful

Welcome Himani Malankar

User Registration

Username

Password

User Registration

Username

Password

Registration Successful!

[Go to Login](#)

Login Successful

Welcome Ritesh Chaubey

Login Successful

Welcome reze

```
[mysql> SELECT * FROM users;
```

id	username	password
1	Himani Malankar	12345
2	Ritesh Chaubey	rite@25
6	reze	123

```
3 rows in set (0.003 sec)
```