

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Full Stack development MERN Practical

Practical – IV

Roll No.: T016	Name: Himani Malankar
Class:TYIT	Batch:1
Date of Assignment: 15/07/2026	Date/Time of Submission: 15/07/2026

AIM: React Components, Props, and State.

A. Create multiple components and render them on a single page.

CODE:

(App.jsx):

```
import './App.css';
import Header from './components/Header';
import StudentProfile from './components/StudentProfile';
import PlacementEligibility from './components/PlacementEligibility';
import PlacementStatus from './components/PlacementStatus';
import CompanyOffer from './components/CompanyOffer';
import SkillProgress from './components/SkillProgress';
import Footer from './components/Footer';

function App() {
  return (
    <div className = "dashboard">
      <Header />
      <StudentProfile />
      <PlacementEligibility />
      <PlacementStatus />
      <CompanyOffer />
      <SkillProgress />
      <Footer />
    </div>
  );
}

export default App;
```

(App.css):

```
body {
  margin: 0;
  font-family: Arial, sans-serif;
  background-color: #eef3ff;
  color: #4d5368;
}

.dashboard {
  max-width: 900px;
  margin: 20px auto;
  padding: 22px;
  background-color: #ffffff;
```

```
border: 1px solid #d9deea;  
border-radius: 10px;  
box-shadow: 0 8px 24px rgba(25, 45, 90, 0.12);  
text-align: center;  
}
```

```
.header {  
background-color: #f7f9ff;  
border-bottom: 2px solid #c9d4ee;  
border-radius: 8px 8px 0 0;  
padding: 18px 12px;  
}
```

```
.header h1 {  
margin: 0;  
color: #081f7a;  
font-size: 34px;  
font-weight: bold;  
}
```

```
.section {  
padding: 18px 0;  
border-bottom: 1px solid #c9d4ee;  
}
```

```
.section h2 {  
margin: 0 0 10px;  
color: #168000;  
font-size: 20px;  
}
```

```
.section p {  
margin: 5px 0;  
font-size: 14px;  
}
```

```
.badge {  
display: inline-block;  
padding: 4px 10px;  
background-color: #e6f7e6;  
color: #168000;  
border: 1px solid #9fd49f;  
border-radius: 20px;  
font-weight: bold;  
}
```

```
.progress {  
width: 220px;  
height: 10px;  
margin: 12px auto 0;  
background-color: #dfe5f2;  
border-radius: 20px;  
overflow: hidden;  
}
```

```
.progress-fill {  
width: 75%;  
height: 100%;  
background-color: #168000;  
}
```

```
.footer {  
padding-top: 18px;  
font-weight: bold;  
}
```

```
color: #081f7a;
}
```

```
.footer p {
margin: 0;
}
```

(Header.jsx):

```
function Header(){
  return(
    <header className = "header">
      <h1>Sheth L.U.J and Sir M.V College Placement Dashboard</h1>
    </header>
  );
}
```

```
export default Header;
```

(StudentProfile.jsx):

```
function StudentProfile(){
  return(
    <section className = "section">
      <h2>Student Profile</h2>
      <p>Name: Himani Malankar</p>
      <p>Branch: BSc.IT</p>
      <p>CGPA: 8.90</p>
      <p>Attendance: 88%</p>
    </section>
  );
}
```

```
export default StudentProfile;
```

(PlacementEligibility.jsx):

```
function PlacementEligibility() {
  return (
    <section className="section">
      <h2>Placement Eligibility</h2>
      <p>Minimum CGPA Required : 7</p>
      <p>Minimum Attendance : 75%</p>
      <p>
        Status : <span className="badge">Eligible</span>
      </p>
    </section>
  );
}
```

```
export default PlacementEligibility;
```

(PlacementStatus.jsx):

```
function PlacementStatus(){
  return(
    <section className="section">
      <h2>Placement Statistics</h2>
      <p>Total Students: 180</p>
      <p>Placed Students: 142</p>
      <p>Remaining Students: 38</p>
      <p>Placement Percentage: 78.89%</p>
    </section>
  );
}
export default PlacementStatus;
```

(CompanyOffer.jsx):

```
function CompanyOffer() {
  return(
    <section className="section">
      <h2>Company Offer</h2>
      <p>Company: Google</p>
      <p>Basic Salary: ₹80,000</p>
      <p>HRA: ₹72,000</p>
      <p>Bonus: ₹25,000</p>
      <p>Total Package: ₹90LPA</p>
    </section>
  );
}

export default CompanyOffer;
```

(SkillProgress.jsx):

```
function SkillProgress() {
  return (
    <section className="section">
      <h2>Skill Progress</h2>
      <p>Total Skills : 12</p>
      <p>Completed Skills : 9</p>
      <p>Pending Skills : 3</p>
      <p>Progress : 75%</p>
      <div className="progress">
        <div className="progress-fill"></div>
      </div>
    </section>
  );
}

export default SkillProgress;
```

(Footer.jsx):

```
function Footer() {
  return (
    <footer className="footer">
      <p>© 2026 M. V. L. U. Placement Cell</p>
    </footer>
  );
}

export default Footer;
```

OUTPUT:

Sheth L.U.J and Sir M.V College Placement Dashboard

Student Profile

Name: Himani Malankar

Branch: BSc.IT

CGPA: 8.90

Attendance: 88%

Placement Eligibility

Minimum CGPA Required : 7

Minimum Attendance : 75%

Status : **Eligible**

Placement Statistics

Total Students: 180

Placed Students: 142

Remaining Students: 38

Placement Percentage: 78.89%

Company Offer

Company: Google

Basic Salary: ₹80,000

HRA: ₹72,000

Bonus: ₹25,000

Total Package: ₹90LPA

Skill Progress

Total Skills : 12

Completed Skills : 9

Pending Skills : 3

Progress : 75%



© 2026 M. V. L. U. Placement Cell

B. Pass data between components using props.

Prop = Short form of properties (used to pass information from one component to another components)

CODE:**(App.jsx):**

```
import Header from "../components/Header";
import Footer from "../components/Footer";
import HotelCard from "../components/HotelCard"
```

```
function App(){
  return(
    <div>
      <Header />
      <HotelCard
        restaurant = "Eva's Pizza"
        food = "Special Eva's Pizza"
        price = {499}
        discount = {20}
        rating = {4.5}
      />

      <HotelCard
        restaurant = "Gajalee"
        food = "Crab Thali"
        price = {699}
        discount = {40}
        rating = {5.0}
      />

      <HotelCard
        restaurant = "Sai Palace"
        food = "Butter Chicken & Garlic Naan"
        price = {499}
        discount = {10}
        rating = {4.9}
      />

      <Footer />
    </div>
  );
}
export default App;
```

(Header.jsx):

```
function Header(){
  return (
    <div>
      <h1>🍕 Himani's Food delivery Dashboard</h1>
    </div>
  );
}
export default Header;
```

(Footer.jsx):

```
function Footer(){
  return(
    <div>
      <h3>© 2026 Food Delivery App</h3>
    </div>
  );
}
```

```

    </div>
  );
}
export default Footer;

```

(HotelCard.jsx):

```

function HotelCard(props) {
  const discount = (props.price * props.discount) / 100;
  const finalPrice = props.price - discount;

  return(
    <div>
      <h2>{props.restaurant}</h2>
      <p>Food Item: {props.food}</p>
      <p>Original Price: ₹{props.price}</p>
      <p>Discount: {props.discount}%</p>
      <p>Discount Amount: ₹{discount}</p>
      <p><b>Final Price: ₹{finalPrice}</b></p>
      <p>Rating ★: {props.rating}</p>
      <hr/>
    </div>
  );
}
export default HotelCard;

```

OUTPUT:



Himani's Food delivery Dashboard

Eva's Pizza

Food Item: Special Eva's Pizza

Original Price: ₹499

Discount: 20%

Discount Amount: ₹99.8

Final Price: ₹399.2

Rating ★: 4.5

Gajalee

Food Item: Crab Thali

Original Price: ₹699

Discount: 40%

Discount Amount: ₹279.6

Final Price: ₹419.4

Rating ★: 5

Sai Palace

Food Item: Butter Chicken & Garlic Naan

Original Price: ₹499

Discount: 10%

Discount Amount: ₹49.9

Final Price: ₹449.1

Rating ★: 4.9


© 2026 Food Delivery App

C. Use the useState hook to manage and update data.

CODE:

```
import { useState } from "react";
function App() {
  //State Variable
  const [count, setCount] = useState(0);
  return(
    <div>
      <h1>Button Click Counter</h1>
      <hr />
      <h2>Himani Clicks: {count} Times</h2>
      <button onClick = {() => setCount(count + 1)} > Click Me</button>
    </div>
  );
}
export default App;
```

OUTPUT:



D. Create a form component to accept user input and display it dynamically.

CODE:

(App.jsx):

```
import React, { useState } from "react";
import Form from "../components/FormComponents";
import Display from "../components/Display";

function App() {
  const [student, setStudent] = useState({
    name: "",
    rollno: "",
    branch: "",
    cgpa: ""
  });

  return (
    <div>
      <h1>Student Information Form</h1>

      <Form student={student} setStudent={setStudent} />

      <Display student={student} />
    </div>
  );
}

export default App;
```

(FormComponents.jsx):

```
import React from "react";

function FormComponents(props) {

  const handleChange = (e) => {
    props.setStudent({
      ...props.student,
      [e.target.name]: e.target.value
    });
  };

  return (
    <div>
      <label>Name:</label><br />
      <input
        type="text"
        name="name"
        value={props.student.name}
        onChange={handleChange}
      />

      <br /><br />

      <label>Roll No:</label><br />
      <input
        type="text"
        name="rollno"
        value={props.student.rollno}
        onChange={handleChange}
      />
    </div>
  );
}
```

```

/>

<br /><br />

<label>Branch:</label><br />
<input
  type="text"
  name="branch"
  value={props.student.branch}
  onChange={handleChange}
/>

<br /><br />

<label>CGPA:</label><br />
<input
  type="text"
  name="cgpa"
  value={props.student.cgpa}
  onChange={handleChange}
/>
</div>
);
}

```

```
export default FormComponents;
```

(Display.jsx):

```

import React from "react";

function Display(props) {
  return (
    <div>
      <hr />

      <h3>Student Details</h3>

      <p><b>Name:</b> {props.student.name}</p>
      <p><b>Roll No:</b> {props.student.rollno}</p>
      <p><b>Branch:</b> {props.student.branch}</p>
      <p><b>CGPA:</b> {props.student.cgpa}</p>
    </div>
  );
}

```

```
export default Display;
```

OUTPUT:

Student Information Form

Name: Himani Malankar

Roll No: T016

Branch: BSc.IT

CGPA: 9.05

Student Details

Name: Himani Malankar
 Roll No: T016
 Branch: BSc.IT
 CGPA: 9.05

E. Display a list of items stored in the state using map().

CODE:

```
import { useState } from "react";


function App() {
  // State Variable
  const [subjects] = useState([
    "React JS",
    "Node JS",
    "Express JS",
    "MongoDB",
    "JavaScript"
  ]);

  return (
    <div>
      <h1>Subjects List</h1>
      <hr />

      <ul>
        {subjects.map((subject, index) => (
          <li key={index}>{subject}</li>
        ))}
      </ul>
    </div>
  );
}

export default App;
```

OUTPUT:




F. Build a small interactive component (e.g., counter or to-do list).

CODE (Counter):

[illegible]

OUTPUT:



Button Click Counter

Himani Clicks: 3 Times

Increase

Decrease

Reset

Button Click Counter

Himani Clicks: 0 Times

Increase

Decrease

Reset

CODE(To-Do List):

```
import { useState } from "react";

function App() {
  const [task, setTask] = useState("");
  const [tasks, setTasks] = useState([]);

  // Add Task
  const addTask = () => {
    if (task.trim() !== "") {
      setTasks([...tasks, task]);
      setTask("");
    }
  };

  // Delete Task
  const deleteTask = (index) => {
    const newTasks = tasks.filter((_, i) => i !== index);
    setTasks(newTasks);
  };

  return (
    <div>
      <h1>To-Do List</h1>
      <hr />

      <input
        type="text"
        placeholder="Enter Task"
        value={task}
        onChange={e => setTask(e.target.value)}
      />
    </div>
  );
}
```

```
    />

    <button onClick={addTask}>Add</button>

    <ul>
      {tasks.map((item, index) => (
        <li key={index}>
          {item}
          &nbsp;
          <button onClick={() => deleteTask(index)}>
            Delete
          </button>
        </li>
      ))}
    </ul>
  </div>
);
}

export default App;
```

OUTPUT:

