

Practical 6

Aim: Managing Orchestrator Servers

Writeup:

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


Pre-requisites: SCO VM and Domain Controller from Practical 3-B

6-A: Manage Orchestrator Servers -1


Step 1: Runbook Permissions

Note: Before carrying out the following step we have to create a User in the SCO VM


- Creating the User
- Open **Server Manager** and Click on **Add Roles and Features**




- Within Add Roles and Features, Click **Next**




- Select **Role-based or Feature-based installation** and Click **Next**




- Keep default values and Click **Next**




- Select **Active Directory Domain Services** and Click of **Add Feature**, Click **Next**




- Keep default values Click **Next**




- Click **Next**




- Click on **Install**




- Features will start installing




- After installation Open **Server Manager** and Click on **Tools**




- Within Tools Select **Active Directory Users and Computers**




- Select **Action** and Click on **Change Domain**




- Within Change Domain Select **Browse** and Select your **Domain Controller** (Here it is EDTECH.COM)




- Click **Ok**




- Select **EDTECH.COM** and Right Click on **Users**, Select **New** and Click on **User**




- Enter a name and Click **Next** (Here it is Ramanuj_SCO)




- Give it a password and Select **Password never expires** and Click **Next**




- Click **Finish**




- Right-Click on the New User created (Ramanuj_SCO) and Select **Add to a group**




- Enter Administrator and Click on **Check Names** (Login with your Domain Controller credentials) and Click **Ok**




- Now since the User is created we can start the steps for Runbook Permissions. Open the **Runbook Designer** from your App list




- Within Runbook Designer, Right-Click on the **Runbooks** Folder and Click on **Permissions**



- Click on **Add** and Enter the newly created user (Here it is Ramanuj_SCO) and Click on **Check Names** and Click Ok




- Give Full Control to the User and Click **Ok**




Step 2: Benchmark your Runbook


- Open **Runbook Designer** and Right-Click on **Runbooks** and Select **New** and Click on **Runbook**




- On the Right side in **Activities**, under **Utilities** Click on **Compare Values** and drag it into the Runbook




- Double-Click on **Compare Values** and Select the **Details** tab, and Enter the value **STRING** and Select **is empty** and Click **Finish**




- Now Right-Click on **Compare Values** and Select **Looping**




- Select **Enable** and Enter **0** in Delay between attempts




- Select the **Exit** tab and Click on **Compare Values** and Select **Show Common Published Data** and Double Click on **Looping Number of Attempts**




- Now Click on **value** and Enter **10** and Click **Ok**




- Click **Finish**




- Now to Test Compare Values we need to create a simple Workflow
- On the Desktop of your VM create a new text document and type in a few lines and save it under the name **SCO**




- Now in your Runbook designer, under **Activites**, in **Text File Management** Select **Read Line**, **Insert Line** and **Delete Line** and Drag them onto the Runbook




- Double-Click on **Read Line** and Browse for the **SCO** text document and Keep File Encoding as **ASCII** and in line numbers type **1** and Click **Finish**




- Double-Click on **Delete Line** and Browse for the **SCO** text document and Keep File Encoding as **ASCII** and in line numbers type **1** and Click **Finish**




- Double-Click on **Insert Line** and Browse for the **SCO** text document and Keep File Encoding as **ASCII** and in **Text** type a new line (here it is “**This is a newly inserted line**”) and in Line number type **1** and Click on **Finish**




- Now link all the steps in your Runbook using the arrows




- Now Click on **Check-In** to save your Runbook and Click on **Runbook Tester**




- Now in Runbook Tester Click on **Run**




- When the Runbook is being tested it will create logs for each event taking place



- Now Scroll down the logs to the last Event of Compare Values and Click on **Show Details**, this is the results of benchmarking the Runbook




- To confirm that the Runbook infact worked Open the **SCO** text Document and see the changed line




Step 3: Optimize Performance for .NET activites

- In your Directory search for this file:
- C:\Program Files (x86)\Microsoft System Center\Orchestrator\Runbook Server
- Find and Open the **PolicyModule.exe.config** file



- Within the PolicyModule.exe.config file add the following line of code:
`<runtime>`
`<generatePublisherEvidence enabled="false"/>`
`</runtime>`
And Save the file




6-B: Manage Orchestrator Servers:


Step 1: Recover Web Components

- Open **Command Prompt** as **Administrator** and type in the following command:


C:\Windows\Microsoft.NET\Framework\v4.0.30319\aspnet_regiis.exe -pdf
 “connectionStrings” “C:\Program Files (x86)\Microsoft System
 Center\Orchestrator\Web Services\Orchestrator 2012




- Now Open the Server manager and Click on **IIS**




- Now Right-Click on your server and Select **Internet Information Service (IIS) Manager**




- Now Select your server and Click on **Sites** and Select **Microsoft System Center Orchestrator Web Service**




- Select **Connection Strings** and Click on **Content View**




- Within Content View Double-Click on **Orchestrator2012**




- Within Orchestrator2012 Select **web.config** and Click on **Switch to Feature View**




- Now Select **Connection Strings** and Click on **Open Feature**




- Select **OrchestratorContext** and Click **Edit..**



- Select **SQL Server** and Enter the name of your server but change the database to a new one (Create a new one in SSMS) and Change your Database from **Orchestrator** to the new Database (Here it is **SCO_Ramanuj**) and Click on **Ok**




- Now Exit the **IIS Manager** and Open **Command Prompt (Administrator)** again to re-encrypt your connection strings
- Type in the following command:
`C:\Windows\Microsoft.NET\Framework\v4.0.30319\aspnet_regiis.exe -pef "connectionStrings" "C:\Program Files (x86)\Microsoft System Center\Orchestrator\Web Services\Orchestrator 2012"`




Step 2: Add an integration pack

Pre-requisites: Keep a few .OIP Files from Microsoft System Center on the VM


- Open **Deployment Manager**




- Expand the **Orchestrator Management Server** and Right-Click on **Integration Packs** and Select **Register IP with the Orchestrator Management Server**




- Click **Next**




- Click on **Add** and Select a **.OIP** files from your folder (Here I am choosing the DPM_Integration OIP file) and Click **Open**




- Click **Next**




- Click **Finish**




- Now the Integration Pack will appear in **Deployment Manager**




- Now Right-Click on **Integration Packs** and Select **Deploy IP to Runbook Server or Runbook Designer**




- Click Next




- Select your integration pack and Click **Next**




- Now type in the Name of your Computer and Click **Next**




- Keep default values and Click **Next**



- Click **Finish**




- Now it shows successful deployment of integration pack




Step 3: Modify the Orchestrator users group


- Open the **Management Server** folder from the **System Center** Folder and Open it in **command prompt**



- Type in the following Commands:
PermissionsConfig.exe
PermissionsConfig –help




- Now type in the following command:
PermissionsConfig –OrchestratorUsersGroup Administrators –OrchestratorUser Administrator [-remote]




Step 4: Computer Groups


- Open **Runbook Designer**




- Right-Click on **Computer Group** and Select **New** and Click **Folder** and name the group




- Now Select **Computer Group** and Click **New** and Select **Computer Group**, Give the group a name and Click on **Finish**



- Now Click on the **Contents** Tab and Click on **Add** and Type in your Computer name and Click **Ok**



- Now Click **Finish**



- The Computer Group has been created in the Runbook Designer

