

. WGET COMMAND

The WGET command allows you to download files from the Internet using a Linux operating system such as Ubuntu. Use this command to download either a single Web page or a complete copy of your company's website. It also includes an option for downloading any external links included on the site .

```
himanshu@himanshu:~$ sudo apt-get install wget
[sudo] password for himanshu:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
wget is already the newest version (1.21.2-2ubuntu1).
The following packages were automatically installed and are no longer required:
  libflashrom1 libftdi1-2 libllvm13
Use 'sudo apt autoremove' to remove them.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
4 not fully installed or removed.
After this operation, 0 B of additional disk space will be used.
Do you want to continue? [Y/n]
Setting up foreman (9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004) ...
/usr/bin/foreman-ruby: No such file or directory -- /usr/bin/bundle2.7 (LoadError)
dpkg: error processing package foreman (--configure):
 installed foreman package post-installation script subprocess returned error exit status
1
dpkg: dependency problems prevent configuration of foreman-service:
 foreman-service depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubunt
u2004); however:
  Package foreman is not configured yet.

dpkg: error processing package foreman-service (--configure):
 dependency problems - leaving unconfigured
dpkg: dependency problems prevent configuration of foreman-postgresql:
 foreman-postgresql depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ub
untu2004); however:
  Package foreman is not configured yet.

dpkg: error processing package foreman-postgresql (--configure):
 dependency problems - leaving unconfigured
dpkg: dependency problems prevent configuration of foreman-dynflow-sidekiq:
 foreman-dynflow-sidekiq depends on foreman (= 9999-3.6.0-focal+scratchbuild+202302070858
23+ubuntu2004); however:
  Package foreman is not configured yet.

dpkg: error processing package foreman-dynflow-sidekiq (--configure):
 dependency problems - leaving unconfigured
No apport report written because the error message indicates its a followup error from a
previous failure.
      No apport report written because the error message indicates its a
followup error from a previous failure.
      No apport report written because MaxReports
```

```
himanshu@himanshu:~$ cd Desktop
himanshu@himanshu:~/Desktop$ mkdir linux
himanshu@himanshu:~/Desktop$ ls
Github  himanshu  linux
himanshu@himanshu:~/Desktop$ wget https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-20
25130_960_720.png
--2023-03-09 12:14:45-- https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960
_720.png
Resolving cdn.pixabay.com (cdn.pixabay.com)... 104.18.15.16, 104.18.14.16, 2606:4700:8393
:2c9f:d839:50e:e131:cab9
Connecting to cdn.pixabay.com (cdn.pixabay.com)|104.18.15.16|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 59725 (58K) [image/png]
Saving to: 'linux-2025130_960_720.png'

linux-2025130_960_72 100%[=====] 58.33K --.-KB/s in 0.05s

2023-03-09 12:14:46 (1.07 MB/s) - 'linux-2025130_960_720.png' saved [59725/59725]

himanshu@himanshu:~/Desktop$ ls
Github  himanshu  linux  linux-2025130_960_720.png
himanshu@himanshu:~/Desktop$ sudo feh install
sudo: feh: command not found
himanshu@himanshu:~/Desktop$ sudo apt-get install feh
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  libflashrom1 libftdi1-2 libllvm13
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
  libid3tag0 libimlib2 libjpeg-progs libjpeg9 yudit-common
Suggested packages:
  yudit-doc yudit
The following NEW packages will be installed:
  feh libid3tag0 libimlib2 libjpeg-progs libjpeg9 yudit-common
0 upgraded, 6 newly installed, 0 to remove and 0 not upgraded.
4 not fully installed or removed.
Need to get 2,256 kB of archives.
After this operation, 11.6 MB of additional disk space will be used.
Do you want to continue? [Y/n]
Get:1 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libid3tag0 amd64 0.15.1b-14 [
31.3 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libimlib2 amd64 1.7.4-1build1
[195 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy/universe amd64 yudit-common all 3.0.7-3 [1,7
29 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy/universe amd64 feh amd64 3.6.3-1 [110 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libjpeg9 amd64 1:9d-1 [112 kB
]
Get:6 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libjpeg-progs amd64 1:9d-1 [7
8.3 kB]
Fetched 2,256 kB in 6s (400 kB/s)
Selecting previously unselected package libid3tag0:amd64.
(Reading database ... 272598 files and directories currently installed.)
```

```
himanshu@himanshu:~/Desktop$ feh https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
himanshu@himanshu:~/Desktop$ ls
Github himanshu linux linux-2025130_960_720.png
himanshu@himanshu:~/Desktop$ feh https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
himanshu@himanshu:~/Desktop$ wget https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
--2023-03-09 12:22:26-- https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
Resolving cdn.pixabay.com (cdn.pixabay.com)... 104.18.14.16, 104.18.15.16, 2606:4700:8393:2c9f:d839:1:e131:cab9
Connecting to cdn.pixabay.com (cdn.pixabay.com)|104.18.14.16|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 59725 (58K) [image/png]
Saving to: 'linux-2025130_960_720.png.1'

linux-2025130_960_72 100%[=====>] 58.33K 256KB/s in 0.2s

2023-03-09 12:22:29 (256 KB/s) - 'linux-2025130_960_720.png.1' saved [59725/59725]

himanshu@himanshu:~/Desktop$
himanshu@himanshu:~/Desktop$ cd linux
himanshu@himanshu:~/Desktop/linux$ wget https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
--2023-03-09 12:23:20-- https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
Resolving cdn.pixabay.com (cdn.pixabay.com)... 104.18.14.16, 104.18.15.16, 2606:4700:8393:2c9f:d839:50d:e131:cab9
Connecting to cdn.pixabay.com (cdn.pixabay.com)|104.18.14.16|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 59725 (58K) [image/png]
Saving to: 'linux-2025130_960_720.png'

linux-2025130_960_72 100%[=====>] 58.33K 112KB/s in 0.5s

2023-03-09 12:23:21 (112 KB/s) - 'linux-2025130_960_720.png' saved [59725/59725]


himanshu@himanshu:~/Desktop/linux$ ls
linux-2025130_960_720.png
himanshu@himanshu:~/Desktop/linux$ feh https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
himanshu@himanshu:~/Desktop/linux$ ls
linux-2025130_960_720.png
himanshu@himanshu:~/Desktop/linux$ cd ../
himanshu@himanshu:~/Desktop$ cd ../
himanshu@himanshu:~$ rm https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
rm: cannot remove 'https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png': No such file or directory
himanshu@himanshu:~$ cd Desktop/linux
himanshu@himanshu:~/Desktop/linux$ rm https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png
rm: cannot remove 'https://cdn.pixabay.com/photo/2017/01/31/15/33/linux-2025130_960_720.png': No such file or directory
```

```
himanshu@himanshu:~/Desktop/linux$ cd../
bash: cd../: No such file or directory
himanshu@himanshu:~/Desktop/linux$ cd ../
himanshu@himanshu:~/Desktop$ cd linux
himanshu@himanshu:~/Desktop/linux$ wget https://tldp.org/LDP/intro-linux/intro-linux.pdf
--2023-03-09 12:30:10-- https://tldp.org/LDP/intro-linux/intro-linux.pdf
Resolving tldp.org (tldp.org)... 152.19.134.152, 152.19.134.151
Connecting to tldp.org (tldp.org)|152.19.134.152|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1600364 (1.5M) [application/pdf]
Saving to: 'intro-linux.pdf'

intro-linux.pdf      100%[=====>]  1.53M  249KB/s   in 7.0s

2023-03-09 12:30:18 (224 KB/s) - 'intro-linux.pdf' saved [1600364/1600364]

himanshu@himanshu:~/Desktop/linux$ feh https://tldp.org/LDP/intro-linux/intro-linux.pdf
feh WARNING: https://tldp.org/LDP/intro-linux/intro-linux.pdf - No Imlib2 loader for that
file format
feh: No loadable images specified.
See 'man feh' for detailed usage information
himanshu@himanshu:~/Desktop/linux$ feh https://tldp.org/LDP/intro-linux/intro-linux.pdf
^Cfeh WARNING: https://tldp.org/LDP/intro-linux/intro-linux.pdf - libcurl was unable to r
etrieve the file
feh: No loadable images specified.
See 'man feh' for detailed usage information
himanshu@himanshu:~/Desktop/linux$ feh https://tldp.org/LDP/intro-linux/intro-linux.pdf
feh WARNING: https://tldp.org/LDP/intro-linux/intro-linux.pdf - No Imlib2 loader for that
file format
feh: No loadable images specified.
See 'man feh' for detailed usage information
himanshu@himanshu:~/Desktop/linux$ feh https://tldp.org/LDP/intro-linux/intro-linux.pdf
feh WARNING: https://tldp.org/LDP/intro-linux/intro-linux.pdf - libcurl was unable to r
etrieve the file
feh: No loadable images specified.
See 'man feh' for detailed usage information
himanshu@himanshu:~/Desktop/linux$ feh https://cdn.pixabay.com/photo/2017/01/31/15/33/lin
ux-2025130_960_720.png
linux-2025130_960_720.png
himanshu@himanshu:~/Desktop/linux$ wget -o linuxpng https://cdn.pixabay.com/photo/2017/01
/31/15/33/linux-2025130_960_720.png
linuxpng
himanshu@himanshu:~/Desktop/linux$ ls
intro-linux.pdf  linux-2025130_960_720.png  linux-2025130_960_720.png.1  linuxpng
himanshu@himanshu:~/Desktop/linux$ feh ^C
himanshu@himanshu:~/Desktop/linux$ feh https://cdn.pixabay.com/photo/2017/01/31/15/33/lin
ux-2025130_960_720.png
linuxpng
himanshu@himanshu:~/Desktop/linux$ feh linuxpng https://cdn.pixabay.com/photo/2017/01/31/
15/33/linux-2025130_960_720.png
feh WARNING: linuxpng - Does not look like an image (magic bytes missing)
himanshu@himanshu:~/Desktop/linux$ ^C
himanshu@himanshu:~/Desktop/linux$
```



. CURL COMMAND

Client URL (cURL, pronounced “curl”) is a command line tool that enables data exchange between a device and a server through a terminal. Using this command line interface (CLI), a user specifies a server URL (the location where they want to send a request) and the data they want to send to that server URL .

curl is a tool to transfer data from or to a server, using one of the supported protocols (DICT, FILE,

FTP, FTPS, GOPHER, HTTP, HTTPS, IMAP, IMAPS, LDAP, LDAPS, POP3, POP3S, RTMP, RTSP, SCP, SFTP, SMB, SMBS, SMTP, SMTPS, TELNET and TFTP). The command is designed to work without user interaction.


```
himanshu@himanshu: ~  
himanshu@himanshu:~$ sudo apt update  
[sudo] password for himanshu:  
Hit:1 https://apt.releases.hashicorp.com jammy InRelease  
Hit:2 http://archive.ubuntu.com/ubuntu jammy InRelease  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
All packages are up to date.  
W: Target Packages (main/binary-amd64/Packages) is configured multiple times in /etc/apt/sources.l  
ist.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashic  
orp.list:1  
W: Target Packages (main/binary-all/Packages) is configured multiple times in /etc/apt/sources.lis  
t.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicor  
p.list:1  
W: Target Translations (main/i18n/Translation-en_IN) is configured multiple times in /etc/apt/sour  
ces.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/h  
ashicorp.list:1  
W: Target Translations (main/i18n/Translation-en) is configured multiple times in /etc/apt/sources  
.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hash  
icorp.list:1  
W: Target DEP-11 (main/dep11/Components-amd64.yml) is configured multiple times in /etc/apt/source  
s.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1  
W: Target DEP-11 (main/dep11/Components-all.yml) is configured multiple times in /etc/apt/sources.  
list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1  
W: Target DEP-11-icons-small (main/dep11/icons-48x48.tar) is configured multiple times in /etc/apt  
/sources.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.lis  
t.d/hashicorp.list:1  
W: Target DEP-11-icons (main/dep11/icons-64x64.tar) is configured multiple times in /etc/apt/sourc  
es.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/ha  
shicorp.list:1  
W: Target DEP-11-icons-hidpi (main/dep11/icons-64x64@2.tar) is configured multiple times in /etc/a  
pt/sources.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.l  
ist.d/hashicorp.list:1  
W: Target CNF (main/cnf/Commands-amd64) is configured multiple times in /etc/apt/sources.list.d/ar  
chive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list  
:1  
W: Target CNF (main/cnf/Commands-all) is configured multiple times in /etc/apt/sources.list.d/arch  
ive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list:1  
W: Target Packages (main/binary-amd64/Packages) is configured multiple times in /etc/apt/sources.l  
ist.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashic  
orp.list:1  
W: Target Packages (main/binary-all/Packages) is configured multiple times in /etc/apt/sources.lis  
t.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicor  
p.list:1  
W: Target Translations (main/i18n/Translation-en_IN) is configured multiple times in /etc/apt/sour  
ces.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/h  
ashicorp.list:1  
W: Target Translations (main/i18n/Translation-en) is configured multiple times in /etc/apt/sources  
.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hash  
icorp.list:1  
W: Target DEP-11 (main/dep11/Components-amd64.yml) is configured multiple times in /etc/apt/source  
s.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1
```


the clipboard.

```
himanshu@himmanshu: ~  
ses_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list  
W: Target CNF (main/cnf/Commands-all) is configured multiple times in /etc/apt/sources.list.d/arch  
ive_uri=https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list:1  
himanshu@himmanshu:~$ sudo apt install curl  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
curl is already the newest version (7.81.0-1ubuntu1.7).  
The following packages were automatically installed and are no longer required:  
  libflashrom1 libftdi1-2 libllvm13  
Use 'sudo apt autoremove' to remove them.  
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.  
4 not fully installed or removed.  
After this operation, 0 B of additional disk space will be used.  
Do you want to continue? [Y/n] y  
Setting up foreman (9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004) ...  
/usr/bin/foreman-ruby: No such file or directory -- /usr/bin/bundle2.7 (LoadError)  
dpkg: error processing package foreman (--configure):  
  installed foreman package post-installation script subprocess returned error exit status 1  
dpkg: dependency problems prevent configuration of foreman-service:  
  foreman-service depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004); h  
owever:  
  Package foreman is not configured yet.  
dpkg: error processing package foreman-service (--configure):  
  dependency problems - leaving unconfigured  
dpkg: dependency problems prevent configuration of foreman-postgresql:  
  foreman-postgresql depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004)  
; however:  
  Package foreman is not configured yet.  
dpkg: error processing package foreman-postgresql (--configure):  
  dependency problems - leaving unconfigured  
dpkg: dependency problems prevent configuration of foreman-dynflow-sidekiq:  
  foreman-dynflow-sidekiq depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu  
2004); however:  
  Package foreman is not configured yet.  
dpkg: error processing package foreman-dynflow-sidekiq (--configure):  
  depNo apport report written because the error message indicates its a followup error from a previ  
ous failure.  
  No apport report written because the error message indicates its a followup error from  
  a previous failure.  
  No apport report written because MaxReports is reached already  
  dependency problems  
  - leaving unconfigured  
Errors were encountered while processing:  
  foreman  
  foreman-service  
  foreman-postgresql  
  foreman-dynflow-sidekiq  
E: Sub-process /usr/bin/dpkg returned an error code (1)  
himanshu@himmanshu:~$
```

```

himanshu@himmanshu: ~
himanshu@himmanshu:~$ curl [options] [URL...]
curl: (3) bad range in URL position 2:
[options]
^
himanshu@himmanshu:~$ curl [options] [URL...]
curl: (3) bad range in URL position 2:
[options]
^
himanshu@himmanshu:~$ curl example.com
curl: (56) Recv failure: Connection reset by peer
himanshu@himmanshu:~$ curl -o vue-v2.6.10.js https://cdn.jsdelivr.net/npm/vue/dist/vue.js
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 423k 100 423k 0 0 8447 0 0:00:51 0:00:51 --:--:-- 65570
himanshu@himmanshu:~$ curl -O https://cdn.jsdelivr.net/npm/vue/dist/vue.js
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 423k 100 423k 0 0 108k 0 0:00:03 0:00:03 --:--:-- 108k
himanshu@himmanshu:~$ curl -O https://cdimage.debian.org/debian-cd/current/amd64/iso-cd/debian-9.4
.0-amd64-netinst.iso
-0: command not found
himanshu@himmanshu:~$ curl -O http://releases.ubuntu.com/18.04/ubuntu-18.04-live-server-amd64.iso
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 281 100 281 0 0 140 0 0:00:02 0:00:01 0:00:01 140
himanshu@himmanshu:~$ curl -C - -O http://releases.ubuntu.com/18.04/ubuntu-18.04-live-server-amd64
.iso
** Resuming transfer from byte position 281
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
0 281 0 0 0 0 0 0 --:--:-- 0:00:15 --:--:-- 0
himanshu@himmanshu:~$ curl -I --http2 https://www.ubuntu.com/
HTTP/2 301
server: nginx/1.14.0 (Ubuntu)
date: Thu, 09 Mar 2023 08:26:16 GMT
content-type: text/html
content-length: 175
location: https://ubuntu.com/
link: <https://assets.ubuntu.com>; rel=preconnect; crossorigin, <https://assets.ubuntu.com>; rel=p
reconnect, <https://res.cloudinary.com>; rel=preconnect
x-cache-status: HIT from content-cache-il3/0
himanshu@himmanshu:~$ curl -I --http2 -s https://linuxize.com/ | grep HTTP
HTTP/2 403
himanshu@himmanshu:~$ curl google.com
<HTML><HEAD><meta http-equiv="content-type" content="text/html; charset=utf-8">
<TITLE>301 Moved</TITLE></HEAD><BODY>
<H1>301 Moved</H1>
The document has moved
<A HREF="http://www.google.com/">here</A>.
</BODY></HTML>
himanshu@himmanshu:~$ curl -L google.com
<!doctype html><html itemscope="" itemtype="http://schema.org/WebPage" lang="en-IN"><head><meta co
ntent="text/html; charset=UTF-8" http-equiv="Content-Type"><meta content="/images/branding/googleg
/1x/googleg_standard_color_128dp.png" itemprop="image"><title>Google</title><script nonce="3cvuvxV

```

```
himanshu@himanshu: ~  
himanshu@himanshu:~$ curl -L google.com  
<!doctype html><html itemscope="" itemtype="http://schema.org/WebPage" lang="en-IN"><head><meta co  
ntent="text/html; charset=UTF-8" http-equiv="Content-Type"><meta content="/images/branding/googleg  
/1x/googleg_standard_color_128dp.png" itemprop="image"><title>Google</title><script nonce="3cvuvxV  
ozuy8-MbeewKq9w">(function(){window.google={kEI:'iJgJZI2iErTT1sQP2oyLiAo',kEXPI:'0,1359409,6059,20  
6,4804,2316,383,246,5,1129120,1197723,843,379925,16114,28684,22430,1362,12319,17580,4998,13228,384  
7,38444,2872,2891,8349,3405,606,29842,30848,15756,3,576,1014,1,5444,149,11323,2652,4,1528,2304,923  
,26425,1714,13063,11445,2215,4437,9358,7428,5818,2539,4094,7596,1,14262,27892,2,14022,2715,3533,19  
491,5679,1021,31121,4569,6252,23424,1252,5835,14968,4332,8,7476,445,2,2,1,26632,8155,6680,701,2,15  
967,874,19633,7,1922,5608,176,3995,12414,6716,2260,14764,6305,16743,3455,20137,14,82,13332,6874,16  
22,1778,2226,2751,3787,4590,4089,2425,2646,1703,4132,991,3030,426,5684,1411,23,867,925,1760,3952,7  
68,1804,567,6986,181,495,1152,1086,5,1648,109,561,442,124,2487,6994,3997,5641,4,29,212,2,338,37,15  
84,312,275,711,854,2044,666,1,1172,2280,244,58,484,273,598,1767,996,57,1244,1607,4197,2,902,1239,8  
89,4,749,1775,306,382,233,130,398,51,238,208,160,201,510,67,1423,309,17,2194,291,944,413,74,5,674,  
368,129,798,4,4,434,342,546,3,396,636,201,301,21,340,222,220,492,1132,1165,331,7,597,280,301,93,43  
2,6,24,22,5,2,218,2,404,129,5,2789,114,5231017,360,352,52,8798791,3311,141,795,19735,1,1,346,4569,  
23646722,299194,2738463,1303679,1964,14297,2376,2893,512,5738,9379,3182,1539,1357,1415339',kBL:'Td  
3a'};google.sn='webhp';google.kHL='en-IN';})();(function(){  
var f=this||self;var h,k=[];function l(a){for(var b;a&&(!a.getAttribute)||!(b=a.getAttribute("eid")  
));)a=a.parentNode;return b}|h}function m(a){for(var b=null;a&&(!a.getAttribute)||!(b=a.getAttribut  
e("leid")));)a=a.parentNode;return b}  
function n(a,b,c,d,g){var e="";c||-1!==b.search("&ei=")||!(e="&ei="+l(d),-1===b.search("&lei=")&&(d  
=m(d))&&(e="&lei="+d));d="";!c&&f._cshid&&-1===b.search("&cshid=")&&"slh"!==a&&(d="&cshid="+f._cs  
hid);c=c||"/"+(g||"gen_204")+"?atyp=i&ct="+a+"&cad="+b+e+"&zx="+Date.now()+d;/^http/i.test(c)&&"h  
ttps:"===window.location.protocol&&(google.ml&&google.ml(Error("a"),1,{src:c,glmm:1}),c="");retur  
n c};h=google.kEI;google.getEI=l;google.getLEI=m;google.ml=function(){return null};google.log=func  
tion(a,b,c,d,g){if(c=n(a,b,c,d,g)){a=new Image;var e=k.length;k[e]=a;a.onerror=a.onload=a.onabort=  
function(){delete k[e]};a.src=c};google.logUrl=n;}).call(this);(function(){google.y={};google.sy=  
[];google.x=function(a,b){if(a)var c=a.id;else{do c=Math.random();while(google.y[c])}google.y[c]=[  
a,b];return 1};google.sx=function(a){google.sy.push(a);google.lm=[];google.plm=function(a){google  
.lm.push.apply(google.lm,a);google.lq=[];google.load=function(a,b,c){google.lq.push([a,b,c]);g  
oogle.loadAll=function(a,b){google.lq.push([a,b]);google.bx=!1;google.lx=function(){}}.call(thi  
s);google.f={};(function(){  
document=documentElement.addEventListener("submit",function(b){var a;if(a=b.target){var c=a.getAtt  
ribute("data-submitfalse");a="1"===c||"q"===c&&!a.elements.q.value?!0:!1}else a=!1;a&&(b.preventDe  
fault(),b.stopPropagation()),!0);document=documentElement.addEventListener("click",function(b){va  
r a;a={for(a=b.target;a&&a!==document.documentElement;a=a.parentNode)if("A"===a.tagName){a="1"=  
==a.getAttribute("data-nohref");break }a=!1;a&&b.preventDefault(),!0;}}.call(this);</script><st  
yle>#gbar,#guser{font-size:13px;padding-top:1px !important;}#gbar{height:22px}#guser{padding-botto  
m:7px !important;text-align:right}.gbh,.gbd{border-top:1px solid #c9d7f1;font-size:1px}.gbh{height  
:0;position:absolute;top:24px;width:100%}@media all{.gb1{height:22px;margin-right:.5em;vertical-al  
ign:top}#gbar{float:left}.gb1,a.gb4{text-decoration:underline !important}a.gb1,a.gb4{color:#00c  
!important}.gb1 .gb4{color:#dd8e27 !important}.gbf .gb4{color:#900 !important}  
</style><style>body,td,a,p,.h{font-family:arial,sans-serif}body{margin:0;overflow-y:scroll}#gog{pa  
dding:3px 8px 0}td{line-height:.8em}.gac_m td{line-height:17px}form{margin-bottom:20px}.h{color:#1  
558d6}em{font-weight:bold;font-style:normal}.lst{height:25px;width:496px}.gsfi,.lst{font:18px ari  
al,sans-serif}.gsfs{font:17px arial,sans-serif}.ds{display:inline-block;display:inline-block;margin:3  
px 0 4px;margin-left:4px}input{font-family:inherit}body{background:#fff;color:#000}a{color:#4b11a8  
;text-decoration:none}a:active{color:#4b11a8}.fl a{color:#1558d6}a:visited{col  
or:#4b11a8}.sblc{padding-top:5px}.sblc a{display:block;margin:2px 0;margin-left:13px;font-size:11p  
x}.lsbb{background:#f8f9fa;border:solid 1px;border-color:#dadce0 #70757a #dadce0;height:30  
px}.lsbb{display:block}#WQANb a{display:inline-block;margin:0 12px}.lsb{background:url(/images/na  
v_logo229.png) 0 -261px repeat-x;border:none;color:#000;cursor:pointer;height:30px;margin:0;outlin  
e:0;font:15px arial,sans-serif;vertical-align:top}.lsb:active{background:#dadce0}.lst:focus{outlin  
e:none}</style><script nonce="3cvuvxVozuy8-MbeewKq9w">(function(){window.google.erd={jsr:1,bv:1756
```



```

himanshu@himmanshu:~$ cat index.html
<div class="row footerlinks py-4 justify-content-center">
  <div class="col-sm-9 col-12">
    
  </div>
  <div class="row footerlinks justify-content-center">
    <div class="col-sm-3 col-4 mt-3">
      <div>
        <dt class="text-uppercase h5"><strong>About</strong></dt>
        <dd><a href="https://getfedora.org/">Get Fedora</a></dd>
        <dd><a href="https://fedora.project.org/wiki/Overview">About Fedora</a></dd>
        <dd><a href="/en/sponsors/">Sponsors</a></dd>
        <dd><a href="https://fedoraproject.org/wiki/Legal:Main#Legal">Legal</a></dd>
      </div>
    </div>
    <div class="col-sm-3 col-4 mt-3">
      <div>
        <dt class="text-uppercase h5"><strong>Support</strong></dt>
        <dd><a href="https://fedoraproject.org/wiki/Communicating_and_getting_help">Get Help</a></dd>
        <dd><a href="https://ask.fedoraproject.org/">Ask Fedora</a></dd>
        <dd><a href="https://fedoraproject.org/wiki/Common_F37_bugs">Common Bugs</a></dd>
        <dd><a href="https://developer.fedoraproject.org/">Fedora Developer Portal</a></dd>
      </div>
    </div>
    <div class="col-sm-3 col-4 mt-3">
      <div>
        <dt class="text-uppercase h5"><strong>Community</strong></dt>
        <dd><a href="https://fedoraproject.org/wiki/Join">Join Fedora</a></dd>
        <dd><a href="https://fedoramagazine.org">Fedora Magazine</a></dd>
        <dd><a href="https://communityblog.fedoraproject.org/">Fedora Community Blog</a></dd>
        <dd><a href="https://accounts.fedoraproject.org/">Fedora Account System</a></dd>
      </div>
    </div>
  </div>
  <div class="row footerlinks py-4">
    <div class="col-12 text-center">
      <a href="https://www.facebook.com/TheFedoraProject" class="btn-social btn-outline"><i class="fab fa-facebook fa-2x"></i></a>
      <a href="https://twitter.com/fedora" class="btn-social btn-outline"><i class="fab fa-twitter fa-2x"></i></a>
      <a href="https://fosstodon.org/@fedora" rel="me" class="btn-social btn-outline"><i class="fab fa-mastodon fa-2x"></i></a>
      <a href="https://www.instagram.com/thefedoraproject" class="btn-social btn-outline"><i class="fab fa-instagram fa-2x"></i></a>
    </div>
    <div class="row footerlinks">
      <div class="col-12 text-center">
        <p>Direct comments and corrections to the <a href="https://pagure.io/fedora-web/websites/">websites team</a>. </p>
        <p>Fedora is sponsored by Red Hat. <a href="https://www.redhat.com/en/technologies/linux-platforms/articles/relationship-between-fedora-and-rhel">Learn more about the relationship between Red Hat and Fedora &raquo;</a> </p>
      </div>
      <div class="py-3">
        <a href="https://www.redhat.com/">
        &copy; 2022 Red Hat, Inc. and others.
      </div>
      <div class="dropdown position-static">
        <a class="dropdown-toggle d-block" href="#" role="button" id="languagechooser" data-bbox="111 125 886 150" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"><span class="fa fa-language mr-2 fa-1x"></span> English </a>
        <div class="dropdown-menu w-100" aria-labelledby="languagechooser">
          <ul class="list-unstyled font-size-80 text-center">
            <li><a href="/af/">Afrikaans</a></li>
            <li><a href="/ar/">العربية</a></li>
            <li><a href="/bg/">български език</a></li>
            <li><a href="/bn/">বাংলা</a></li>
            <li><a href="/bn-IN/">ভাৰতীয় বাংলা</a></li>
            <li><a href="/ca/">Català</a></li>
            <li><a href="/cs/">česky</a></li>
            <li><a href="/da/">dansk</a></li>
            <li><a href="/de/">Deutsch</a></li>
            <li><a href="/en/">English</a></li>
            <li><a href="/eo/">Esperanto</a></li>
            <li><a href="/es/">Español</a></li>
            <li><a href="/eu/">euskera</a></li>
            <li><a href="/fa/">فارسی</a></li>
            <li><a href="/fi/">suomi</a></li>
            <li><a href="/fr/">Français</a></li>
            <li><a href="/fur/">Friulian</a></li>
            <li><a href="/he/">עברית</a></li>
            <li><a href="/hu/">Magyar</a></li>
            <li><a href="/id/">Indonesian</a></li>
            <li><a href="/it/">Italiano</a></li>
            <li><a href="/ja/">日本語</a></li>
            <li><a href="/ka/">ქართული</a></li>
            <li><a href="/ko/">한국어</a></li>
            <li><a href="/nl/">Nederlands</a></li>
            <li><a href="/pl/">polski</a></li>
            <li><a href="/pt/">Português</a></li>
            <li><a href="/pt_BR/">Português brasileiro</a></li>
            <li><a href="/ru/">Русский</a></li>
            <li><a href="/sk/">slovenčina</a></li>
            <li><a href="/sv/">svenska</a></li>
            <li><a href="/tr/">Türkçe</a></li>
            <li><a href="/uk/">українська</a></li>
            <li><a href="/zh_Hans_CN/">简体中文</a></li>
            <li><a href="/zh_Hant_TW/">正體中文</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <div class="row footerlinks py-4">
    <div class="col-12 text-center">
      <p>We have trouble seeing part of the website. All our code is under a free license and is available on <a href="https://pagure.io/fedora-web/websites">our forge</a>. </p>
    </div>
  </div>
</div>
</body>
</html>
himanshu@himmanshu:~$

```

```

himanshu@himmanshu:~$ curl
curl: try 'curl --help' or 'curl --manual' for more information
himanshu@himmanshu:~$ curl--help
curl--help: command not found
himanshu@himmanshu:~$ curl --help
Usage: curl [options...] <url>
  -d, --data <data>          HTTP POST data
  -f, --fail                 Fail silently (no output at all) on HTTP errors
  -h, --help <category>     Get help for commands
  -i, --include              Include protocol response headers in the output
  -o, --output <file>       Write to file instead of stdout
  -O, --remote-name         Write output to a file named as the remote file
  -s, --silent              Silent mode
  -T, --upload-file <file>  Transfer local FILE to destination
  -u, --user <user:password> Server user and password
  -A, --user-agent <name>   Send User-Agent <name> to server
  -v, --verbose             Make the operation more talkative
  -V, --version             Show version number and quit

This is not the full help, this menu is stripped into categories.
Use "--help category" to get an overview of all categories.
For all options use the manual or "--help all".
himanshu@himmanshu:~$ curl --help all
Usage: curl [options...] <url>
  --abstract-unix-socket <path> Connect via abstract Unix domain socket
  --alt-svc <file name> Enable alt-svc with this cache file
  --anyauth              Pick any authentication method
  -a, --append           Append to target file when uploading
  --aws-sigv4 <provider1[:provider2[:region[:service]]]> Use AWS V4 signature authentication
  --basic               Use HTTP Basic Authentication
  --cacert <file>       CA certificate to verify peer against
  --capath <dir>        CA directory to verify peer against
  -E, --cert <certificate[:password]> Client certificate file and password
  --cert-status         Verify the status of the server cert via OCSP-staple
  --cert-type <type>    Certificate type (DER/PEM/ENG)
  --ciphers <list of ciphers> SSL ciphers to use
  --compressed          Request compressed response
  --compressed-ssh      Enable SSH compression
  -K, --config <file>    Read config from a file
  --connect-timeout <fractional seconds> Maximum time allowed for connection
  --connect-to <HOST1:PORT1:HOST2:PORT2> Connect to host
  -C, --continue-at <offset> Resumed transfer offset
  -b, --cookie <data|filename> Send cookies from string/file
  -c, --cookie-jar <filename> Write cookies to <filename> after operation
  --create-dirs          Create necessary local directory hierarchy
  --create-file-mode <mode> File mode for created files
  --crlf                Convert LF to CRLF in upload
  --crlfile <file>      Use this CRL list
  --curves <algorithm list> (EC) TLS key exchange algorithm(s) to request
  -d, --data <data>      HTTP POST data
  --data-ascii <data>    HTTP POST ASCII data
  --data-binary <data>   HTTP POST binary data
  --data-raw <data>      HTTP POST data, '@' allowed
  --data-urlencode <data> HTTP POST data url encoded
  --delegation <LEVEL>  GSS-API delegation permission


```

```

himanshu@himanshu: ~
--preproxy [protocol://]host[:port] Use this proxy first
-#, --progress-bar          Display transfer progress as a bar
--proto <protocols>         Enable/disable PROTOCOLS
--proto-default <protocol>  Use PROTOCOL for any URL missing a scheme
--proto-redir <protocols>   Enable/disable PROTOCOLS on redirect
-X, --proxy [protocol://]host[:port] Use this proxy
--proxy-anyauth             Pick any proxy authentication method
--proxy-basic               Use Basic authentication on the proxy
--proxy-cacert <file>      CA certificate to verify peer against for proxy
--proxy-capath <dir>       CA directory to verify peer against for proxy
--proxy-cert <cert[:passwd]> Set client certificate for proxy
--proxy-cert-type <type>   Client certificate type for HTTPS proxy
--proxy-ciphers <list>     SSL ciphers to use for proxy
--proxy-crlfile <file>     Set a CRL list for proxy
--proxy-digest              Use Digest authentication on the proxy
--proxy-header <header/@file> Pass custom header(s) to proxy
--proxy-insecure            Do HTTPS proxy connections without verifying the proxy
--proxy-key <key>           Private key for HTTPS proxy
--proxy-key-type <type>     Private key file type for proxy
--proxy-negotiate           Use HTTP Negotiate (SPNEGO) authentication on the proxy
--proxy-ntlm                Use NTLM authentication on the proxy
--proxy-pass <phrase>      Pass phrase for the private key for HTTPS proxy
--proxy-pinnedpubkey <hashes> FILE/HASHES public key to verify proxy with
--proxy-service-name <name> SPNEGO proxy service name
--proxy-ssl-allow-beast     Allow security flaw for interop for HTTPS proxy
--proxy-ssl-auto-client-cert Use auto client certificate for proxy (Schannel)
--proxy-tls13-ciphers <ciphersuite list> TLS 1.3 proxy cipher suites
--proxy-tlsauthtype <type> TLS authentication type for HTTPS proxy
--proxy-tlspassword <string> TLS password for HTTPS proxy
--proxy-tlsuser <name>     TLS username for HTTPS proxy
--proxy-tls1               Use TLSv1 for HTTPS proxy
-U, --proxy-user <user:password> Proxy user and password
--proxy1.0 <host[:port]> Use HTTP/1.0 proxy on given port
-p, --proxytunnel           Operate through an HTTP proxy tunnel (using CONNECT)
--pubkey <key>              SSH Public key file name
-Q, --quote <command>       Send command(s) to server before transfer
--random-file <file>        File for reading random data from
-r, --range <range>         Retrieve only the bytes within RANGE
--raw                       Do HTTP "raw"; no transfer decoding
-e, --referer <URL>         Referrer URL
-J, --remote-header-name    Use the header-provided filename
-O, --remote-name            Write output to a file named as the remote file
--remote-name-all           Use the remote file name for all URLs
-R, --remote-time            Set the remote file's time on the local output
-X, --request <method>      Specify request method to use
--request-target <path>     Specify the target for this request
--resolve <[+]host:port:addr[,addr]...> Resolve the host+port to this address
--retry <num>               Retry request if transient problems occur
--retry-all-errors          Retry all errors (use with --retry)
--retry-connrefused          Retry on connection refused (use with --retry)
--retry-delay <seconds>     Wait time between retries
--retry-max-time <seconds>  Retry only within this period
--sasl-authzid <identity>   Identity for SASL PLAIN authentication
--sasl-ir                    Enable initial response in SASL authentication
--service-name <name>      SPNEGO service name

```



```
himanshu@himmanshu: ~  
himanshu@himmanshu:~$ curl --manual  
  
Project   
  
NAME  
    curl - transfer a URL  
  
SYNOPSIS  
    curl [options / URLs]  
  
DESCRIPTION  
    curl is a tool for transferring data from or to a server. It supports  
    these protocols: DICT, FILE, FTP, FTPS, GOPHER, GOPHERS, HTTP, HTTPS,  
    IMAP, IMAPS, LDAP, LDAPS, MQTT, POP3, POP3S, RTMP, RTMPS, RTSP, SCP,  
    SFTP, SMB, SMBS, SMTP, SMTPS, TELNET or TFTP. The command is designed  
    to work without user interaction.  
  
    curl offers a busload of useful tricks like proxy support, user authentication,  
    FTP upload, HTTP post, SSL connections, cookies, file transfer resume and more.  
    As you will see below, the number of features will make your head spin.  
  
    curl is powered by libcurl for all transfer-related features. See libcurl(3) for  
    details.  
  
URL  
    The URL syntax is protocol-dependent. You find a detailed description in RFC  
    3986.  
  
    You can specify multiple URLs or parts of URLs by writing part sets within  
    braces and quoting the URL as in:  
  
        "http://site.{one,two,three}.com"  
  
    or you can get sequences of alphanumeric series by using [] as in:  
  
        "ftp://ftp.example.com/file[1-100].txt"  
  
        "ftp://ftp.example.com/file[001-100].txt"    (with leading zeros)  
  
        "ftp://ftp.example.com/file[a-z].txt"  
  
    Nested sequences are not supported, but you can use several ones next to  
    each other:  
  
        "http://example.com/archive[1996-1999]/vol[1-4]/part{a,b,c}.html"  
  
    You can specify any amount of URLs on the command line. They will be  
    fetched in a sequential manner in the specified order. You can specify  
    command line options and URLs mixed and in any order on the command  
    line.
```

```
himanshu@himmanshu: ~  
82    Could not load CRL file, missing or wrong format.  
83    Issuer check failed.  
84    The FTP PRET command failed.  
85    Mismatch of RTSP CSeq numbers.  
86    Mismatch of RTSP Session Identifiers.  
87    Unable to parse FTP file list.  
88    FTP chunk callback reported error.  
89    No connection available, the session will be queued.  
90    SSL public key does not matched pinned public key.  
91    Invalid SSL certificate status.  
92    Stream error in HTTP/2 framing layer.  
93    An API function was called from inside a callback.  
94    An authentication function returned an error.  
95    A problem was detected in the HTTP/3 layer. This is somewhat  
    generic and can be one out of several problems, see the error  
    message for details.  
96    QUIC connection error. This error may be caused by an SSL li-  
    brary error. QUIC is the protocol used for HTTP/3 transfers.  
XX    More error codes will appear here in future releases. The exist-  
    ing ones are meant to never change.  
  
BUGS  
    If you experience any problems with curl, submit an issue in the  
    project's bug tracker on GitHub: https://github.com/curl/curl/issues  
  
AUTHORS / CONTRIBUTORS  
    Daniel Stenberg is the main author, but the whole list of contributors  
    is found in the separate THANKS file.  
  
WWW  
    https://curl.se  
  
SEE ALSO  
    ftp(1), wget(1)
```

. ELINKS COMMAND

ELinks is a text mode WWW browser, supporting colours, table rendering, background downloading, menu driven configuration interface, tabbed browsing and slim code. Frames are supported. You can have different file formats associated with external viewers. `mailto:` and `telnet:` are supported via external clients.

ELinks can handle both local files and remote URLs. The main supported remote URL protocols are *HTTP*, *HTTPS* (with SSL support compiled in) and *FTP*. Additional protocol support exists for *BitTorrent* *finger*, *Gopher*, *SMB* and *NNTP*.

```
himanshu@himanshu: ~  
himanshu@himanshu:~$ sudo apt update  
[sudo] password for himanshu:  
Hit:1 http://archive.ubuntu.com/ubuntu jammy InRelease  
Hit:2 https://apt.releases.hashicorp.com jammy InRelease  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
All packages are up to date.  
W: Target Packages (main/binary-amd64/Packages) is configured multiple times in /etc/apt/sources.l  
ist.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashic  
orp.list:1  
W: Target Packages (main/binary-all/Packages) is configured multiple times in /etc/apt/sources.lis  
t.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicor  
p.list:1  
W: Target Translations (main/i18n/Translation-en_IN) is configured multiple times in /etc/apt/sour  
ces.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/h  
ashicorp.list:1  
W: Target Translations (main/i18n/Translation-en) is configured multiple times in /etc/apt/sources  
.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hash  
icorp.list:1  
W: Target DEP-11 (main/dep11/Components-amd64.yml) is configured multiple times in /etc/apt/source  
s.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1  
W: Target DEP-11 (main/dep11/Components-all.yml) is configured multiple times in /etc/apt/sources.  
list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1  
W: Target DEP-11-icons-small (main/dep11/icons-48x48.tar) is configured multiple times in /etc/apt  
/sources.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.lis  
t.d/hashicorp.list:1  
W: Target DEP-11-icons (main/dep11/icons-64x64.tar) is configured multiple times in /etc/apt/sourc  
es.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/ha  
shicorp.list:1  
W: Target DEP-11-icons-hidpi (main/dep11/icons-64x64@2.tar) is configured multiple times in /etc/a  
pt/sources.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.l  
ist.d/hashicorp.list:1  
W: Target CNF (main/cnf/Commands-amd64) is configured multiple times in /etc/apt/sources.list.d/ar  
chive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list  
:1  
W: Target CNF (main/cnf/Commands-all) is configured multiple times in /etc/apt/sources.list.d/arch  
ive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicorp.list:1  
W: Target Packages (main/binary-amd64/Packages) is configured multiple times in /etc/apt/sources.l  
ist.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashic  
orp.list:1  
W: Target Packages (main/binary-all/Packages) is configured multiple times in /etc/apt/sources.lis  
t.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hashicor  
p.list:1  
W: Target Translations (main/i18n/Translation-en_IN) is configured multiple times in /etc/apt/sour  
ces.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/h  
ashicorp.list:1  
W: Target Translations (main/i18n/Translation-en) is configured multiple times in /etc/apt/sources  
.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/hash  
icorp.list:1  
W: Target DEP-11 (main/dep11/Components-amd64.yml) is configured multiple times in /etc/apt/source  
s.list.d/archive_uri-https_apt_releases_hashicorp_com-jammy.list:1 and /etc/apt/sources.list.d/has  
hicorp.list:1
```

```
himanshu@himmanshu: ~  
himanshu@himmanshu:~$ sudo apt install elinks  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
The following packages were automatically installed and are no longer required:  
  libflashrom1 libftdi1-2 libllvm13  
Use 'sudo apt autoremove' to remove them.  
The following additional packages will be installed:  
  elinks-data libev4 libfsplib0 libtre5  
Suggested packages:  
  elinks-doc tre-agrep  
The following NEW packages will be installed:  
  elinks elinks-data libev4 libfsplib0 libtre5  
0 upgraded, 5 newly installed, 0 to remove and 0 not upgraded.  
4 not fully installed or removed.  
Need to get 1,181 kB of archives.  
After this operation, 3,815 kB of additional disk space will be used.  
Do you want to continue? [Y/n] y  
Get:1 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libev4 amd64 1:4.33-1 [29.4 kB]  
Get:2 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libfsplib0 amd64 0.14-5 [12.9 kB]  
Get:3 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libtre5 amd64 0.8.0-6 [47.5 kB]  
Get:4 http://archive.ubuntu.com/ubuntu jammy/universe amd64 elinks-data all 0.13.2-1build3 [427 kB]  
Get:5 http://archive.ubuntu.com/ubuntu jammy/universe amd64 elinks amd64 0.13.2-1build3 [663 kB]  
Fetched 1,181 kB in 11s (104 kB/s)  
Selecting previously unselected package libev4:amd64.  
(Reading database ... 273086 files and directories currently installed.)  
Preparing to unpack .../libev4_1%3a4.33-1_amd64.deb ...  
Unpacking libev4:amd64 (1:4.33-1) ...  
Selecting previously unselected package libfsplib0.  
Preparing to unpack .../libfsplib0_0.14-5_amd64.deb ...  
Unpacking libfsplib0 (0.14-5) ...  
Selecting previously unselected package libtre5:amd64.  
Preparing to unpack .../libtre5_0.8.0-6_amd64.deb ...  
Unpacking libtre5:amd64 (0.8.0-6) ...  
Selecting previously unselected package elinks-data.  
Preparing to unpack .../elinks-data_0.13.2-1build3_all.deb ...  
Unpacking elinks-data (0.13.2-1build3) ...  
Selecting previously unselected package elinks.  
Preparing to unpack .../elinks_0.13.2-1build3_amd64.deb ...  
Unpacking elinks (0.13.2-1build3) ...  
Setting up libtre5:amd64 (0.8.0-6) ...  
Setting up elinks-data (0.13.2-1build3) ...  
Setting up libev4:amd64 (1:4.33-1) ...  
Setting up libfsplib0 (0.14-5) ...  
Setting up elinks (0.13.2-1build3) ...  
Setting up foreman (9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004) ...  
/usr/bin/foreman-ruby: No such file or directory -- /usr/bin/bundle2.7 (LoadError)  
dpkg: error processing package foreman (--configure):  
  installed foreman package post-installation script subprocess returned error exit status 1  
dpkg: dependency problems prevent configuration of foreman-service:  
  foreman-service depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004); however:  
    Package foreman is not configured yet.
```

```
himanshu@himmanshu: ~  
Preparing to unpack .../libtre5_0.8.0-6_amd64.deb ...  
Unpacking libtre5:amd64 (0.8.0-6) ...  
Selecting previously unselected package elinks-data.  
Preparing to unpack .../elinks-data_0.13.2-1build3_all.deb ...  
Unpacking elinks-data (0.13.2-1build3) ...  
Selecting previously unselected package elinks.  
Preparing to unpack .../elinks_0.13.2-1build3_amd64.deb ...  
Unpacking elinks (0.13.2-1build3) ...  
Setting up libtre5:amd64 (0.8.0-6) ...  
Setting up elinks-data (0.13.2-1build3) ...  
Setting up libev4:amd64 (1:4.33-1) ...  
Setting up libfsplib0 (0.14-5) ...  
Setting up elinks (0.13.2-1build3) ...  
Setting up foreman (9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004) ...  
/usr/bin/foreman-ruby: No such file or directory -- /usr/bin/bundle2.7 (LoadError)  
dpkg: error processing package foreman (--configure):  
installed foreman package post-installation script subprocess returned error exit status 1  
dpkg: dependency problems prevent configuration of foreman-service:  
foreman-service depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004); however:  
Package foreman is not configured yet.  
  
dpkg: error processing package foreman-service (--configure):  
dependency problems - leaving unconfigured  
dpkg: dependency problems prevent configuration of foreman-postgresql:  
foreman-postgresql depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004); however:  
Package foreman is not configured yet.  
  
dpkg: error processing package foreman-postgresql (--configure):  
dependency problems - leaving unconfigured  
dpkg: dependency problems prevent configuration of foreman-dynflow-sidekiq:  
foreman-dynflow-sidekiq depends on foreman (= 9999-3.6.0-focal+scratchbuild+20230207085823+ubuntu2004); however:  
Package foreman is not configured yet.  
  
dpkg: error processing package foreman-dynflow-sidekiq (--configure):  
depNo apport report written because the error message indicates its a followup error from a previous failure.  
No apport report written because the error message indicates its a followup error from a previous failure.  
No apport report written because MaxReports is reached already  
dependency problems  
- leaving unconfigured  
Processing triggers for libc-bin (2.35-0ubuntu3.1) ...  
Processing triggers for man-db (2.10.2-1) ...  
Processing triggers for mailcap (3.70+nmu1ubuntu1) ...  
Errors were encountered while processing:  
foreman  
foreman-service  
foreman-postgresql  
foreman-dynflow-sidekiq  
E: Sub-process /usr/bin/dpkg returned an error code (1)  
himanshu@himmanshu:~$ elinks  
himanshu@himmanshu:~$
```