HASAMUKH GOSWAMI COLLEGE OF ENGINEERING

INTERNSHIP REPORT

"ANDROID"

SEMESTER – 7TH

(HIMANSHU HITULBHAI PATEL)
(ENROLLMENT NO. 200240107521)

BACHELOR OF COMPUTER ENGINEERING

20/06/2022 – 08/07/2022
Supervised by:
HITESH KACHHELA AT PRAXWARE TECHNOLOGIES

CO-ORDINATED BY: **PROF. RISHA TIWARI**

ACKNOWLEDGEMENT:

First, I would like to thank the Director of **PraxWare Technologies**, Ahmedabad for giving me the opportunity to do an internship within the organization.

I also would like all the people that worked along with me in PraxWare Technologies, Ahmedabad with their patience and openness they created an enjoyable working environment.

It is indeed with a great sense of pleasure and immense sense of gratitude that I acknowledge the help of these individuals.

I am highly indebted to Prof. Risha Tiwari and Principal Dr. Jayesh K. Ratnadhariya, for the facilities provided to accomplish this internship.

I would like to thank my Head of the Department Mr. Monark Goswami for his constructive criticism throughout my internship.

I would like to thank Ms. Hitesh Kachhela, College Internship coordinator and Prof. Risha Tiwari, Internship coordinator, Department of CE for their support and advices to get and complete internship in above said organization.

I am extremely great full to my department staff members and friends whohelped me in successful completion of this internship.

With sincere regards,
HIMANSHU PATEL
(200240107521)

Table of Contents

NO.	Contents	Page no.
	Table of Contents	3,4
	Joining Letter of Internship	5
1.	Day 1 - What is Internship. - Why Internship is helpful? - Three Phase approach to learn Coding. - System Requirements. - How to install Android Studio.	6,7
2.	Day 2 - ACTIVITY HOME.XML CODE	8
3.	Day 3 - Basic About Android - Versions of Android - Tools for developing android applications	9,10
4.	Day 4 - What is API - Advantage of API - Document Structure - Request Header	11,12
5.	Day 5 - API Overview - The modern API	13,14
6.	Day 6 - Activity_Main.XML code - Activity_Main2.XML code	15,16
7.	Day 7 - Activity_Main3.XML code	17,18
8.	Day 8 - Activity_Main4.XML code	19
9.	Day 9 - Activity Menu Page-1 code - Activity Menu Page-2 code	20
10.	Day 10 - Activity Menu Page-3 code - Activity Menu Page-4 code	21
11.	Day 11 - Custom.XML code	22
12.	Day 12 - Bottom_Nav_menu.XML code - ITcompany.XML code	23

13.	Day 13 - Mainmenu.XML code	24
14.	Day 14 - Fragment_dashboard.XML code - Fragment_Home.XML code - Fragment_Notification.XML code	25,26
15.	Day 15 - AndroidManifest.XML code	27,28
	List of Screenshots	29,30,31
	Conclusion	32
	References	33
	Internship Certificate	34

JOINING LETTER:

PRAXWARE
TECHNOLOGIES

90163 95600
info@praxware.com
www.praxware.com

Date :20-06-2022

TO WHOM IT MAY CONCERN

We are pleased to inform you that **MR. Patel Himanshu Hitulbhai, BE** of **Hasmukh Goswami college of Engineering** has Select for the INTERNSHIP on **Android at Praxware Technologies** Ahmedabad.

Internship Title: Android

Joining Date: 20th June 2022

Email: himanshupatel4679@gmail.com

We wish them all success in their future endeavours

With Regards

FOR, PRAXWARE TECHNOLOGIES

PARTNER

602, Kaivanna Complex, Nr. Central Mall, Panchvati, Ahmedabad-380006.

Scanned with CamScanner

Day – 1:

1. What is Internship?

Internship is a small training provided by IT Companies to traindevelopers and students on particular concepts to clear logical part.

2. Why Internship is helpful?

- An Internship Provides Real Life Experience and Exposure
- The Opportunity to Learn More About Yourself
- Get Connected and Develop Your Professional Network
- Prevent CV From Going to The Trash
- Transition Into a Full-Time Position

3. Three Phase Approach to learn Coding?

- **Learn:** From the syntax and any other resource.
- **Understand:** In depth understanding of the concept and its application.
- **Code:** Implement and make it the best.

4. System Requirements:

- Microsoft Windows 7/8/10 (32-bit or 64-bit)
- 4 GB RAM minimum, 8 GB RAM recommended (plus 1 GB for the Android Emulator)
- 2 GB of available disk space minimum, 4 GB recommended (500 MB for IDE plus 1.5 GB for Android SDK and emulator system image)
- 1280 x 800 minimum screen resolution

5. How to Install and Set up Android Studio on Windows?

Android Studio is the official **IDE (Integrated Development Environment)** for Android app development and it is based on **JetBrains' IntelliJ IDEA** software. Android Studio provides many excellent features that enhance productivity when building Android apps, such as:

- A blended environment where one can develop for all Android devices
- Apply Changes to push code and resource changes to the running app without restarting the app
- A flexible Gradle-based build system
- A fast and feature-rich emulator
- GitHub and Code template integration to assist you to develop common app features and import sample code
- Extensive testing tools and frameworks
- C++ and NDK support

- Built-in support for Google Cloud Platform, making it easy to integrate Google Cloud Messaging and App Engine, and many more.

DAY-2:

ACTIVITY HOME.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    android:id="@+id/container"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:paddingTop="?attr/actionBarSize">

    <com.google.android.material.bottomnavigation.BottomNavigationView
        android:id="@+id/nav_view"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_marginStart="0dp"
        android:layout_marginEnd="0dp"
        android:background="?android:attr/windowBackground"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintLeft_toLeftOf="parent"
        app:layout_constraintRight_toRightOf="parent"
        app:menu="@menu/bottom_nav_menu" />

    <fragment
        android:id="@+id/nav_host_fragment_activity_home"
        android:name="androidx.navigation.fragment.NavHostFragment"
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        app:defaultNavHost="true"
        app:layout_constraintBottom_toTopOf="@id/nav_view"
        app:layout_constraintLeft_toLeftOf="parent"
        app:layout_constraintRight_toRightOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:navGraph="@navigation/mobile_navigation" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

Day – 3:

Basic about android

Android is an open source and Linux-based operating system for mobile devices such as smartphones and tablet computers. Android was developed by the Open Handset Alliance, led by Google, and other companies. This tutorial will teach you basic Android programming and will also take you through some advance concepts related to Android application.

Versions of android

--	1.0	1	September 23, 2008
Petit Four	1.1	2	February 9, 2009
Cupcake	1.5	3	April 27, 2009
Donut	1.6	4	September 15, 2009
Eclair	2.0 - 2.1	5 - 7	October 26, 2009
Froyo	2.2 - 2.2.3	8	May 20, 2010
Gingerbread	2.3 - 2.3.7	9 - 10	December 6, 2010
Honeycomb	3.0 - 3.2.6	11 - 13	February 22, 2011
Ice Cream Sandwich	4.0 - 4.0.4	14 - 15	October 18, 2011
Jelly Bean	4.1 - 4.3.1	16 - 18	July 9, 2012
KitKat	4.4 - 4.4.4	19 - 20	October 31, 2013
Lollipop	5.0 - 5.1.1	21- 22	November 12, 2014
Marshmallow	6.0 - 6.0.1	23	October 5, 2015
Nougat	7.0	24	August 22, 2016
Nougat	7.1.0 - 7.1.2	25	October 4, 2016
Oreo	8.0	26	August 21, 2017
Oreo	8.1	27	December 5, 2017

Pie	9.0	28	August 6, 2018
Android 10	10.0	29	September 3, 2019
Android 11	11	30	September 8, 2020

Tools for developing android application:

Android SDK

Major development tool that all developers use is the Android SDK. It is an IDE which comes equipped with a range of features to write, test and manage codes for app development.

Android Studio

It is a robust tool that offers the most advanced features and plug-ins to develop advanced applications. This is the most loved Android app development tool that is used by developers today. The tool offers features such as code modification, troubleshooting, and testing by using a simple interface.

Jdk

Android Studio provides wizards and templates that verify your system requirements, such as the **Java Development Kit (JDK)** and available RAM, and configure default settings, such as an optimized default Android Virtual Device (AVD) emulation and updated system images

DAY-4:

What is API?

An application programming interface (API) is a way for two or more computer programs to communicate with each other. It is a type of software interface, offering a service to other pieces of software. A document or standard that describes how to build or use such a connection or interface is called an API specification. A computer system that meets this standard is said to implement or expose an API. The term API may refer either to the specification or to the implementation.

What are its advantages of API?

Well, there are lots of advantages, but to mention a few:

- Efficiency
- Automation
- Integration
- Personalization
- Future-Ready

Document Structure:

APIs are built by software developers. Since software developers are directly involved in building and using APIs, it is easier for them to create the documentation.

The downside of software developers writing API documentation is that they write from a very technical angle, which can make the document quite difficult to comprehend. Another issue is that it will take more time for the API developer to create the document while also developing the API.

So, a good alternative is to assign the task of API documentation to a technical writer. A technical writer is someone who combines the expertise of content writing and technical knowledge to produce documentation that's not only technical, but also informative and understandable.

The technical writer learns about the API from the API developers, then creates tutorials, examples, and other content for documentation purposes.
Meanwhile, the API developers oversee the technical writer to ensure that the written documentation is accurate, and they can provide more information to the writer when necessary.

The goal is for everyone to work together to produce documentation that fully explains the API and guides users without confusion.
If you're interested in writing documentation for an API, but don't know where or how to begin, this article will help you get started.

Request headers:

The REST headers and parameters contain a wealth of information that can help you track down issues when you encounter them. HTTP Headers are an important part of the API request and response as they represent the meta-data associated with the API request and response. Headers carry information for:

- Request and Response Body
- Request Authorization
- Response Caching
- Response Cookies

DAY-5:

API OVERVIEW:

What is an API? (Application Programming Interface)

API is the acronym for Application Programming Interface, which is a software intermediary that allows two applications to talk to each other. Each time you use an app like Facebook, send an instant message, or check the weather on your phone, you're using an API.

What Is an Example of an API?

When you use an application on your mobile phone, the application connects to the Internet and sends data to a server. The server then retrieves that data, interprets it, performs the necessary actions and sends it back to your phone. The application then interprets that data and presents you with the information you wanted in a readable way. This is what an API is all of this happens via API.

To explain this better, let us take a familiar example.

Imagine you're sitting at a table in a restaurant with a menu of choices to order from. The kitchen is the part of the "system" that will prepare your order. Whatis missing is the critical link to communicate your order to the kitchen and deliveryour food back to your table. That's where the waiter or API comes in. The waiteris the messenger or API that takes your request or order and tells the kitchen the system what to do. Then the waiter delivers the response back to you; in this case, it is the food.

Here is a real-life API example. You may be familiar with the process of searching flights online. Just like the restaurant, you have a variety of options to choose from, including different cities, departure and return dates, and more. Let us imagine that you're booking you are flight on an airline website. You choose a departure city and date, a return city and date, cabin class, as well as other variables. In order to book your flight, you interact with the airline's website to access their database and see if any seats are available on those dates and what the costs might be.

However, what if you are not using the airline's website a channel that has direct access to the information? What if you are using an online travel service, such as Kayak or Expedia, which aggregates information from a number of airlinedatabases?

The travel service, in this case, interacts with the airline's API. The API is the interface that, like your helpful waiter, can be asked by that online travel service to get

information from the airline's database to book seats, baggage options, etc. The API then takes the airline's response to your request and delivers it right backto the online travel service, which then shows you the most updated, relevant information.

What an API Also Provides Is a Layer of Security

Your phone's data is never fully exposed to the server, and likewise the server is never fully exposed to your phone. Instead, each communicates with smallpackets of data, sharing only that which is necessary like ordering takeout. Youtell the restaurant what you would like to eat, they tell you what they need in return and then, in the end, you get your meal.

APIs have become so valuable that they comprise a large part of many businesses revenue. Major companies like Google, eBay, Salesforce.com, Amazon, and Expedia are just a few of the companies that make money from their APIs. What the "API economy" refers to is this marketplace of APIs.

The Modern API

- Over the years, what an "API" is has often described any sort of generic connectivity interface to an application. More recently, however, the modern APIhas taken on some characteristics that make them extraordinarily valuable and useful:
- Modern APIs adhere to standards (typically HTTP and REST), that are developer-friendly, easily accessible and understood broadly
- They are treated more like products than code. They are designed for consumption for specific audiences (e.g., mobile developers), they are documented, and they are versioned in a way that users can have certain expectations of its maintenance and lifecycle.
- Because they are much more standardized, they have a much stronger discipline for security and governance, as well as monitored and managed for performance and scale

As any other piece of productized software, the modern API has its own software development lifecycle (SDLC) of designing, testing, building, managing, and versioning. Also, modern APIs are well documented for consumption and versioning.

DAY-6:

ACTIVITY _MAIN.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/mybtn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Button"
        tools:layout_editor_absoluteX="150dp"
        tools:layout_editor_absoluteY="78dp" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

ACTIVITY_MAIN2 CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity2">

    <LinearLayout
        android:layout_width="409dp"
        android:layout_height="729dp"
        android:orientation="vertical"
        tools:layout_editor_absoluteX="1dp"
        tools:layout_editor_absoluteY="1dp">

        <ImageView
            android:id="@+id/imageView"
            android:layout_width="match_parent"
            android:layout_height="150dp"
            android:scaleType="fitXY"
            app:srcCompat="@drawable/shape" />

        <TextView
            android:id="@+id/textView"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="Login"
            android:textSize="30sp"
            android:gravity="center"
            android:textColor="#00b5c1"
            android:textStyle="bold"/>
```

```
        <EditText
            android:id="@+id/txt11"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:ems="10"
            android:inputType="textPersonName"
            android:hint="Enter UserName"
            android:layout_margin="10dp"
            android:textColorHint="#00b5c1"/>

        <EditText
            android:id="@+id/txt22"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:ems="10"
            android:inputType="textPassword"
            android:hint="Enter Password"
            android:layout_margin="10dp"
            android:textColorHint="#00b5c1"/>

        <Button
            android:id="@+id/btnlogin"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="Login"
            android:backgroundTint="#00b5c1"
            android:layout_margin="10dp"/>

        <TextView
            android:id="@+id/textView2"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="Forgot Password?"
            android:gravity="end"
            android:textColor="#00b5c1"
            android:textSize="15sp"
            android:layout_margin="10dp"/>

        <TextView
            android:id="@+id/textView3"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="You have no Acount?Registration"
            android:textColor="#00b5c1"
            android:textSize="15sp"
            android:gravity="center"
            android:textStyle="bold"
            android:layout_margin="10dp"/>
    </LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY-7:

ACTIVITY_MAIN3.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity3">

    <LinearLayout
        android:layout_width="409dp"
        android:layout_height="729dp"
        android:orientation="vertical"
        tools:layout_editor_absoluteX="1dp"
        tools:layout_editor_absoluteY="1dp">

        <ImageView
            android:id="@+id/imageView"
            android:layout_width="match_parent"
            android:layout_height="150dp"
            android:scaleType="fitXY"
            app:srcCompat="@drawable/shape" />

        <TextView
            android:id="@+id/textView"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:gravity="center"
            android:text="Registration"
            android:textColor="#00b5c1"
            android:textSize="30sp"
            android:textStyle="bold" />

        <EditText
            android:id="@+id/txt1"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_margin="10dp"
            android:ems="10"
            android:hint="Enter UserName"
            android:inputType="textPersonName"
            android:textColorHint="#00b5c1" />

        <EditText
            android:id="@+id/txt2"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_margin="10dp"
            android:ems="10"
            android:hint="Enter Password"
            android:inputType="textPassword"
            android:textColorHint="#00b5c1" />
```

```
        <EditText
            android:id="@+id/txt3"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:ems="10"
            android:inputType="textPersonName"
            android:hint="Enter Address"
            android:textColorHint="#00b5c1"
            android:layout_margin="10dp"/>

        <Button
            android:id="@+id/button7"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_margin="10dp"
            android:backgroundTint="#00b5c1"
            android:text="Registration" />

        <TextView
            android:id="@+id/textView3"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_margin="10dp"
            android:gravity="center"
            android:text="You have Already Account?Login"
            android:textColor="#00b5c1"
            android:textSize="20sp"
            android:textStyle="bold" />
    </LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY – 8:

ACTIVITY_MAIN4.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity4">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical">

        <Button
            android:id="@+id/button"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Button" />

        <Button
            android:id="@+id/button2"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="Alert Dialog" />

        <Button
            android:id="@+id/button3"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="Information" />

        <Button
            android:id="@+id/button4"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="DatePicker" />

        <Button
            android:id="@+id/button5"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:text="TimePicker" />
    </LinearLayout>

</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY-9:

ACITIVITY MENU PAGE-1

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MenuPage1">

    <ListView
        android:id="@+id/lstview"
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        tools:layout_editor_absoluteX="1dp"
        tools:layout_editor_absoluteY="1dp" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

ACITIVITY MENU PAGE-2:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MenuPage2">

</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY – 10:

ACITIVITY MENU PAGE-3:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MenuPage3">

</androidx.constraintlayout.widget.ConstraintLayout>
```

ACITIVITY MENU PAGE-4:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MenuPage4">

</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY – 11:

CUSTOM.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <ImageView
        android:id="@+id/imageView3"
        android:layout_width="match_parent"
        android:layout_height="200dp"
        app:srcCompat="@drawable/b"
        android:scaleType="fitXY"/>

    <TextView
        android:id="@+id/textView4"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="TextView" />

    <TextView
        android:id="@+id/textView5"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="TextView" />
</LinearLayout>
```

DAY – 12:

BOTTOM NAV MENU.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">

    <item
        android:id="@+id/navigation_home"
        android:icon="@drawable/ic_home_black_24dp"
        android:title="@string/title_home" />

    <item
        android:id="@+id/navigation_dashboard"
        android:icon="@drawable/visited"
        android:title="@string/title_dashboard" />

    <item
        android:id="@+id/navigation_notifications"
        android:icon="@drawable/setting"
        android:title="@string/title_notifications" />

</menu>
```

ITCOMPANY.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">

    <item
        android:id="@+id/id11"
        android:title="TOP IT Company" />
    <item
        android:id="@+id/id22"
        android:title="TOP Technology" />
    <item
        android:id="@+id/id33"
        android:title="Upcoming Technologies" />
    <item
        android:id="@+id/id44"
        android:title="Aboutus" />
</menu>
```

DAY-13:

MAIN MENU.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto">

    <item
        android:id="@+id/idsetting"
        android:title="Setting" />

    <item
        android:id="@+id/idnewpage"
        android:title="Go to NewPage" />

    <item
        android:id="@+id/idlogout"
        android:title="Logout" />
    <item
        android:id="@+id/idversion"
        android:title="Android Version" >
        <menu>
            <item
                android:id="@+id/item1"
                android:title="Android Version 5" />
            <item
                android:id="@+id/item2"
                android:title="Android Version 6" />
            <item
                android:id="@+id/item3"
                android:title="Android Version 7" />
        </menu>
    </item>
</menu>
```

DAY – 14:

FRAGMENT_DASHBOARD.XML:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".ui.dashboard.DashboardFragment">

    <TextView
        android:id="@+id/text_dashboard"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:layout_marginEnd="8dp"
        android:textAlignment="center"
        android:textSize="20sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

FRAGMENT_HOME.XML:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".ui.home.HomeFragment">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical">

        <ImageView
            android:id="@+id/imageView2"
            android:layout_width="match_parent"
            android:layout_height="250dp"
            android:scaleType="fitXY"/>

        <Button
            android:id="@+id/button6"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="TOP 10 IT Company"
            android:layout_gravity="center"
            android:layout_marginTop="20sp"/>
```

```
        <Button
            android:id="@+id/button8"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Upcoming Technology"
            android:layout_gravity="center"
            android:layout_marginTop="10dp"/>

        <Button
            android:id="@+id/button9"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Top Android Company"
            android:layout_gravity="center"
            android:layout_marginTop="10dp"/>
    </LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

FRAGMENT_NOTIFICATION.XML CODE:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".ui.notifications.NotificationsFragment">

    <TextView
        android:id="@+id/text_notifications"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:layout_marginEnd="8dp"
        android:textAlignment="center"
        android:textSize="20sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

DAY-15:

ANDROIDMAIFEST.XML

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    package="com.firstproejct.myapplication">

    <uses-permission android:name="android.permission.CALL_PHONE" />
    <uses-permission android:name="android.permission.INTERNET" />
    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:networkSecurityConfig="@xml/abc"
        android:usesCleartextTraffic="true"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.MyApplication"
        tools:targetApi="31">
        <activity
            android:name=".MenuPage4"
            android:exported="false" />
        <activity
            android:name=".MenuPage3"
            android:exported="false" />
        <activity
            android:name=".MenuPage2"
            android:exported="false" />
        <activity
            android:name=".MenuPage1"
            android:exported="false" />
        <activity
            android:name=".Home"
            android:exported="false"
            android:label="@string/title_activity_home" />
        <activity
            android:name=".MainActivity4"
            android:exported="false" />
        <activity
            android:name=".MainActivity3"
            android:exported="true">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />

                <category android:name="android.intent.category.LAUNCHER"
/>
            </intent-filter>
        </activity>
        <activity
            android:name=".MainActivity2"
            android:exported="false" />
        <activity
```

```
            android:name=".MainActivity"
            android:exported="true" />
    </application>

</manifest>
```

LIST OF SCREENSHOTS:

REGISTRATIONS PAGE:



LOGIN PAGE:



HOME PAGE:



TOP IT COMPANY OPTION:



SLIDE DOWN OPTIONS:



CONCLUSION:

To Put it in a nutshell, this internship has been an excellent and rewarding experience. I can conclude that there have been a lot I've learnt from my work at PraxWare. Needless to say, the technical aspects of the work I've done are not flawless and could be improved provided enough time. As someone with no prior experience with Android Studio whatsoever I believe my time spent in research and discovering it was well worth it and contributed to finding an acceptable solution to build a fully functional web service. Two main things that I've learned the importance of our time-management skills and self-motivation.

References:

- https://www.javatpoint.com/
- https://www.w3schools.com/
- https://wordpress.com/
- https://www.tutorialspoint.com/

INTERNSHIP CERTIFICATE:

PRAXWARE TECHNOLOGIES

CERTIFICATE

OF INTERNSHIP

IS PRESENTED TO

Patel Himanshu Hitulbhai

has successfully completed Fifteen Days internship in Android From 20th June 2022 to 8th July 2022 at Praxware Technologies

Hitesh Kachhela
CEO

Kavita Kachhela
MD