

NEXORA AUTHENTIC PREVIOUS YEAR QUESTIONS

Exam: UPSC Combined Medical Services

Subject: Medical Sciences

Questions: 928

Source: Official source PDF extraction

AI-generated PYQs: 0

1. [2018] unknown

1. Most common valve involved in Carcinoid syndrome is: (a) Mitral valve (b) Tricuspid valve (c) Aortic valve (d) Pulmonary valve

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

2. [2018] unknown

1. Pleural fluid protein/serum protein > 0.5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

3. [2018] unknown

1. It is caused by a virus belonging to picornavirus family

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

4. [2018] unknown

1. Chronic Kidney disease with normal sized kidney

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

5. [2018] unknown

1. Use of high osmolality, ionic contrast media

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

6. [2018] unknown

1. What are the characteristics of ideal health indicators? (a) They should be valid, reliable, sensitive, specific, feasible and relevant (b) They should be mainly valid, reliable and sensitive but need not be specific (c) They should be mainly valid, reliable and feasible but need not be sensitive (d) They should be mainly valid, reliable and relevant but need not be feasible

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

7. [2018] unknown

1. Need for a new disease control programme

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

8. [2018] unknown

1. Multiple per vaginal examinations increase the risk

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

9. [2018] unknown

1. Reposition the patient in exaggerated Sims position

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

10. [2018] unknown

1. Suction and evacuation can be done up till 12 weeks.

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

11. [2018] unknown

2. A 70 year old man reports to the emergency with acute chest pain. ECG shows inferior wall Myocardial Infarction (MI). He has recently been discharged 7 days back following thrombolysis with streptokinase for Acute Anterior wall MI. What will be the appropriate management? (a) Aspirin, Sublingual nitroglycerin, Clopidogrel, Primary PCI (b) Aspirin, Sublingual nitroglycerin, Clopidogrel, Streptokinase (c) Aspirin, Sublingual nitroglycerin, Clopidogrel, Heparin (d) Aspirin, Sublingual nitroglycerin, Clopidogrel, Beta blockers

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

12. [2018] unknown

2. Pleural fluid protein/serum protein < 0.5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

13. [2018] unknown

2. Muscle pain and cramps may be associated with diffuse transient fasciculations at the onset

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

14. [2018] unknown

2. Which one of the following statements regarding predictive value of a positive test is true? (a) It does not tell about diagnostic power of test (b) The more prevalent the disease, the less accurate the test is (c) It tells the probability that a patient with positive test has the disease in question (d) It tells the probability that a patient with positive test does not have the disease in

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

15. [2018] unknown

2. Activation of fetal hypothalamic-pituitary-adrenal axis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

16. [2018] unknown

2. The responsible microorganisms are group A and B beta-haemolytic Streptococcus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

17. [2018] unknown

2. Total Iron binding capacity may be elevated or normal

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

18. [2018] unknown

2. Aortic coarctation with valvular involvement

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

19. [2018] unknown

2. Serum levels increase in pregnancy, germ cells tumor and gestational trophoblastic disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

20. [2018] unknown

2. Medical methods can be used up till 10 weeks

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

21. [2018] unknown

3. The presence of a fusion beat on an Electrocardiogram is diagnostic of: (a) Atrial Fibrillation (b) Ventricular Tachycardia (c) Supraventricular Tachycardia (d) Sinus Bradycardia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

22. [2018] unknown

3. Hepatitis Select the correct answer using the code given below: (a) 1 only (b) 1 and 2 only (c) 1, 2 and 3 (d) 2 only

===== PAGE 10 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

23. [2018] unknown

3. Tonsillectomy reduces the risk of bulbar poliomyelitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

24. [2018] unknown

3. Obliterative bronchiolitis Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

25. [2018] unknown

3. Nephrotic syndrome in children with atypical features Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

26. [2018] unknown

3. Myeloma Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

27. [2018] unknown

question 3. The yield of a screening test CAN NOT be increased by which of the following? (a) Including entire population (b) Including high risk population (c) Improved sensitivity (d) Improved specificity

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

28. [2018] unknown

3. Common source – point exposure Select the correct answer using the codes given below: (a) 1 and 2 only (b) 3 only (c) 1, 2 and 3 (d) 2 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

29. [2018] unknown

3. Change in the etiology of the disease Select the correct answer using the codes given below: (a) 1 and 3 only (b) 1 only (c) 1, 2 and 3 (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

30. [2018] unknown

3. Genetic factors Select the correct answer using the code given below: (a) 1 only (b) 1 and 2 only (c) 1, 2 and 3 (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

31. [2018] unknown

3. Retained bits of placenta and membrane predispose

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

32. [2018] unknown

3. To replace the cord inside the uterus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

33. [2018] unknown

3. HbA2 more than 3.5% is seen in Haemoglobin Electrophoresis Which of the statements given above is/are correct?
(a) 1 only (b) 1 and 2 only (c) 2 and 3 only (d) 1, 2 and 3 ===== PAGE 12 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

34. [2018] unknown

3. Down Syndrome Select the correct answer using the code given below: (a) 1 only (b) 1 and 3 (c) 1 and 2 (d) 2 and 3
===== PAGE 14 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

35. [2018] unknown

3. Its levels are same in single and multiple pregnancy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

36. [2018] unknown

3. Manual vacuum aspiration (MVA) syringe can be used up to 6 weeks Which of the statements given above is/are correct? (a) 1 only (b) 2 and 3 (c) 2 only (d) 1 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

37. [2018] unknown

4. A 64 year old man presents with chest pain of 24 hours duration. His ECG reveals ST elevation, Anterior Wall Myocardial Infarction. The preferred treatment modality for him is: (a) Primary percutaneous coronary intervention (b) Thrombolysis with Alteplase (c) Thrombolysis with Streptokinase (d) Nitroglycerin infusion , Aspirin and Beta blockers

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

38. [2018] unknown

4. Pleural fluid LDH/serum LDH < 0.6 Select the correct answer using the code given below: (a) 1 and 3 (b) 1 and 4 (c) 2 and 3 (d) 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

39. [2018] unknown

4. Warfarin anticoagulation Select the correct answer using the code given below: (a) 1 and 4 (b) 1 and 3 (c) 2 and 3 (d) 2 and 4 ===== PAGE 6 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

40. [2018] unknown

4. Rabies immune globulin at wound site Select the correct answer using the code given below: (a) 1 only (b) 1 and 2 only (c) 1, 2 and 3 (d) 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

41. [2018] unknown

4. Clostridium infection Select the correct answer using the code given below: (a) 1, 2 and 4 only (b) 2, 3 and 4 only (c) 1 and 3 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

42. [2018] unknown

4. Cerebrospinal fluid may show mild pleocytosis with increase polymorphonuclear cells in early course of disease Which of the above statements are correct? (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 2 and 4 (d) 1, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

43. [2018] unknown

4. Turpentine oil ingestion Select the correct answer using the codes given below: (a) 1 and 2 (b) 2 and 3 (c) 3 and 4 (d)

4 and 1

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

44. [2018] unknown

4. Which one of the following statements regarding the growth chart is NOT true? (a) It is used as a tool for growth monitoring and diagnosis (b) It is used for planning and policy making (c) It is used as tool for action against the Anganwadi worker (d) It is used as tool for teaching and evaluation of effectiveness of programme

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

45. [2018] unknown

4. Increase in pulse rate Which of the statements given above are correct? (a) 1, 3 and 4 (b) 1, 2 and 4 (c) 1, 2 and 3 (d) 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

46. [2018] unknown

4. Increase in serum calcium levels Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1, 2 and 4 (c) 1 and 3 only (d) 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

47. [2018] unknown

4. Vaginal packing can decrease the risk Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4 ===== PAGE 10 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

48. [2018] unknown

4. Early amniotomy can prevent cord prolapse Select the correct answer using the code given below: (a) 1, 2, 3 and 4 (b) 1 and 2 only (c) 1, 2 and 3 only (d) 3 and 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

49. [2018] unknown

4. Chorio carcinoma Select the correct answer using the code given below: (a) 1, 2 and 3 only (b) 2, 3 and 4 only (c) 1, 2, 3 and 4 (d) 1 and 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

50. [2018] unknown

4. Mitral stenosis Select the correct answer using the code given below: (a) 1 and 4 (b) 2 and 3 (c) 1 and 2 (d) 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

51. [2018] unknown

4. Estimated fetal weight < 3.5 kg Select the correct answer using the code given below: (a) 1, 2 and 3 only (b) 1, 2, 3 and 4 (c) 1, 3 and 4 only (d) 2 and 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

52. [2018] unknown

4. Breech presentation In which of the above Vaginal delivery is NOT possible? (a) 1, 2 and 3 (b) 1 and 3 only (c) 1 only (d) 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

53. [2018] unknown

4. Superior vesical artery Select the correct answer using the code given below: (a) 1 and 2 (b) 2 and 4 (c) 1 and 3 (d) 3 and 4

54. [2018] unknown

4. Total plasma proteins increases Which of the statements given above is/are correct? (a) 1 only (b) 1, 2, 3 and 4 (c) 1 and 2 only (d) 3 and 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

55. [2018] unknown

4. Vaginal hysterectomy Select the correct answer using the codes given below: (a) 1 and 3 only (b) 1, 2 and 3 (c) 3 only (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

56. [2018] unknown

4. It has common α -sub unit with other hormones FSH, LH and TSH. Select the correct answer using the codes given below: (a) 1, 2 and 4 (b) 1, 2 and 3 (c) 2, 3 and 4 (d) 1, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

57. [2018] unknown

5. The preferred anti hypertensive drug for a 74 year old male with benign prostatic hypertrophy is: (a) Amlodipine (b) Hydrochlorothiazide (c) Prazosin (d) Atenolol ===== PAGE 2 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

58. [2018] unknown

5. Flattening of the growth curve in the growth chart signifies: (a) Child is on a healthy path (b) Child is severely malnourished (c) Child is showing signs of growth failure (d) Child does not need special care ===== PAGE 2 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

59. [2018] unknown

6. The treatment of choice for a 32 year old male patient of severe mitral stenosis (Rheumatic) with thickened and calcified valves on echocardiography is: (a) Balloon valvuloplasty (b) Mitral valve replacement (c) Medical management only (d) Mitral valvotomy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

60. [2018] unknown

6. A well of contaminated water resulted in an outbreak of diarrhoea in a community. Which type of epidemic will this exposure present with?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

61. [2018] unknown

7. Which one of the following is an example of Type-IV respiratory failure? (a) Bronchial asthma (b) Pulmonary embolism (c) COPD (d) Shock

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

62. [2018] unknown

7. Which one of the following experiments/ trials is NOT a part of non-randomized trial? (a) Uncontrolled trial (b) Risk factor trial (c) Natural experiment (d) Before and after comparison studies

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

63. [2018] unknown

8. All of the following are seen in Polyarteritis Nodosa EXCEPT: (a) Glomerulonephritis (b) Peripheral Neuropathy (c) Bowel Infarction (d) Pericarditis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

64. [2018] unknown

8. What is the relative risk of developing tuberculosis among tobacco users as per the information given below?

Tobacco user Tuberculosis Total Yes No Yes 40 80 120 No 10 70 80 Total 50 150 200 (a) 0.48 (b) 1.33 (c) 2.67 (d) 3.90

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

65. [2018] unknown

9. All of the following are the pointers to organic cause of psychiatric disease EXCEPT: (a) Late age of onset of psychiatric illness (b) No previous history of psychiatric illness (c) Family history of psychiatric illness (d) No apparent psychological precipitant

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

66. [2018] unknown

9. What is the attributable risk of tobacco for developing tuberculosis as per the information given below? Tobacco users Tuberculosis Total Present Absent Yes 40 80 120 No 10 70 80 Total 50 150 200 (a) 50.5% (b) 62.5% (c) 70.6% (d) 80.6% ===== PAGE 3 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

67. [2018] unknown

10. All of the following are Long Acting Beta Agonists (LABA) EXCEPT: (a) Levo salbutamol (b) Salmeterol (c) Formoterol (d) Indacaterol

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

68. [2018] unknown

10. What is the sensitivity of EEG for detecting brain tumours as per the information given below? Brain tumour EEG result Absent Present Positive 54,000 36 Negative 3,06,000 4 3,60,000 40 (a) 90% (b) 85% (c) 0.07% (d) 99.99%

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

69. [2018] unknown

11. Deficiency of which immune function results in tubercular infections? (a) Defective phagocytic function (b) Defect in T cell function (c) Defect in B cell function (d) Defect in antibody productivity ===== PAGE 3 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

70. [2018] unknown

11. Which sign is most important in deciding severe pneumonia in a child? (a) Fast breathing (b) Nasal flaring (c) Chest indrawing (d) Grunting

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

71. [2018] unknown

12. The most common agent responsible for community acquired pneumonia is: (a) Streptococcus pneumoniae (b) Mycoplasma pneumoniae (c) Staphylococcus aureus (d) Legionella haemophilia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

72. [2018] unknown

12. Varicella-Zoster Immunoglobulin (VZIG) is NOT recommended for which of the exposed susceptible individuals? (a) Newborn (b) HIV/AIDS positive (c) Healthy sibling (d) Pregnant women

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

73. [2018] unknown

13. A 26 year old woman presents with fever, arthralgia and erythema nodosum. Her chest X-ray reveals bilateral hilar lymphadenopathy. Her mantoux test is negative. The most likely diagnosis is: (a) Tuberculosis (b) Allergic bronchopulmonary aspergillosis (c) Sarcoidosis (d) Pulmonary thromboembolism

74. [2018] unknown

13. Carriers of avirulent organism are called: (a) Incubatory carriers (b) Convalescent carriers (c) Healthy carrier (d) Pseudo carriers

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

75. [2018] unknown

14. Which of the following are the characteristics of Exudative pleural effusion?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

76. [2018] unknown

14. A cohort study was conducted among 200 men aged 20–30 years in Rampur village. Out of 200, 120 men were tobacco users and rest 80 didn't take any form of tobacco. At the end of one year, 40 men among tobacco users and 10 men among non-tobacco users developed tuberculosis. The incidence of tuberculosis among tobacco users is: (a) 12.5 per 100 men/ year (b) 25.0 per 100 men / year (c) 30.0 per 100 men/ year (d) 33.3 per 100 men/ year ===== PAGE 4 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

77. [2018] unknown

15. All of the following are seen in Whipple's disease EXCEPT: (a) Weight loss (b) Migratory arthropathy (c) Dementia (d) Hemolytic anemia ===== PAGE 4 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

78. [2018] unknown

15. The data regarding two exposures A and B, associated with a disease X in a community is given below: Exposure A Exposure B Relative risk 5 10 Attributable risk 80 % 90 % Population attributable risk 70 % 50 % Which one of the following assertions and the reasons given is correct? (a) Preference to control exposure B as it has a higher relative risk (b) Preference to control exposure A, because it has a higher population attributable risk (c) Preference to control exposure B, because it has a higher attributable risk (d) Cannot decide, as the precedence of exposure in the community has not been mentioned

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

79. [2018] unknown

16. A middle aged patient with chronic liver disease presents with pain abdomen and distension. He also has diarrhoea and fever since one day. On examination, he is hemodynamically stable with fever of 100 oF. There is jaundice, pallor, pedal edema and ascites. A diagnostic paracentesis is done. Ascitic fluid protein is 0.8 gm%, sugar 100 mg%, total count 500/mm³ of which 85% are polymorphonuclear leukocytes and 15% lymphocytes. Most likely diagnosis is: (a) Spontaneous bacterial peritonitis (b) Secondary bacterial peritonitis (c) Perforation peritonitis (d) T B peritonitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

80. [2018] unknown

16. Which of the following types of study designs will be most appropriate to find out the association between mobile phone radiation exposure and cancer? (a) Cross-sectional (b) Case-control (c) Single-arm interventional (d) Case-series

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

81. [2018] unknown

17. Herald patch followed by rash is characteristic of: (a) Psoriasis (b) Lichen planus (c) Pityriasis rosea (d) Dermatophytosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

82. [2018] unknown

17. The villages A and B have the following age compositions: Age (years) Mid-year population (Village A) Mid-year population (Village B) 0–4 8000 4000 5–9 4000 2000 10–19 5000 3000 20–39 7000 8000 40–59 6000 6000 60 and above 7000 10000 Which of the following is the best indicator for comparing the death rates of these two villages? (a) Crude death rate (b) Age standardized death rate (c) Specific death rate (d) Proportional mortality rate ===== PAGE 5 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

83. [2018] unknown

18. A young male comes to the OPD with history of jaundice since many years. He has noted that the jaundice may fluctuate but is often aggravated when he is fasting. There is no history of hospitalisation, no drug use, alcoholism or blood transfusion. Family history is not significant. Clinical examination is unremarkable except for mild scleral icterus. What is the likely diagnosis? (a) Dubin Johnson syndrome (b) Crigler Najjar syndrome type-I (c) Gilbert's syndrome (d) Rotor syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

84. [2018] unknown

18. Which of the following is/are suggested by rising incidence rates of any disease?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

85. [2018] unknown

19. All of the following are causes of anemia in a case of chronic kidney disease EXCEPT: (a) Decreased red blood cell survival (b) Hemoglobinopathy (c) Erythropoietin deficiency (d) Gastrointestinal blood loss

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

86. [2018] unknown

19. What constitutes the denominator in 'Total Dependency Ratio'? (a) Population 15–45 years of age (b) Mid year population (c) Population 15–64 years of age (d) Population less than 14 and more than 65 years of age

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

87. [2018] unknown

20. Characteristic feature of upper motor neuron lesion includes: (a) Fasciculations (b) Hyporeflexia (c) Clonus (d) Muscle wasting ===== PAGE 5 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

88. [2018] unknown

20. A pregnant woman in 2nd trimester of pregnancy from North Eastern State has been diagnosed with uncomplicated P. falciparum. She should be treated with: (a) Artemether and Lumefantrine (b) Artesunate and Sulphadoxine (c) Artesunate, Sulphadoxine and Pyrimethamine (d) Chlorine and Primaquine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

89. [2018] unknown

21. Which one of the following arteries is involved in causation of lateral medullary syndrome? (a) Anterior superior cerebellar artery (b) Anterior inferior cerebellar artery (c) Posterior superior cerebellar artery (d) Posterior inferior cerebellar artery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

90. [2018] unknown

21. By which one of the following studies can relative risk be best calculated? (a) Cohort study (b) Correlation study (c) Case-control study (d) Randomised control trial

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

91. [2018] unknown

22. A right handed 70 year old man has a brain scan which reveals a lesion that has damaged his left angular and supramarginal gyrus. On examination, one would expect the following EXCEPT: (a) Difficulty with left to right discrimination (b) Inappropriate affect (c) Finger agnosia (d) Inability to write

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

92. [2018] unknown

22. Orthotolidine (OT) test is done for determining residual free chlorine quantitatively and qualitatively. What is the colour of the solution after adding OT which indicates presence of free chlorine? (a) Red (b) Yellow (c) Blue (d) Green

===== PAGE 6 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

93. [2018] unknown

23. Total iron binding capacity of more than 360 µg/dl is seen in anemia due to: (a) Chronic inflammation (b) Hemoglobinopathies (c) Sideroblastic anemia (d) Iron deficiency anaemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

94. [2018] unknown

23. Consider the following in respect of Navjat Shishu Suraksha Karyakram(NSSK): 1 It is a programme aimed to train health personnel in basic newborn care and resuscitation 2 It addresses care at birth issue (i.e prevention of hypothermia, prevention of infection, early initiation of breastfeeding and basic newborn resuscitation) 3 The objective is to have a trained health person in basic newborn care and resuscitation unit at every delivery point Which of the statements given above are correct? (a) 1 and 2 only (b) 1 and 3 only (c) 1, 2 and 3 (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

95. [2018] unknown

24. Escape behaviour with paroxysmal occurrence is seen in: (a) Phobic disorder (b) Anxiety disorder (c) Obsessive compulsive disorder (d) Panic disorder

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

96. [2018] unknown

24. The most important indicator for assessment of impact in Salt Iodization Programme is: (a) Testing Iodine content of salt at consumer level (b) Testing Iodine content of salt at production level (c) Testing median urinary Iodine excretion (d) Testing serum Iodine levels

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

97. [2018] unknown

25. Which of the following conditions are associated with prolonged prothrombin time?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

98. [2018] unknown

25. Caisson's disease is usually seen in which group of workers? (a) Cotton field agricultural workers (b) Construction workers under sea level (c) Workers in manufacture of gas (d) Workers in radiation units

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

99. [2018] unknown

26. Syndrome X includes: (a) Hyperlipidemia, Obesity, Type-2 DM (b) Obesity, CAD, COPD (c) Hyperlipidemia, Hyperuricemia with CAD (d) Hyponatremia, Hyperlipidemia with type-2 DM

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

100. [2018] unknown

26. These toxic effects like abdominal colic, obstinate constipation, loss of appetite, anaemia, stippling of red cells and

blue line on gums are due to exposure to: (a) Carbon monoxide (b) Asbestos (c) Lead (d) Radiation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

101. [2018] unknown

27. Growth hormone secretion is inhibited by: (a) Arginine (b) Glucose (c) Clonidine (d) L-Dopa

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

102. [2018] unknown

27. Which one of the following conditions can be screened during neonatal screening by biochemical tests? (a) Congenital dislocation of hip (b) Congenital hypothyroidism (c) Chromosomal abnormalities (d) Congenital rubella
===== PAGE 7 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

103. [2018] unknown

28. Which one of the following drugs causes hypercalcemia? (a) Phenytoin (b) Heparin (c) Lithium (d) Furosemide 29 All of the following insulins are longer acting EXCEPT: (a) Glargine (b) Degludec (c) Glulisine (d) Detemir

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

104. [2018] unknown

28. Which of the following is NOT a mass approach in health communication? (a) Folk methods (b) Role play (c) Posters (d) Health exhibition

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

105. [2018] unknown

29. Which of the following are non –modifiable risk factors for hypertension?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

106. [2018] unknown

30. The presence of vitiligo on examination suggests an associated: (a) Autoimmune disease (b) Degenerative disease (c) Infection (d) Malignancy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

107. [2018] unknown

30. What is the correct daily dose of Iron and Folic acid to be prescribed to a child aged 12 years? (a) 20 mg elemental Iron and 100 mcg folic acid (b) 30 mg elemental Iron and 250 mcg folic acid (c) 60 mg elemental Iron and 300 mcg folic acid (d) 100 mg elemental Iron and 500 mcg folic acid

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

108. [2018] unknown

31. A mildly elevated TSH (5-20 mU/L) along with a normal T3 and normal T4 levels is suggestive of : (a) Primary hypothyroidism (b) Subclinical hypothyroidism (c) Artefact (d) Thyroid hormone resistance ===== PAGE 7 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

109. [2018] unknown

31. When should breastfeeding be initiated to an infant born via a normal delivery? (a) Within half an hour (b) Within one hour of birth (c) Within 2–4 hours of birth (d) After 4 hours of birth

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

110. [2018] unknown

32. Which one of the following suggests patient to be prediabetic? (a) HbA1c 5.6%, FPG 126 mg/dL (b) HbA1c 6%, FPG 130 mg/dL (c) HbA1c 6.2%, FPG 105 mg/dL (d) HbA1c 6.6%, FPG 115 mg/dL

111. [2018] unknown

32. As per biomedical waste management rule 2016 the metallic body implants should be discarded in which of the following? (a) Yellow colored non-chlorinated plastic bag (b) Red colored non-chlorinated plastic bag (c) Card board box with blue colored marking (d) Separate collection system ===== PAGE 8 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

112. [2018] unknown

33. Cutaneous manifestations of tuberculosis includes: (a) Erythema nodosum and lupus vulgaris (b) Erythema marginatum and lupus vulgaris (c) Phlyctenular conjunctivitis and erythema multiforme (d) Pyoderma gangrenosum and Dactylitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

113. [2018] unknown

33. Which of the following is NOT a quantitative method in the management of health services? (a) Network analysis (b) Management by objectives (c) System analysis (d) Planning programming budgeting system

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

114. [2018] unknown

34. Treatment of scrub typhus is: (a) Ciprofloxacin (b) Clindamycin (c) Penicillin (d) Azithromycin

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

115. [2018] unknown

34. India is in which stage of the demographic cycle? (a) High stationary (b) Early expanding (c) Late expanding (d) Low stationary

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

116. [2018] unknown

35. Which one of the following is NOT correct regarding Clostridium tetani? (a) Anaerobic (b) Non motile (c) Gram positive (d) Spore bearing

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

117. [2018] unknown

35. Manual Vacuum Aspiration (MVA) that has been introduced in primary health centres helps in reducing which of the following indices? (a) Infant mortality (b) Neonatal mortality (c) Preterm mortality (d) Maternal mortality

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

118. [2018] unknown

36. All of the following are extrapulmonary manifestations of mycoplasma infection EXCEPT: (a) Arthritis (b) Guillain Barre syndrome (c) Stevens Johnson syndrome (d) Dementia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

119. [2018] unknown

36. The agreement (yes/no) between two observers is statistically measured by: (a) Specificity (b) Sensitivity (c) Correlation coefficient (d) Kappa coefficient

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

120. [2018] unknown

37. A 'slapped cheek rash' is characteristic of infection with: (a) Rubella (b) Parvovirus B19 (c) Human herpesvirus 6 (d) Measles ===== PAGE 8 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

121. [2018] unknown

37. How many post natal visits should be made by the ANM to the house of a low birth weight baby? (a) 2 (b) 4 (c) 6 (d) 8

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

122. [2018] unknown

38. A 34 week pregnant nurse comes in contact with a patient with chickenpox at her workplace. She has never had chickenpox in the past and is unvaccinated. The best option for her is: (a) Varicella zoster immunoglobulin to be given within 7 days (b) Vaccinate for chicken pox (c) Start oral acyclovir (d) Wait and watch

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

123. [2018] unknown

38. The difference between Type A and Type B sub centre as per Indian Public Health standards is in terms of: (a) Labour room or delivery facility (b) Staffing pattern (c) Location (d) Availability of drugs

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

124. [2018] unknown

39. Which one of the following has the maximum diagnostic sensitivity for Leishmaniasis? (a) Splenic aspirate (b) Bone marrow aspirate (c) Ascitic fluid aspirate (d) Lymph node aspirate

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

125. [2018] unknown

39. Which of the following Screening methods for Disease is the least useful? (a) Mass screening (b) High risk group screening (c) Multiphasic screening (d) Selective screening ===== PAGE 9 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

126. [2018] unknown

40. Which one of the following statements regarding cryptosporidiosis is NOT correct? (a) Infection is acquired by feco-oral route (b) It is usually a mild self limiting illness in immunocompetent patient (c) In HIV infected persons it is a serious opportunistic infection (d) Treatment is with metronidazole

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

127. [2018] unknown

40. Which one of the following is an indicator for evaluation of impact of family planning? (a) Family size (b) Number of postpartum services availed (c) Change in behaviour of people (d) Community needs assessment

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

128. [2018] unknown

41. All of the following are live attenuated vaccines EXCEPT: (a) MMR(Measles, Mumps, Rubella) vaccine (b) Rabies vaccine (c) Oral polio vaccine (d) BCG vaccine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

129. [2018] unknown

41. Consider the following hemodynamic changes occurring during pregnancy:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

130. [2018] unknown

42. All of the following are soil transmitted nematodes EXCEPT: (a) Ancylostoma duodenale (b) Strongyloides stercoralis (c) Necator americanus (d) Ascaris lumbricoides ===== PAGE 9 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

131. [2018] unknown

42. Which of the following are the hypotheses for the onset of Labor?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

132. [2018] unknown

43. A veterinary doctor is bitten by a stray dog, which is classified as a category 3 bite. He has completed his pre-exposure prophylactic vaccination with human diploid cell Rabies vaccine with three doses administered on day 0, 7, 28 about 1 year back. Appropriate treatment would include which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

133. [2018] unknown

43. Which of following statements regarding Puerperal sepsis are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

134. [2018] unknown

44. Löffler's syndrome is caused due to infection by: (a) Strongyloidiasis (b) Filariasis (c) Cysticercosis (d) Ascaris

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

135. [2018] unknown

44. In case of Labour complicated with cord prolapse, which of the following statements are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

136. [2018] unknown

45. Which of the following is/are the common infectious syndrome(s) associated with klebsiella pneumoniae?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

137. [2018] unknown

45. The following are the contents of broad ligament EXCEPT: (a) Fallopian tube (b) Uterine and ovarian arteries with their branches (c) Ovarian ligament (d) Internal iliac artery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

138. [2018] unknown

46. Differential diagnosis of dysenteric syndrome includes which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

139. [2018] unknown

46. Which one of the following is true regarding normal menstrual physiology? (a) Ovulation occurs after 48 hours of LH surge (b) Oestradiol levels peak at 48 hours prior to ovulation (c) Ovulation occurs after 12 hours of LH peak (d) Threshold of LH surge generally persists for 48 hours

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

140. [2018] unknown

47. Antifungal agent of choice for the treatment of mucormycosis is: (a) Voriconazole (b) Intracozazole (c) Amphotericin-B (d) Fluconazole

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

141. [2018] unknown

47. Which one of the following is NOT a feature of Candida Vaginitis? (a) Pruritus is out of proportion to discharge (b) Discharge is thick and curdy (c) Yeast-buds and pseudohyphae forms can be seen under the microscope (d) Metronidazole is the treatment of choice

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

142. [2018] unknown

48. What drug therapy would be appropriate for management of UTI in a pregnant patient? (a) Trimethoprim-sulfamethoxazole (b) Ciprofloxacin (c) Ampicillin (d) All of these

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

143. [2018] unknown

48. Which of the following is NOT a high risk factor for developing endometrial carcinoma? (a) Delayed menopause (b) Hypertension (c) Multiparity (d) Obesity ===== PAGE 11 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

144. [2018] unknown

49. Which one of the following conditions is NOT associated with lymphocytosis? (a) Infectious mononucleosis (b) Viral fevers (c) Rickettsial fevers (d) Leptospirosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

145. [2018] unknown

49. All of the following are the features of functional ovarian cyst EXCEPT: (a) Usually < 7 cm in diameter (b) Spontaneous regression occurs (c) Unilocular (d) Usually symptomatic

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

146. [2018] unknown

50. Which of the following is NOT a diagnostic criterion of Kwashiorkor? (a) Serum albumin < 2.8 g/dl (b) Triceps skinfold thickness < 3 mm (c) Easy hair pluckability (d) Edema ===== PAGE 11 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

147. [2018] unknown

50. Gestational trophoblastic disease is a spectrum comprising which of the following entities?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

148. [2018] unknown

51. Which one of the following drugs does NOT have any action against Salmonella typhi? (a) Erythromycin (b) Amoxicillin (c) Co-trimoxazole (d) Doxycycline

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

149. [2018] unknown

51. Which of the following is NOT a component of Fothergill's operation as a conservative surgery for uterovaginal prolapse? (a) Amputation of cervix (b) Plication of Mackenrodt's ligaments (c) Anterior colporrhaphy (d) Cervicopexy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

150. [2018] unknown

52. All of the following drugs are used for the treatment of influenza EXCEPT: (a) Zanamivir (b) Rimantadine (c) Oseltamivir (d) Tenofovir

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

151. [2018] unknown

52. Which one of the following statements is NOT true regarding general physiological changes after delivery? (a) Pulse may be raised on first day (b) Temperature should not be above 99°F (c) Blood volume returns to normal by second week (d) Cardiac output remains unchanged after delivery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

152. [2018] unknown

53. Diagnostic accuracy has been enhanced by the ability to detect specific DNA sequences in all of the following

infectious micro-organisms EXCEPT: (a) Cytomegalovirus(CMV) (b) Human Immunodeficiency virus (HIV) (c) Mycobacterium tuberculosis (d) Staphylococcus aureus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

153. [2018] unknown

53. Consider following statements regarding Beta Thalassemia in pregnancy:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

154. [2018] unknown

54. Hip Flexor Spasm is characteristic of: (a) Osteomyelitis femur (b) Septic arthritis hip joint (c) Psoas abscess (d) Deep vein thrombosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

155. [2018] unknown

54. A 20 year old Primigravida, comes at 35 weeks of gestation with complaints of swelling of feet. On examination her blood pressure is 170/110 mm Hg on 2 occasions; urine examination shows proteinuria. Which one of the following statements regarding her management is NOT true? (a) Can be labelled as Preeclampsia (b) Requires urgent admission (c) Injection Dexamethasone is to be given for fetal lung maturity (d) Both maternal and fetal monitoring are required

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

156. [2018] unknown

55. Gastroenteritis associated with eating raw eggs is usually attributed to: (a) E.coli (b) Noro virus (c) Salmonella species (d) Clostridium botulinum

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

157. [2018] unknown

55. A 25 year old, G2P1L1 came with amenorrhoea of two and half months followed by bleeding PV and pain abdomen. On examination cervical OS is open with slight bleeding. The uterus is 10 weeks size with no tenderness in the fornices. The probable clinical diagnosis is: (a) Ectopic pregnancy (b) Incomplete abortion (c) Missed abortion (d) Inevitable abortion

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

158. [2018] unknown

56. Which one of the following diseases is NOT caused by protozoa? (a) Trypanosomiasis (b) Leishmaniasis (c) Amoebiasis (d) Schistosomiasis ===== PAGE 12 ===== 57 An adult with fever and right sided chest pain is found to have a moderate right sided pleural effusion. Chest X-Ray (PA view) also shows a moderate pleural effusion. A diagnostic thoracentesis reveals straw coloured exudates with 50 mg% of sugar and lymphocytic pleocytosis. ADA levels are borderline. What investigation would be most likely to confirm a diagnosis of tuberculosis? (a) Needle Biopsy of the Pleura (b) Pleural Fluid Xpert MTB/RIF assay (c) Pleural Fluid AFB smear (d) Pleural Fluid AFB-culture

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

159. [2018] unknown

56. Which one of the following statements regarding intrauterine growth restriction is NOT correct? (a) Defined according to biparietal diameter (b) Doppler studies are indicated (c) There is danger of fetal asphyxia during delivery (d) Generally not seen in women with gestational diabetes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

160. [2018] unknown

57. A 15 year old girl comes to the gynae casualty with a relative with complains of amenorrhoea 2 months. The urine pregnancy test is positive, ultrasound confirms 8 weeks pregnancy. The attendants are not willing to file a police case. What should the treating doctor do? (a) Take consent for abortion and proceed (b) Inform the police and make MLC (c)

Take parents consent for MTP (d) None of these

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

161. [2018] unknown

58. Consider the following statements with regard to acute anterior poliomyelitis:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

162. [2018] unknown

58. Which of the following is an absolute contraindication for use of oral contraceptive pills? (a) Epilepsy (b) Smoking (c) Focal Migraine (d) Bronchial Asthma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

163. [2018] unknown

59. Which one of the following is NOT seen in case of Marasmus? (a) Reduced triceps skinfold thickness (b) Normal serum albumin (c) Easy hair pluckability (d) Decreased mid arm circumference

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

164. [2018] unknown

59. The amount of Ethinyl Estradiol in third generation combined oral contraceptive pills is: (a) 10–20 mcg (b) 20–30 mcg (c) 30–35 mcg (d) 35–50 mcg ===== PAGE 13 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

165. [2018] unknown

60. Perception of an object in absence of stimulus is: (a) Illusions (b) Delusions (c) Hallucination (d) Psychosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

166. [2018] unknown

60. Which one of the following clinical situations is NOT ideal to perform female sterilization procedure? (a) Postmenstrual period (b) 7 days postpartum (c) Concurrent with MTP (d) 3 months post abortion

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

167. [2018] unknown

61. All of the following drugs can be used for the treatment for cessation of smoking EXCEPT: (a) Nicotine gum (b) Clonazepam (c) Bapropion (d) Varenicline ===== PAGE 13 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

168. [2018] unknown

61. Cardiac diseases in pregnancy which have major risk of maternal mortality are

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

169. [2018] unknown

62. All of the following features are present in Organophosphorus poisoning EXCEPT: (a) Bronchorrhea (b) Hypertonia (c) Confusion (d) Fasciculations

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

170. [2018] unknown

62. Pregnancy can be terminated at any gestation if the fetus is diagnosed to have: (a) Duodenal atresia (b) Bilateral talipes (c) Anencephaly (d) Hydrocephalus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

171. [2018] unknown

63. Small sized pupils are seen in poisoning with all EXCEPT: (a) Organophosphorous compounds (b) Opioids (c) Clonidine (d) Cocaine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

172. [2018] unknown

63. Which one of the following is NOT a cause of recurrent spontaneous abortion? (a) Chromosomal abnormality (b) Antiphospholipid syndrome (c) Rubella infection (d) Inherited thrombophilia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

173. [2018] unknown

64. A 24 year old male presents with consumption of an unknown substance. His respiratory rate is 22/minute, pulse rate is 110/minute, BP is 150/94 mmHg and he has 2 episodes of seizures. There are tremors and hallucinations. The substance ingested most likely is: (a) Amphetamines (b) Diazepam (c) Oxycodone (d) Ethanol

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

174. [2018] unknown

64. The congenital abnormality which is invariably lethal is:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

175. [2018] unknown

65. The toxic effects of aluminium phosphide is due to the release of: (a) Phosgene (b) Chlorine (c) Inorganic phosphates (d) Phosphine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

176. [2018] unknown

65. For vaginal breech delivery, ideal selection criteria would include:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

177. [2018] unknown

66. An 18 year old boy was brought to the emergency department after being bitten by a saw- scaled viper. The monitoring which is most crucial in this patient is: (a) Single breath count (b) Neck flop (c) Whole blood clotting time (d) Creatine phosphokinase

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

178. [2018] unknown

66. Consider the following presentations:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

179. [2018] unknown

67. Bite of cobra is likely to result in: (a) Flaccid paralysis (b) Coagulopathy (c) Myolysis (d) Cardiotoxicity ===== PAGE 14 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

180. [2018] unknown

67. The blood supply of uterus is from:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

181. [2018] unknown

68. Hematuria is a prominent symptom with infection due to: (a) Strongyloides stercoralis (b) Schistosoma hematobium (c) Toxocara spp. (d) Gnathostomiasis

182. [2018] unknown

68. Which one of the following regarding amniotic fluid is true? (a) The volume is highest at 28 weeks (b) It reveals information about fetal lung maturity and wellbeing (c) It is decreased in duodenal atresia in baby (d) It is decreased in gestational diabetes ===== PAGE 15 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

183. [2018] unknown

69. Bite of the Tsetse Fly transmits: (a) Leishmaniasis (b) Chaga's disease (c) Dengue fever (d) African Trypanosomiasis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

184. [2018] unknown

69. Consider the following statements regarding changes in pregnancy:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

185. [2018] unknown

70. A 60 year old man with pneumonia is unconscious and has a PaO₂ of 50 mm Hg. The preferred modality of treatment for him is: (a) Oxygen through nasal cannula (b) Non invasive ventilation (c) Invasive mechanical ventilation (d) No respiratory support is indicated

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

186. [2018] unknown

70. Which one of the following statements regarding anatomy of fetal head is NOT true? (a) Coronal suture separates frontal bones from parietal bones (b) Lambdoid suture separates the two parietal bones (c) Frontal suture separates the two frontal bones (b) Bregma is a diamond shaped space at junction of coronal and sagittal sutures

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

187. [2018] unknown

71. Oliguria is defined as a reduction in urine output (a) Less than 1 ml/kg/hour (b) Less than 0.5 ml/kg/hour (c) Less than 200 ml in 24 hours (d) Any decrease over previous urine output

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

188. [2018] unknown

71. A 30 year old lady, mother of 3 children presents with mass descending per vaginum. On examination it is found to have stage 3 prolapse, moderate cystocele, no posterior vaginal wall prolapse. The recommended surgery would be:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

189. [2018] unknown

72. All of the following are signs of Brain death EXCEPT: (a) Pupils fixed and unresponsive to light (b) Corneal reflexes absent (c) Bilateral planter response – Mute or Absent (d) No gag reflex

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

190. [2018] unknown

72. A 50 year old post menopausal woman comes with complaints of bleeding per vaginum. Which one of the following investigations is NOT required? (a) Endometrial biopsy (b) Diagnostic laparoscopy (c) Hysteroscopy (d) Pap smear ===== PAGE 16 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

191. [2018] unknown

73. A 35 year old man with history of alcoholism presents with ophthalmoplegia, ataxia and global confusion. The

treatment of choice for this patient is: (a) I.V. Glucose (b) I.V. Thiamine (c) I.V. Mannitol (d) I.V. Immunoglobulin =====
PAGE 15 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

192. [2018] unknown

73. Which of the following statements regarding β -Human chorionic Gonadotropin are NOT correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

193. [2018] unknown

74. Most common form of paroxysmal supraventricular Tachycardia is: (a) Junctional Ectopic Tachycardia (b) AV Nodal Reentry Tachycardia (ANVRT) (c) Accessory Pathways (d) Accelerated junctional rhythm

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

194. [2018] unknown

74. Which one of the following is NOT an emergency contraception method? (a) Levenorgestrel (b) Norplant (c) Intra uterine contraceptive device (d) High dose oral contraceptive pill

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

195. [2018] unknown

75. The primary therapeutic intervention in symptomatic Sino atrial node dysfunction is: (a) I.V. Atropine (b) I.V. Isoprenaline (c) Permanent pacemaker (d) I.V. Theophylline

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

196. [2018] unknown

75. All of the following statements are correct about vasectomy EXCEPT: (a) No Scalpel Vasectomy (NSV) was first developed in China. (b) It increases the incidence of testicular cancer (c) It is less time consuming than tubectomy (d) Addition contraception should be used for 3 months after vasectomy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

197. [2018] unknown

76. Which of the following are the Indications for lung transplantation?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

198. [2018] unknown

76. Which of the statement regarding anemia in pregnancy is NOT true? (a) Iron deficiency anemia is most common in Tropics (b) Faulty dietary habit is one of the factors responsible for anemia (c) Mild anemia is most common (d) If mother is severely anemic, the fetus is also severely anemic 77 Which one of the following statements about male sterilization is NOT true? (a) It is safer and less expensive (b) Most men develop antisperm antibodies (c) It has a low failure rate (d) It is performed under general anaesthesia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

199. [2018] unknown

77. Which one of the following is used to distinguish narrowing of large airway from small airway? (a) Peak expiratory flow rate is measured (b) Flow/ volume loops are recorded (c) Forced expiratory volume in one second is measured (d) Flow/time loops are recorded

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

200. [2018] unknown

78. The most common cause of chronic relapsing diarrhoea is: (a) Inflammatory bowel disease (b) Coeliac disease (c) Microscopic colitis (d) Irritable bowel syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

201. [2018] unknown

78. Which of the following is NOT a method of second Trimester abortion? (a) Mifepristone and PGE1 (b) PGE2 analog (c) Intra-amniotic KCl instillation (d) Hysterotomy ===== PAGE 17 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

202. [2018] unknown

79. The most common cause of severe acute lower gastrointestinal bleeding is: (a) Angiodysplasia of colon (b) Diverticular disease (c) Ischaemia of bowel (d) Inflammatory bowel disease ===== PAGE 16 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

203. [2018] unknown

79. In the process of MTP (Medical Termination of Pregnancy) done by suction and evacuation, it was realized that perforation of uterus occurred with cannula. The next step should be: (a) Laparotomy with exploration of bowel (b) Manual vacuum aspiration (c) Wait and watch (d) Complete the evacuation with curette

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

204. [2018] unknown

80. Risk scoring system used to stratify the patients of acute upper gastrointestinal bleeding to predict the need for intervention to treat bleeding is: (a) Modified Blatchford score (b) Modified Child Pugh score (c) Balthazar score (d) Meld score

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

205. [2018] unknown

80. Consider the following statements regarding MTP (Medical Termination of Pregnancy):

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

206. [2018] unknown

81. Corkscrew hairs are seen due to deficiency of: (a) Vitamin A (b) Vitamin E (c) Vitamin K (d) Vitamin C

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

207. [2018] unknown

81. Cellulitis is: (a) A suppurative invasive infection of skin and subcutaneous tissues (b) A nonsuppurative invasive infection of tissues (c) Infection caused by Gram negative bacilli (d) Infection caused by anaerobic Streptococci

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

208. [2018] unknown

82. Which of the following are the indications of Renal biopsy?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

209. [2018] unknown

82. Following are the factors for increased risk of wound infection EXCEPT: (a) Malnutrition (b) Good blood supply (c) Metabolic diseases (diabetes, uraemia) (d) Immunosuppression

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

210. [2018] unknown

83. Which of the following are common risk factors for contrast Induced Nephrotoxicity?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

211. [2018] unknown

83. A 25 year old lady underwent exploratory laparotomy for bowel injury which happened while she underwent medical termination of pregnancy 2 days back. 24 hours after exploratory laparotomy her pulse is 106/m, respiratory rate 26/m, total leucocyte count 14000/cumm with blood urea 84 mg% and serum creatinine 2.0 mg/dL. The lady is having: (a)

Wound infection (b) Systematic inflammatory response syndrome (c) Sepsis syndrome (d) Multisystem organ failure (MSOF) ===== PAGE 18 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

212. [2018] unknown

84. Presence of Dysmorphic Erythrocytes in urine analysis is suggestive of: (a) Pyelonephritis (b) Nephritis (c) Renal stone disease (d) Renal tract infection ===== PAGE 17 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

213. [2018] unknown

84. A 22 year old young man came with history of occasional bleeding per rectum. On colonoscopy, numerous sessile polyps were seen in descending and sigmoid colon. On family history his elder brother was operated for thyroid malignancy. The young man should be advised: (a) Prophylactic panproctocolectomy (b) Prophylactic anterior resection (c) Surveillance colonoscopy every 6 months (d) Colonoscopic removal of all polyps

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

214. [2018] unknown

85. Syndrome of Inappropriate ADH secretion (SIADH) is usually associated with: (a) Small cell lung cancer (b) Squamous cell lung cancer (c) Large cell lung cancer (d) Adenocarcinoma lung cancer

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

215. [2018] unknown

85. A 47 year old post menopausal lady was on adjuvant hormonal treatment with Tamoxifen for 3 years for Carcinoma Breast. She came to Outpatient Department with history of passing blood clots per vagina. She is probably suffering from: (a) Carcinoma Vulva (b) Carcinoma Vagina (c) Carcinoma Endometrium (d) Uterine fibroid

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

216. [2018] unknown

86. A silent, resonant Hemithorax on examination is suggestive of: (a) Large Pleural effusion (b) Pneumothorax (c) Bronchial asthma (d) Consolidation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

217. [2018] unknown

86. Which of the following regarding blood supply of rectum is NOT true? (a) Superior rectal artery is a direct continuation of Inferior mesenteric artery (b) Middle rectal artery arises from external iliac artery and passes through the lateral ligaments into rectum (c) Inferior rectal artery arises from internal pudendal artery (d) Inferior rectal artery traverses the Alcock's canal into rectum

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

218. [2018] unknown

87. Gower's sign is positive in: (a) Peroneal muscle atrophy (b) Duchenne's dystrophy (c) Friedreich ataxia (d) Cerebellar disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

219. [2018] unknown

87. Gastric conduit after oesophageal resection is based upon: (a) Right Gastroepiploic artery (b) Short gastric vessels and Vasa brevia (c) Left gastric artery (d) Right gastric artery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

220. [2018] unknown

88. All of the following are the indications of renal replacement therapy EXCEPT: (a) Metabolic Acidosis (pH < 7.25) (b) Hypercalcemia (c) Hyperkalemia (K⁺ > 6 mmol/L) (d) Fluid overload

221. [2018] unknown

88. A 70 year old male having comorbidities present with benign appearing parotoid tumour. The best option is: (a) Tumour enucleation (b) Superficial Parotidectomy (c) Aspiration biopsy confirmation (d) Radio therapy ===== PAGE 19 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

222. [2018] unknown

89. All of the bacterial diseases are exotoxin-mediated EXCEPT: (a) Botulism (b) Diphtheria (c) Typhoid (d) Tetanus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

223. [2018] unknown

89. Fine Needle Aspiration Cytology (FNAC) is NOT conclusive in which one of the following thyroid swellings? (a) Papillary carcinoma thyroid (b) Follicular carcinoma thyroid (c) Medullary carcinoma thyroid (d) Thyroiditis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

224. [2018] unknown

90. The following substances can cause dilated pupils EXCEPT: (a) Tricyclic Antidepressants (b) Cocaine (c) Clonidine (d) Amphetamines

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

225. [2018] unknown

90. Patients with phlebographically confirmed deep vein thrombosis of the calf: (a) can expect asymptomatic recovery if treated promptly with anticoagulant (b) may be effectively treated with low-dose heparin (c) may be effectively treated with pneumatic compression stockings (d) are at risk for significant pulmonary embolism

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

226. [2018] unknown

91. Which one of the following drugs can cause Pulmonary Eosinophilia? (a) Nitrofurantoin (b) Valproate (c) Enalapril (d) Amoxycillin

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

227. [2018] unknown

91. Herceptin (Trastuzumab) is an immunotherapeutic agent used for: (a) Carcinoma prostate (b) Carcinoma breast (c) Carcinoma rectum (d) Ovarian malignancy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

228. [2018] unknown

92. CA 19-9 is a tumour marker used for the diagnosis of: (a) Lung cancer (b) Prostate cancer (c) Ovarian cancer (d) Pancreatic cancer ===== PAGE 18 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

229. [2018] unknown

92. Mainstay of an accurate diagnosis of pancreatic injury following blunt abdominal trauma is: (a) Computed Tomogram (b) Diagnostic peritoneal lavage (c) USG abdomen (d) MRI abdomen

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

230. [2018] unknown

93. Tinea versicolor is caused by: (a) Candida albicans (b) Trichophyton (c) Streptococci (d) Malassezia furfur

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

231. [2018] unknown

93. Pancreatic pseudocysts developing complications are best managed by: (a) Conservative treatment (b) Radiologically guided interventions (c) External drainage (d) Surgery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

232. [2018] unknown

94. Osborn wave in ECG is characteristic of: (a) Hypothyroidism (b) Hypovolemia (c) Hypothermia (d) Hypocalcemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

233. [2018] unknown

94. Which one of the following regarding absorbable meshes is NOT true? (a) They are made of polyglycolic acid fibre (b) They are used in temporary abdominal wall closure (c) They are used to buttress sutured repair (d) They show very good results as collagen deposition is maximum ===== PAGE 20 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

234. [2018] unknown

95. Disease modifying agent of choice for the peripheral manifestations of ankylosing spondylitis is: (a) Methotrexate (b) Hydroxychloroquine (c) Sulfasalazine (d) Leflunomide

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

235. [2018] unknown

95. Which one of the following is NOT a surgical modality for management of femoral hernia? (a) Lotheissen's (Inguinal) operation (b) The high approach (Mc Evedy) (c) The low approach (Lockwood) (d) The canal ring narrowing operation (Lytle's)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

236. [2018] unknown

96. Drug of choice for treating hypertensive emergency in a case of Aortic dissection is: (a) Phentolamine (b) Prazosin (c) Nitroprusside (d) Amlodipine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

237. [2018] unknown

96. "Triangle of Doom" dissected and seen during Laparoscopic inguinal hernia repair is bounded by all EXCEPT: (a) Vas deference (b) Cord structures (c) Peritoneal fold (d) Inferior epigastric artery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

238. [2018] unknown

97. A 5 year old boy is brought to the Emergency Room following a crushing injury. The ECG reveals peaked T waves, prolonged PR interval and widened QRS complexes. Which of the following treatments should be administered immediately? (a) Sodium bicarbonate infusion (b) Intravenous bolus procainamide (c) Insulin infusion (d) Intravenous magnesium sulphate

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

239. [2018] unknown

97. Antro-chonal polyp always arises from: (a) Maxillary sinus (b) Posterior ethmoidal cells (c) Posterior end of the septum (d) Nasopharynx

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

240. [2018] unknown

98. A child with Acute Lymphoblastic Leukemia is started on chemotherapy. After 2 days he develops vomiting, decreased urine output abdominal pain and tetanic spasms. The ECG reveals QTC prolongation. Which one of the following therapies will be detrimental to his management? (a) Normal maintenance intravenous fluid (b) Oral phosphate

binders (c) Intravenous rasburicase (d) None of these ===== PAGE 19 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

241. [2018] unknown

98. Paralytic ileus is a type of: (a) Dynamic obstruction (b) Adynamic obstruction (c) Inflammatory obstruction (d) Drug induced obstruction

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

242. [2018] unknown

99. Which of the following treatment modalities is NOT recommended for worsening respiratory distress in a child suspected to be suffering from acute croup? (a) Sedation (b) Intravenous antibiotics (c) Nebulised racemic epinephrine (d) Intramuscular dexamethasone

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

243. [2018] unknown

99. Indication of Coronary artery bypass grafting (CABG) is: (a) More than 25% stenosis of critical left main stem (b) More than 25% stenosis of proximal left anterior interventricular artery (c) Triple vessel disease (d) Deranged Stress Echocardiography report

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

244. [2018] unknown

100. Which of the following developmental skills will you expect a child to have acquired by 9 months? (a) Cruising around the furniture (b) Mature pincer grasp (c) Waves 'bye-bye' (d) Refers to mother as 'ma-ma'

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

245. [2018] unknown

100. Normal anatomical narrowing of ureter are present in all EXCEPT: (a) Ureteropelvic junction (b) Crossing the abdominal aorta (c) Entering bladder wall (d) Ureteric orifice ===== PAGE 21 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

246. [2018] unknown

101. Which of the following is physiological in a term neonate? (a) Hypotonia (b) Erythema toxicum (c) Jaundice at 20 hours of life (d) Direct serum bilirubin level = 3.0 mg/dL

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

247. [2018] unknown

101. Which one of the following is NOT correct regarding Adenocarcinoma of the kidney ? (a) It is also called Grawitz tumour (b) It always presents with haematuria (c) It may be associated with Pyrexia of unknown origin (d) Renal vein extension may embolize to lungs

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

248. [2018] unknown

102. A preterm neonate undergoes the initial steps of resuscitation. The clinician observes that the baby is breathing, has a heart rate of 80/minute and the baby is pink. What will be the next immediate step in management? (a) Administering intravenous epinephrine (b) Chest compressions (c) Positive pressure ventilation (d) Supplemental oxygen

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

249. [2018] unknown

102. Which one of the following regarding abdominal paediatric surgery is correct? (a) Transverse abdominal incision is always used (b) Incision can be closed with absorbable suture (c) Bowel must be always anastomosed in double layer (d) Skin over abdomen can never be closed with subcuticular sutures

250. [2018] unknown

103. A child is able to copy a triangle, names 4 colours, dresses and undresses easily and is able to skip. What is the likely age of this child? (a) 30 months (b) 36 months (c) 48 months (d) 60 months

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

251. [2018] unknown

103. Genetic disorder predisposing patients to develop Berry aneurysm includes all EXCEPT: (a) Adult polycystic kidney (b) Fibromuscular dysplasia (c) Neurofibromatosis Type II (d) Marfan's syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

252. [2018] unknown

104. Which of the following will be considered to be a 'RED FLAG' in child development? (a) No vocalization by 4 months (b) Unable to sit without support by 10 months (c) Unable to walk independently by 15 months (d) Unable to speak a single word with meaning by 15 months ===== PAGE 20 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

253. [2018] unknown

104. Which one of the following regarding Nasal polyps is NOT true? (a) Nasal polyps are very painful to touch (b) Simple polyps are bilateral (c) Bleeding polyp may indicate malignancy (d) Meningocele must be excluded in children with polyps

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

254. [2018] unknown

105. Gastric lavage is contraindicated in which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

255. [2018] unknown

105. Allen's test is used in Cardiac surgery: (a) To select finger prick for blood glucose estimation (b) When radial artery harvest is planned (c) For evaluation of AV fistula (d) To check warmth of hands

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

256. [2018] unknown

106. A 10-year old girl is brought to the emergency following a road traffic accident. The child is comatose with GCS score of 4. She is hypertensive, has bradycardia and extensor posturing. CT imaging reveals comminuted skull fractures and intraparenchymal hemorrhage. The initial management should include all of the following measures EXCEPT: (a) Head of bed elevation (b) Mechanical ventilation (c) Intravenous dexamethasone (d) Hypertonic saline administration

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

257. [2018] unknown

106. In a lateral facial wound, if facial nerve injury is suspected, it should be: (a) Left alone (b) Skin and subcutaneous flaps to be raised to cover the cut ends (c) Primary repair should be attempted (d) Secondary repair using microscope gives best result ===== PAGE 22 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

258. [2018] unknown

107. A 3-year old boy is brought with complaints of staying aloof. He also has delayed speech. Rest of the developmental milestones were attained normally. The most likely diagnosis is: (a) Selective mutism (b) Attention deficit hyperactivity disorder (c) Autism (d) Phonological disorder

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

259. [2018] unknown

107. Radiologic views used for fracture Mandible (body and Ramus) are all EXCEPT: (a) Orthopantomogram (b) Lateral obliques (c) Lower occlusal (d) Submentovertex

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

260. [2018] unknown

108. Which of the following statements regarding HPV (Human Papilloma Virus) vaccine is NOT true? (a) It can be safely administered in pregnancy (b) The recommended age for initiation of vaccination is 10–12 years (c) Catch up vaccination may be permitted up to 26 years of age, provided the woman is not sexually active (d) The vaccine is administered intramuscularly in deltoid region

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

261. [2018] unknown

108. Mallory-Weiss tear causing haematemesis is seen over: (a) Oesophagus (b) Gastroesophageal junction (c) Anterior wall of stomach (d) Fundus of stomach

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

262. [2018] unknown

109. A 6-year old boy comes to the immunization clinic having received all vaccines as per schedule till 18 months of age. Which vaccine should be administered now? (a) DTPw booster (b) Tdap booster (c) DT booster (d) TT booster

===== PAGE 21 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

263. [2018] unknown

109. Which one of the following factors is NOT involved in the pathogenesis of Systemic inflammatory response syndrome (SIRS)? (a) Increased cytokine production (b) Abnormal nitric oxide synthesis (c) Free radical production (d) Microvascular occlusion

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

264. [2018] unknown

110. "Time-out" strategy is used for management of children having: (a) Tics (b) Temper tantrums (c) Stuttering (d) Breath holding spells
111 All of the following are included in the 'Mission Indradhanush' EXCEPT: (a) Japanese Encephalitis vaccine (b) Measles vaccine (c) Hepatitis A vaccine (d) Haemophilus influenza type B vaccine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

265. [2018] unknown

110. Sleeve Gastrectomy done for Morbid obesity is a: (a) Restrictive procedure (b) Reversible procedure (c) Mildly restrictive and mainly malabsorptive (d) Malabsorptive procedure only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

266. [2018] unknown

111. Pre-operative Nutrition Screening in a patient with morbid obesity planned for Gastric Bypass includes all EXCEPT: (a) Serum Magnesium (b) Serum Calcium (c) Serum Vitamin B12 (d) Serum Insulin

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

267. [2018] unknown

112. Which of the following is the best mode of management of a newborn born to a mother with Hepatitis B infection? (a) Hepatitis B Immunoglobulin (HBIG) and Hepatitis B vaccine at birth (b) 1 and monotherapy with Infection (c) 1 and monotherapy with Lamivudine (d) 1 and monotherapy with Adefovir

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

268. [2018] unknown

112. In postoperative care the long term risks after Bariatric Surgery include all EXCEPT: (a) Protein Calorie Malnutrition (b) Deep Vein Thrombosis (c) Vitamin and Micronutrient depletion syndromes (d) Weight regain ===== PAGE 23 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

269. [2018] unknown

113. At what age should a lateral neck radiograph be done for a child with Downs syndrome to rule out atlanto-occipital subluxation? (a) At birth (b) At 1 year (c) At 2 years (d) At 3 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

270. [2018] unknown

113. Hilton's method of Incision and drainage of abscess has the advantage of: (a) Complete drainage of pus (b) Avoids injury to underlying vessels and nerves (c) Provides irrigation (d) Heals without scar

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

271. [2018] unknown

114. Which X ray will be used to evaluate the bone age (skeletal age) of a term newborn at birth? (a) Wrist (b) Shoulder (c) Knee (d) Elbow

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

272. [2018] unknown

114. Indications of computed tomography after head injury include all EXCEPT: (a) Glasgow Coma Scale < 13 at any point (b) Open depressed fracture (c) Mild head injury in a 50 year old man (d) Amnesia > 30 minutes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

273. [2018] unknown

115. Which of the following permanent tooth eruption event has close correlation with menarche? (a) First premolar (b) First molar (c) Second premolar (d) Second molar ===== PAGE 22 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

274. [2018] unknown

115. Mondor's disease is: (a) Thrombophlebitis of superficial veins of the breast and anterior chest wall (b) Other name for tuberculosis of breast (c) Rare type of chronic intramammary abscess (d) Named after the scientist who first coined the term "Actinomycosis of Breast"

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

275. [2018] unknown

116. Which one of the following is NOT a component of the '4 Ds' that are the focus of the Rashtriya Bal Suraksha Karyakram'(RBSK)? (a) Deficit (b) Disease (c) Deficiency (d) Developmental delay

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

276. [2018] unknown

116. Sengstaken-Blakemore tube is used to control bleeding in: (a) Renal trauma (b) Bleeding varices (c) Splenic injury in portal hypertension (d) Duodenal ulcer bleed

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

277. [2018] unknown

117. In which one of the following age groups is the highest rate of drowning observed, worldwide? (a) Less than 1 year (b) 1–4 years (c) 4–10 years (d) 10–15 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

278. [2018] unknown

117. Which one of the following regarding Pancreatic effusion is correct? (a) Free fluid collection in Pleural cavity (b) Never associated with abdominal collection (c) Pancreatic stenting is to be done (d) Percutaneous drainage under image guidance is necessary

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

279. [2018] unknown

118. Which of the following is the recommended initial intravenous therapy in a 2-year old child with Severe Acute Malnutrition with Severe Dehydration and Shock? (a) Ringer Lactate(R) at the rate of 30 mL/kg over first 30 minutes (b) Half-normal saline (N/2) in 5% dextrose at the rate of 15 mL/kg over first 60 minutes (c) Normal saline(NS) at the rate of 20 mL/kg over the first 30 minutes (d) N/5 saline with 5% dextrose at the rate of 30 mL/kg over first 60 minutes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

280. [2018] unknown

118. Which one of the following bone is affected in Keinbock's disease? (a) Lunate bone (b) Capitellum of the humerus (c) Metatarsal (d) Navicular bone ===== PAGE 24 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

281. [2018] unknown

119. A female carrier for hemophilia A gene gets married to a genetically normal male. What are the chances of her delivering a male offspring with hemophilia? (a) 0% (b) 25% (c) 50% (d) 100%

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

282. [2018] unknown

119. Which one of the following regarding management of acute wounds is NOT true? (a) The whole patient should be examined according to ATLS principles (b) Wounds should be examined, taking into consideration site and structures damaged (c) Bleeding wounds should be elevated and a pressure pad applied (d) Clamps should be used to stop all bleeding vessels

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

283. [2018] unknown

120. What is the definition of 'Cold stress' in a newborn as measured by the axillary temperature? (a) 35.0 – 35.5 °C (b) 35.0 – 36.0 °C (c) 35.5 – 36.5 °C (d) 36.0 – 36.4 °C

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-ONE-2018.pdf

284. [2018] unknown

120. Risk Scoring System which can be used post operatively is: (a) ASA → American Society of Anaesthesiologist (b) MET → Metabolic Equivalent Task (c) RCRI → Revised Cardiac Risk Index (d) POSSUM → Physiologic and operative severity Score for enUmeration of Mortality and Morbidity

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-TWO-2018.pdf

285. [2019] unknown

1. Austin Flint Murmur occurs in: (a) Severe Mitral Stenosis (b) Severe Mitral Regurgitation (c) Severe Aortic Regurgitation (d) Severe Aortic Stenosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

286. [2019] unknown

1. Put the patient in relaxed, supine position

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

287. [2019] unknown

1. AS occurs in about 10 % of Inflammatory Bowel Disease(IBD) patients

288. [2019] unknown

1. Onset is usually before the age of 55 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

289. [2019] unknown

1. Most of older patients have gout secondary to diuretic use and chronic kidney disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

290. [2019] unknown

1. What is the correct order of the normal phases of wound healing? (a) Proliferative phase → Haemostatic phase → Inflammatory phase → Remodelling phase (b) Haemostatic phase → Inflammatory phase → Proliferative phase → Remodelling phase (c) Destructive phase → Proliferative phase → Remodelling phase → Inflammatory phase (d) Remodelling phase → Proliferative phase → Destructive phase → Inflammatory phase

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

291. [2019] unknown

1. Patients experience constant dull ache and even severe pain sometimes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

292. [2019] unknown

1. 80–90% of parotid tumors are malignant

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

293. [2019] unknown

1. It represents benign pathology of nipple areola complex

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

294. [2019] unknown

1. Common hepatic duct forms the medial boundary of the Calot's triangle

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

295. [2019] unknown

1. Haemophilus influenzae, Neisseria meningitidis and Streptococcus pneumoniae are the most common causative agents

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

296. [2019] unknown

1. All children below 3 year have flat foot

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

297. [2019] unknown

1. Indirect coombs test is performed in mother

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

298. [2019] unknown

1. Endometrial biopsy provides information regarding ovulatory factor

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

299. [2019] unknown

1. AP diameter is the shortest diameter at brim

300. [2019] unknown

1. Prevalence is highest between 35 and 45 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

301. [2019] unknown

1. The baby should be exclusively breast fed for first six months

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

302. [2019] unknown

2. Which amongst the following should be considered in a patient with acute chest pain and ST segment elevation in the precordial leads?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

303. [2019] unknown

2. Give high flow, high concentration oxygen

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

304. [2019] unknown

2. Clostridium difficile associated disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

305. [2019] unknown

2. The AS activity is related to Bowel activity in IBD patients

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

306. [2019] unknown

2. There is clear history of previous trauma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

307. [2019] unknown

2. Joints of the upper limbs are more frequently affected

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

308. [2019] unknown

2. Subluxation of the cervical spine at the atlanto-axial joint

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

309. [2019] unknown

2. All of the following are risk factors for an increased risk of wound infection EXCEPT: (a) Obesity (b) Hypertension (c) Jaundice (d) Cancer

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

310. [2019] unknown

2. 90 % of sublingual gland tumors are malignant

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

311. [2019] unknown

2. It is eczema like condition of nipple and areola

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

312. [2019] unknown

2. Inferior surface of the right lobe of the liver forms the superior boundary of Calot's triangle

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

313. [2019] unknown

2. Risk is greatest in the patients who have undergone splenectomy for trauma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

314. [2019] unknown

2. Methergin is withheld at delivery of anterior shoulder

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

315. [2019] unknown

2. Increase in the level of progesterone and norepinephrine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

316. [2019] unknown

2. Both tubal and peritoneal factors can be assessed at laparoscopy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

317. [2019] unknown

2. Oblique diameter is the largest diameter of inlet

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

318. [2019] unknown

2. Treatment if provided in stage I leads to survival rate of 80–90 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

319. [2019] unknown

2. The vaccination with OPU and BCG should be delayed till the baby is 2.5 kg of weight

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

320. [2019] unknown

3. Which amongst the following is the most powerful independent risk factor for atherosclerosis? (a) Age (b) Hypertension (c) Gender (d) Physical Activity

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

321. [2019] unknown

3. Urinary tract infection Select the correct answer using the code given below: (a) 1 only (b) 2 only (c) 1 and 2 (d) 2 and 3 ===== PAGE 9 ===== 9

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

322. [2019] unknown

3. T-cell lymphoma Select the correct answer using the code given below: (a) 1 and 3 only (b) 2 and 3 only (c) 1 and 2 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

323. [2019] unknown

3. Ulcers with frank complication like perforation Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2 and 3 only (c) 1 and 3 only (d) 1 and 2 only ===== PAGE 11 ===== 11

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

324. [2019] unknown

3. Marked reduction of serum albumin with normal serum globulin Select the correct answer using the code given below:
(a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3 ===== PAGE 12 ===== 12

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

325. [2019] unknown

3. The AS activity does remit with glucocorticoids or colectomy in IBD patients Select the correct answer using the code given below: (a) 2 and 3 (b) 1 and 3 (c) 3 only (d) 1 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

326. [2019] unknown

3. Nephrogenic sclerosing fibrosis of skin Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

327. [2019] unknown

3. Personality change Select the correct answer using the code given below: (a) 1 and 2 only (b) 3 only (c) 2 only (d) 1, 2 and 3 ===== PAGE 15 ===== 15

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

328. [2019] unknown

3. In most cases, single joint is affected Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

329. [2019] unknown

3. Presentation is typical with acute attack of gout Which of the statements given above are correct? (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

330. [2019] unknown

3. Systemic Inflammatory Response Syndrome (SIRS) is characterized by all of the following EXCEPT: (a) Hyperthermia ($>38^{\circ}\text{C}$) (b) Platelet count ($<1,00,000/\text{mm}^3$) (c) Tachypnoea ($>20/\text{min}$) (d) Hypothermia ($<36^{\circ}\text{C}$)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

331. [2019] unknown

3. Primary lymphoedema is caused by congenital lymphatic dysplasia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

332. [2019] unknown

3. 60–70 % of submandibular gland tumors are benign

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

333. [2019] unknown

3. Right hepatic artery is usually found as a content of the Calot's triangle

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

334. [2019] unknown

3. Risk is greatest within the first 2–3 years following splenectomy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

335. [2019] unknown

3. Painless flexible foot need no treatment

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

336. [2019] unknown

3. Middle cerebral artery peak systolic velocity is an accurate method to predict fetal anemia Which of the statements given above are correct? (a) 1 and 2 only (b) 1, 2 and 3 (c) 2 and 3 only (d) 1 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

337. [2019] unknown

3. Inhibin is decreased Which of the above statements is/are correct? (a) 1, 2 and 3 (b) 1 only (c) 2 and 3 only (d) 1 and 2 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

338. [2019] unknown

3. Temperature falls by 0.5°C after ovulation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

339. [2019] unknown

3. Unexplained infertility may be due to luteal phase defect Which of the statements given above is/are correct? (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

340. [2019] unknown

3. Diagonal conjugate cannot be directly measured Which of the statements given above is/are correct? (a) 1 and 2 only (b) 1, 2 and 3 (c) 1 only (d) 2 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

341. [2019] unknown

3. Surgery is preferred in young women with stage III disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

342. [2019] unknown

3. Display reversible shrinkage after treatment with GnRH

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

343. [2019] unknown

3. Used in management of postpartum eclampsia Which of the statements given above are correct? (a) 1 and 2 only (b) 1, 2 and 3 (c) 1 and 3 only (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

344. [2019] unknown

3. Abnormal cord insertion Which of the statements given above is/are correct? (a) 1 and 2 only (b) 2 and 3 only (c) 1, 2 and 3 (d) 1 and 3 only ===== PAGE 16 ===== 16

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

345. [2019] unknown

3. Risk factor/determinants Select the correct answer using the code given below: (a) 1 only (b) 2 and 3 (c) 1 and 3 (d) 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

346. [2019] unknown

3. Baby should be kept with mother and kangaroo care to be given Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1 and 2 only (c) 1 and 3 only (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

347. [2019] unknown

4. In which of the following SA node dysfunction conditions, permanent pacing may NOT be required?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

348. [2019] unknown

4. More than 10 % over 6-12 months Which of the above constitute significant or clinically important weight loss? (a) 1 and 3 (b) 1 and 4 (c) 2 and 3 (d) 2 and 4 ===== PAGE 3 ===== 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

349. [2019] unknown

4. Avascular necrosis of hip Code: (a) A-4 B-1 C-3 D-2 (b) A-2 B-3 C-1 D-4 (c) A-2 B-1 C-3 D-4 (d) A-4 B-3 C-1 D-2

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

350. [2019] unknown

4. No role of Nitrates Select the correct answer using the code given below: (a) 1 and 2 (b) 2 and 3 (c) 3 and 4 (d) 1 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

351. [2019] unknown

4. IgA deficiency Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

352. [2019] unknown

4. Ophthalmic and CNS symptoms Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

353. [2019] unknown

4. Disordered coagulation Select the correct answer using the code given below: (a) 1, 2 and 4 (b) 1, 2 and 3 (c) 2, 3 and 4 (d) 1, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

354. [2019] unknown

4. Niacin Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1, 2 and 4 (c) 2, 3 and 4 (d) 1, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

355. [2019] unknown

4. Lymphoma Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

356. [2019] unknown

4. Neurodegeneration Select the correct answer using the code given below: (a) 1, 2, 3 and 4 (b) 1, 2 and 3 only (c) 2 and 4 only (d) 1 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

357. [2019] unknown

4. Gentleman of 56 years underwent laparoscopic left hemicolectomy for diagnosed left colonic carcinoma. Histopathology revealed the tumour to be invading submucosa and muscularis propria. Among the 16 regional lymph nodes harvested, 2 were positive for malignant deposits. His staging as per AJCC will be: (a) T1, N1, M0 (b) T2, N1, M0 (c) T1, N0, M0 (d) T2, N1, M1

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

358. [2019] unknown

4. Nonne Milroy's disease is a type of primary lymphoedema Select the correct answer using the code given below: (a) 3 and 4 only (b) 1 and 2 only (c) 1, 2 and 3 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

359. [2019] unknown

4. Parotid gland is most common site for salivary gland tumors Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

360. [2019] unknown

4. Nipple biopsy is required for definitive diagnosis Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 2 and 4 only ===== PAGE 4 ===== 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

361. [2019] unknown

4. Cystic duct and medial border of gall bladder forms the lateral border of Calot's triangle Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4 ===== PAGE 5 ===== 5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

362. [2019] unknown

4. Prophylactic vaccination should be done 2 weeks prior to elective splenectomy Which of the statements given above are correct? (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

363. [2019] unknown

4. Rigid flat foot is a result of tarsal coalition Select the correct answer using the code given below: (a) 3 and 4 only (b) 1 and 2 only (c) 1, 2 and 3 only (d) 1, 2, 3 and 4 ===== PAGE 8 ===== 8

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

364. [2019] unknown

4. It can predict ovulation precisely Select the correct answer using the code given below: (a) 1 and 3 (b) 1 and 2 (c) 1 and 4 (d) 2 and 3 ===== PAGE 12 ===== 12

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

365. [2019] unknown

4. Influenza Select the correct answer using the code given below: (a) 1 and 3 (b) 2 and 3 (c) 1 and 2 (d) 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

366. [2019] unknown

4. HPV virus is considered to be the causative agent Which of the statements given above are correct? (a) 1 and 2 only (b) 1, 2 and 4 only (c) 3 and 4 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

367. [2019] unknown

4. Requires to be treated only if symptomatic Which of the statements given above are correct? (a) 2 and 3 only (b) 1 and 4 only (c) 1, 2 and 3 only (d) 1, 2, 3 and 4 ===== PAGE 14 ===== 14

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

368. [2019] unknown

4. Lap ligation Select the correct answer using the code given below: (a) 1 and 2 only (b) 1, 2 and 4 (c) 2 only (d) 1 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

369. [2019] unknown

4. No effect on incidence of ectopic pregnancy Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4 ===== PAGE 27 ===== 27

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

370. [2019] unknown

5. Kartagener syndrome has the following features EXCEPT: (a) Recurrent Sinusitis (b) Transposition of Viscera (c) Autosomal Dominant (d) Bronchiectasis ===== PAGE 2 ===== 2

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

371. [2019] unknown

5. All of the following are hormonal agents used in treatment of cancer EXCEPT: (a) Anastrozole (b) Irinotecan (c) Cabergoline (d) Leuprolide ===== PAGE 2 ===== 2

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

372. [2019] unknown

6. Pneumothorax Select the correct answer using the code given below. (a) 1, 2 and 3 (b) 1, 3 and 4 (c) 1, 4 and 5 (d) 2, 3 and 6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

373. [2019] unknown

6. Raised Intracranial tension Select the correct answer using the code given below. (a) 1, 2, 3 and 4 (b) 1, 2, 4 and 5 (c) 1, 2, 4 and 6 (d) 3, 5 and 6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

374. [2019] unknown

6. Which of the following pulmonary function set is characteristic of COPD? (a) FEV1 / FVC < 70% ; FEV1 ↓ ; FVC ↓ ; TLC ↑ DLCO Normal (b) FEV1 / FVC < 70% ; FEV1 ↑ ; FVC ↓ ; TLC ↓ DLCO ↓ (c) FEV1 / FVC < 70% ; FEV1 ↓ ; FVC ↑ ; TLC ↑ DLCO ↑ (d) FEV1 / FVC < 70% ; FEV1 ↓ ; FVC ↓ ; TLC ↓ DLCO ↓

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

375. [2019] unknown

6. Which of the following statements regarding lymphoedema are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

376. [2019] unknown

6. Life expectancy at age one Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1, 4 and 5 (c) 2, 3 and 6 (d) 1, 3 and 6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

377. [2019] unknown

7. Which of the following drugs causes dry cough as a side effect? (a) Fluconazole (b) Ramipril (c) Cefixime (d) Atenolol

378. [2019] unknown

7. Indications for carotid endarterectomy in symptomatic patients are all of the following EXCEPT: (a) Hemianopia (b) Monocular blindness (c) Dysphasia (d) Persistent hypertension

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

379. [2019] unknown

8. For Acid Fast Bacilli (AFB) to be detected in sputum by the direct microscopy, the bacillary burden in sputum typically is: (a) 500–1,000 organisms (b) 5,000–10,000 organisms (c) 10,000–20,000 organisms (d) Any number of organisms

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

380. [2019] unknown

8. A policeman of 45 years presented with Lipodermatosclerosis over lower medial aspect of left leg, along with a healed venous ulcer. As per the CEAP (Clinical-etiology-anatomy- pathophysiology) classification his clinical classification will be: (a) C4a (b) C4b (c) C5 (d) C6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

381. [2019] unknown

9. The pleural fluid is considered as empyema if following is present in it: (a) Fluid glucose < 60 mg/dl (b) Lactate Dehydrogenase (LDH) of more than 1000 U/L (c) Fluid pH of less than 7.0 (d) All of these

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

382. [2019] unknown

9. What is true about the management of a corrosive injury of oesophagus? (a) Early skilled endoscopy is must (b) Immediate surgery with oesophagectomy is advisable (c) Broad spectrum antibiotics should be started as soon as possible (d) Immediate NG tube insertion and gastric lavage should be preformed ===== PAGE 3 ===== 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

383. [2019] unknown

10. Airway secretions contain all of the following antimicrobial peptides EXCEPT: (a) Defensins (b) Immunoglobulin A (IgA) (c) Lysozyme (d) Histidine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

384. [2019] unknown

10. Which of the statements regarding Salivary gland neoplasms are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

385. [2019] unknown

11. The respiratory motor neuron associated with origin of respiratory cycle is located in: (a) Pons (b) Posterior Medulla oblongata (c) Ventral Medulla oblongata (d) Mid brain

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

386. [2019] unknown

11. A few days following viral fever, a 50 year old female presented with pain in neck, fever, malaise and firm enlargement of both the lobes of thyroid. On investigation thyroid antibodies were normal & serum T4 was high normal. Probable diagnosis is: (a) Autoimmune thyroiditis (b) Lymphoma of thyroid (c) Granulomatous thyroiditis (d) Riedel's thyroiditis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

387. [2019] unknown

12. Consider the following statements regarding Weight Loss:

388. [2019] unknown

12. No increased relative risk of invasive breast carcinoma based on histopathological examination of benign breast tissue is for all of the following EXCEPT: (a) Hyperplasia (b) Periductal mastitis (c) Squamous metaplasia (d) Solitary papilloma of lactiferous sinus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

389. [2019] unknown

13. Which of the following Ascitic Fluid analysis is most compatible with a diagnosis of Ascites secondary to portal hypertension? (a) SAAG < 1.1 g/dl ; Ascitic Fluid Protein < 2.5 g/dl (b) SAAG < 1.1 g/dl ; Ascitic Fluid Protein > 2.5 g /dl (c) SAAG > 1.1 g/dl ; Ascitic Fluid Protein < 2.5 g /dl (d) SAAG > 1.1 g/dl ; Ascitic Fluid Protein > 2.5 g /dl

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

390. [2019] unknown

13. Which of the following statements regarding Paget's disease of nipple are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

391. [2019] unknown

14. All are the causes of Interstitial lung disease EXCEPT: (a) Idiopathic Pulmonary Fibrosis (b) Granulomatosis with Polyangiitis (c) Sarcoidosis (d) Bronchial Asthma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

392. [2019] unknown

14. A gentleman of 36 years presented with a long history of upper abdominal pain which was periodic and often occurred early morning. For last 3 months, he is having projectile vomiting, which is non bilious, unpleasant in nature with undigested food materials. On examination he appears unwell, dehydrated and seemed to have lost weight. Probably he is suffering from: (a) Gastric outlet obstruction (b) Carcinoma stomach (c) Gastro-oesophageal reflux with oesophagitis (d) Superior mesenteric artery syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

393. [2019] unknown

15. The rhythmic activity recorded on scalp by EEG in a normal awake adult lying quietly with eyes closed is: (a) Less than 4Hz – Delta rhythm (b) 4 to 7 Hz –Theta rhythm (c) 8 to 13 Hz – Alpha rhythm (d) More than 14 Hz –Beta rhythm

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

394. [2019] unknown

15. A 40 year old female patient presents with colicky abdominal pain associated with episodes of mild diarrhoea for last 6 months accompanied with intermittent fever and weight loss. There are multiple discharging sinuses on perineal examination. The most likely clinical diagnosis in this patient is: (a) Amoebic colitis (b) Crohn disease (c) Ulcerative colitis (d) Ileocaecal Tuberculosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

395. [2019] unknown

16. Transient Monocular blindness may be due to small platelet emboli that occludes: (a) Posterior Cerebellar artery (b) Posterior Cerebral artery (c) Ophthalmic artery (d) Vertebral artery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

396. [2019] unknown

16. A gentleman of 48 years was being worked up for hepatocellular function. He had no history or signs of encephalopathy. His serum bilirubin was 5 mg%, serum albumin was 3.9 gm%, International normalized ratio was 1.6. On ultrasound no free fluid was detected inside abdomen. As per Child-Turcotte-Pugh (CTP) classification, he was in:

(a) CTP–A (b) CTP–B (c) CTP–C (d) CTP–D

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

397. [2019] unknown

17. The phenomenon of sparing of macular vision is due to collateral circulation between: (a) middle and posterior cerebral artery (b) anterior and middle cerebral artery (c) anterior and posterior cerebral artery (d) anterior, middle and posterior cerebral artery ===== PAGE 4 ===== 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

398. [2019] unknown

17. Which of the statements regarding Calot's triangle are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

399. [2019] unknown

18. Characteristic features of Horner's Syndrome are: (a) partial ptosis, enophthalmos, constricted pupil, decreased sweating (b) partial ptosis, exophthalmos, constricted pupil, decreased sweating (c) partial ptosis, enophthalmos, dilated pupil, decreased sweating (d) partial ptosis, enophthalmos, constricted pupil, increased sweating

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

400. [2019] unknown

18. Consider the following statements regarding Opportunistic post-splenectomy infections (OPSI):

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

401. [2019] unknown

19. All of the following statements are true EXCEPT: (a) Dorsal column fibres synapse at the cuneate and gracile nuclei (b) Pain and temperature sensations are carried by lateral spinothalamic tract (c) Spinal cord ends at lower level of 5th lumbar vertebrae (d) Dorsal spinocerebellar tract carries fibres from the same side of the body

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

402. [2019] unknown

19. A 48 year old male with the history of chronic duodenal ulcer presented in surgical emergency with the complaints of sudden severe pain in the abdomen. At presentation: Pulse = 120/m, BP = 90/60 mm of Hg Abdomen: Tenderness (+), Rigidity (+), Guarding (+) Respiratory Rate: 20/m X-ray: Gas under right dome of diaphragm The probable diagnosis is: (a) Acute appendicitis (b) Acute Pancreatitis (c) Acute Myocardial infraction (d) Perforation Peritonitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

403. [2019] unknown

20. The following conditions usually present with proximal muscle weakness, EXCEPT: (a) Facio-scapulo-humeral dystrophy (b) Myotonia dystrophica (c) Duchene's muscular dystrophy (d) Becker muscular dystrophy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

404. [2019] unknown

20. A young sports person presented in surgical emergency with the complaints of severe pain in the groin area, extending into the scrotum and upper thigh. The pain is debilitating and he is not able to exercise. On examination there is tenderness in the region of Inguinal canal and pubic tubercle. He is probably suffering from: (a) Varicocele (b) Inguinal hernia (c) Sportsman hernia (d) Femoral hernia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

405. [2019] unknown

21. Pel-Ebstein fever is seen in: (a) Hodgkin's disease (b) Malaria (c) Kalazar (d) Typhoid fever

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

406. [2019] unknown

21. Ventral hernia includes all EXCEPT: (a) Epigastric hernia (b) Para-umbilical hernia (c) Lumbar hernia (d) Inguinal hernia ===== PAGE 6 ===== 6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

407. [2019] unknown

22. All of the following are true regarding acute leukaemias, EXCEPT: (a) Promyelocytic leukaemia may present with DIC (b) Gum hypertrophy is a feature of monocytic leukaemia (c) Translocation is a common chromosomal abnormality in acute myeloid leukaemia (d) Auer rods suggest acute lymphocytic leukaemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

408. [2019] unknown

22. Diaphragmatic injury is suspected in a 50 year gentleman with history of blunt abdominal trauma, having a normal chest X-ray. He is best managed by: (a) Diagnostic peritoneal lavage and proceed (b) Upper GI contrast study (c) CECT abdomen (d) Diagnostic laparoscopy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

409. [2019] unknown

23. All of the following are clinical features of Polycystic ovarian syndrome EXCEPT: (a) Menorrhagia (b) Hirsutism (c) Glucose intolerance (d) Infertility ===== PAGE 5 ===== 5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

410. [2019] unknown

23. A 20 years old man had history of pain in the right side of abdomen. His X-ray abdomen AP view shows radio-opaque shadow, which on lateral film falls behind the vertebral column. The probable diagnosis is: (a) Gall stone disease (b) Renal Calculus (c) Calcified mesenteric lymph node (d) Phlebolith

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

411. [2019] unknown

24. Clinical features of Turner syndrome include all EXCEPT: (a) Webbing of Neck (b) Narrow carrying angle of Elbow (c) Coarctation of Aorta (d) Short stature

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

412. [2019] unknown

24. Urinary bladder can be injured in all of the following operations EXCEPT: (a) Inguinal hernia repair (b) Hysterectomy (c) Surgery for rectum (d) Inguinal lymph node dissection

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

413. [2019] unknown

25. Pretibial myxedema is a clinical feature of: (a) Hypothyroidism (b) Graves disease (c) Cushing disease (d) Conn syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

414. [2019] unknown

25. In diffuse axonal injury all are true EXCEPT: (a) Form of primary brain injury (b) Seen in high energy (c) Patient is comatose (d) CT scan shows pathognomonic finding

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

415. [2019] unknown

26. Match the List I with List II and select the correct answer using the code given below the lists: List I List II (disease) (signs) A. Conn syndrome

416. [2019] unknown

26. A 70 years old man on anticoagulants due to some heart disease suffered a minor head injury. One month later he has severe headache with slowly developing neurological signs. The probable diagnosis is: (a) Extradural haematoma (b) Acute subdural haematoma (c) Chronic subdural haematoma (d) Subarachnoid haemorrhage ===== PAGE 7 =====
7

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

417. [2019] unknown

27. Which of the following is NOT a part of Koch's postulates? (a) The same organism must be present in every case of the disease (b) The organism must be isolated from the diseased host and grown in culture (c) The isolate must cause the disease when incubated (d) The organism may not be reisolated from the incubated diseased host

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

418. [2019] unknown

27. Regarding "Quinsy" all of the following are correct EXCEPT: (a) It is an abscess in the peritonsillar region (b) Severe trismus is caused by spasm induced by pterygoid muscles (c) Pus may be seen pointing underneath the thin mucosa in all cases and is diagnostic (d) In early stage, intravenous broad spectrum antibiotics may resolve it

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

419. [2019] unknown

28. All of the following cause dementia EXCEPT: (a) Huntington's disease (b) Alzheimer's disease (c) Vitamin D toxicity (d) Thiamine deficiency ===== PAGE 6 ===== 6

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

420. [2019] unknown

28. The most common organism causing Acute Otitis media in children is: (a) Streptococcus pneumoniae (b) Staphylococcus epidermidis (c) Escherichia coli (d) Klebsiella pneumoniae

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

421. [2019] unknown

29. The therapeutic level of Digoxin in blood is: (a) 1–2 ng/ml (b) 4–6 ng/ml (c) 6–8 ng/ml (d) 8–10 ng/ml

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

422. [2019] unknown

29. A 50 year old male presented with pain along the left arm and ptosis. His chest X-ray showed soft tissue opacity at the apex of the left lung along with the erosion of the adjacent rib. The probable diagnosis is: (a) Pancoast lung (b) Bronchial carcinoma (c) Lung abscess (d) Adenocarcinoma of lung

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

423. [2019] unknown

30. A 40-year old woman presents with sudden onset palpitations. An ECG done reveals narrow- QRS complex tachycardia. The most likely diagnosis is: (a) Ventricular tachycardia (b) Pre-excited tachycardia (c) Paroxysmal supraventricular tachycardia with aberrancy (d) AV reentry tachycardia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

424. [2019] unknown

30. Which of the following is NOT true about Dupuytren's Contracture? (a) Autosomal dominant (b) Occurs in elderly men (c) Not familial (d) Associated with alcoholism, smoking and hypothyroidism

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

425. [2019] unknown

31. Which of the following statements are true about management of acute pulmonary oedema?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

426. [2019] unknown

31. Which of the following statements regarding the flat foot are true?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

427. [2019] unknown

32. Which of the following does NOT cause prolongation of QT interval? (a) Hypomagnesaemia (b) Hyperkalaemia (c) Erythromycin (d) Amiodarone ===== PAGE 7 ===== 7

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

428. [2019] unknown

32. All of the following are causes of acute red eye EXCEPT: (a) Conjunctivitis (b) Keratitis (c) Acute macular oedema (d) Acute glaucoma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

429. [2019] unknown

33. A 21-year young man presents in emergency with high grade fever with inflammation of knee and ankle joints which is fleeting in nature. There is history of occasional palpitations. There is no history of antecedent sore throat. On examination, splenomegaly is present. The ECG shows prolongation of PR interval. What is the most likely diagnosis in India? (a) Still disease (b) Enteric fever (c) Rheumatic fever (d) Reiter's syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

430. [2019] unknown

33. All are true about Vernal conjunctivitis EXCEPT: (a) Type of allergic conjunctivitis (b) Itchy eyes with other allergic problems (c) Cobblestone appearance (d) Most signs are in lower lid

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

431. [2019] unknown

34. A 50-year gentleman with Type-2 Diabetes mellitus for 5 years presents in medical emergency with sudden onset of dyspnoea at rest, orthopnoea, and prostration. On examination, pulse is rapid and very weak in volume. His blood pressure is 100/70 mmHg. There are diffuse crepitations at lung bases. What is the most likely diagnosis of his conditions? (a) Mitral stenosis with bacterial endocarditis (b) Right heart failure (c) Left heart failure (d) Constrictive pericarditis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

432. [2019] unknown

34. Preoperative Samssoon and Young modified, Mallampati test is used for assessing: (a) Preoperative nutrition status of patient (b) Patient's overall fitness for surgery (c) Difficulty in intubation (d) Blood requirement during surgery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

433. [2019] unknown

35. The 'Y' descent in JVP waveform represents: (a) Atrial relaxation (b) Atrial systole (c) Atrial emptying (d) Apical displacement of tricuspid valve

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

434. [2019] unknown

35. In Split thickness graft, which part of the skin is/are included? (a) Epidermis only (b) Epidermis and dermis (c) Epidermis and part of dermis (d) Epidermis, dermis and part of sub cutaneous tissue

435. [2019] unknown

36. While distinguishing a venous pulsation from the arterial pulsation in neck, which of the following is NOT correct? (a) The height of venous pulse varies with respiration (b) Abdominal pressure causes rise in venous pulse (c) Venous pulse has a single peak in each cardiac cycle (d) Venous pulse is not easily palpable ===== PAGE 8 ===== 8

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

436. [2019] unknown

36. A young boy riding a motorcycle, met with a road traffic accident. On examination he had maxillofacial trauma with paraesthesia of the lower lip. Most likely underlying he has a: (a) Fracture involving infraorbital foramen (b) Fracture involving floor of orbit (c) Fracture of the mandibular body (d) Fracture of temporal bone ===== PAGE 9 ===== 9

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

437. [2019] unknown

37. Which of the following does NOT cause pulmonary infiltrates with eosinophilia? (a) Bronchial asthma (b) Postradiation pneumonitis (c) Eosinophilic granulomatosis with polyangiitis (d) Cystic fibrosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

438. [2019] unknown

37. A 20 year old patient underwent open hernia surgery four days back. He is running fever for the last one day and on local examination the operated site was wet with pus and surrounding redness and edema. The appropriate management would be: (a) Change of antibiotics (b) Daily dressing (c) Opening sutures and cleaning of wound (d) Sending pus for C/S

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

439. [2019] unknown

38. Total lung capacity is decreased in which one of the following conditions? (a) Asthma (b) Chronic bronchitis (c) Pulmonary fibrosis (d) Emphysema

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

440. [2019] unknown

38. Good surgical practice and surgical ethics include all EXCEPT: (a) Respect autonomy (b) Informed consent (c) Confidentiality (d) Experiment

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

441. [2019] unknown

39. Which one of the following is the minimum spirometry criterion for diagnosis of bronchial asthma? (a) Decrease in FEV1 $\geq$ 20 % after 6 minutes of exercise (b) Increase in FEV1 $\geq$ 12 % following administration of inhaled bronchodilators (c) Increase in 500 ml of FEV1 after glucocorticoids inhalation (d) Less than 20 % diurnal variation on more than 3 days a week on PEF diary

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

442. [2019] unknown

39. Refeeding syndrome seen after enteral or parenteral nutrition is characterized by all EXCEPT: (a) Hypophosphatemia (b) Hypocalcemia (c) Hypomagnesemia (d) Hyponatremia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

443. [2019] unknown

40. Modified Blatchford score is used for the risk stratification of: (a) Pancreatitis (b) Sepsis (c) Upper gastrointestinal bleeding (d) Cholangitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

444. [2019] unknown

40. The capillary refill time is prolonged in all types of shock EXCEPT: (a) Hypovolaemic shock (b) Cardiogenic shock (c) Septic shock (d) Obstructive shock

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

445. [2019] unknown

41. Long term use of proton pump inhibitor in elderly puts the patient at risk of which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

446. [2019] unknown

41. Which of the following is NOT the hormonal basis for hyperemesis gravidarum? (a) Excess of Chorionic Gonadotropin (b) Excess of Human Placental Lactogen (c) Excess of Progesterone (d) High serum levels of Estrogen

===== PAGE 10 ===== 10

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

447. [2019] unknown

42. Regardless of the infectious agent, the most characteristic symptom of infectious esophagitis is: (a) Dysphagia (b) Chest pain (c) Odynophagia (d) Haematemesis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

448. [2019] unknown

42. Consider the following statements regarding pregnancy with Rh isoimmunization:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

449. [2019] unknown

43. The parameters used in modified Child-Pugh classification for staging cirrhosis are: (a) Serum bilirubin, serum albumin only (b) Serum albumin, serum bilirubin, prothrombin time only (c) Serum albumin, serum bilirubin, prothrombin time, ascities only (d) Serum albumin, Serum bilirubin, prothrombin time, ascities, hepatic encephalopathy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

450. [2019] unknown

43. In fetus with Spina bifida, which of the following sign/signs may be seen on ultrasound? (a) Lemon sign (b) Banana sign (c) Defect seen in vertebral bodies or tissue overlying it (d) All of these

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

451. [2019] unknown

44. All of the following are consistent with a diagnosis of Irritable Bowel Syndrome EXCEPT: (a) Recurrent lower abdominal pain (b) Altered bowel habits (c) Symptoms during periods of stress (d) Weight loss

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

452. [2019] unknown

44. In pregnancy with Down syndrome consider the following biomarkers:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

453. [2019] unknown

45. A 26-year old HIV infected male presents with odynophagia. Upper GI endoscopy demonstrates serpiginous ulcers in a normal surrounding mucosa in distal esophagus. The most likely diagnosis is: (a) Gastro esophageal reflux disease (b) Cytomegalovirus esophagitis (c) Candida esophagitis (d) Herpetic esophagitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

454. [2019] unknown

45. A 25 year old G2P1L1, Rh –ve woman presented at 30 weeks gestation to the antenatal clinic, the indirect Coomb's

test (ICT) was found to be positive. What would be the next line of management? (a) Anti D to be given (b) ICT titers to be closely monitored at weekly intervals (c) Amniocentesis for estimation of bilirubin by Liley's chart is to be done (d) Baby is to be delivered as soon as possible ===== PAGE 11 ===== 11

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

455. [2019] unknown

46. Cytomegalovirus esophagitis is particularly common in which group of patients? (a) Diabetes mellitus (b) Chronic liver disease (c) Alcoholics (d) Organ transplant recipients ===== PAGE 10 ===== 10

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

456. [2019] unknown

46. Given below are the Obstetric maneuvers and their indications. Which one of the following is correctly matched? (a) McRobert's maneuver – After coming head of breech (b) Lovset's maneuver – Delivery of foot in breech (c) Pinard's maneuver – Delivery of extended arm (d) Ritgen's maneuver – Controlled delivery of fetal head

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

457. [2019] unknown

47. Which of the following is the most important complication in a patient with coeliac disease, who was previously doing well on a gluten-free diet and is now not responding to gluten restriction? (a) Intestinal infection (b) Intestinal lymphoma (c) Resistant coeliac disease (d) Type II Diabetes mellitus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

458. [2019] unknown

47. The Maternal serum α -fetoprotein level is elevated in all EXCEPT: (a) Down syndrome (b) Neural tube defect (c) Intra uterine death (d) Omphalocele

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

459. [2019] unknown

48. Which of the following are potential side effects of Anti-TNF therapies?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

460. [2019] unknown

48. Which one of the following statements regarding Bartholin's glands is NOT true? (a) They are situated in superficial perineal pouch (b) Duct opens at the junction between anterior one third and posterior two third between hymen and labium minus (c) Gonococci is the most common causing Bartholin's abscess (d) The duct is lined by columnar epithelium

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

461. [2019] unknown

49. Presence of gastrinoma tumor should be suspected in which of the following conditions?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

462. [2019] unknown

49. An 18 year old unmarried girl comes with complaints of heavy, prolonged bleeding during menses. Which among the following investigations is NOT usually advised? (a) Urine pregnancy test (b) Ultrasound uterus and adnexa (c) Coagulation profile (d) Dilatation and curettage

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

463. [2019] unknown

50. Coeliac disease is associated with which of the following medical conditions?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

464. [2019] unknown

50. Which one of the following is true about Basal body temperature?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

465. [2019] unknown

51. Which of the following features are characteristics of Whipple disease?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

466. [2019] unknown

51. Consider the following statements regarding infertility:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

467. [2019] unknown

52. Which of the following are suggestive of protein losing enteropathy?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

468. [2019] unknown

52. Which one of the following about primary dysmenorrhea is NOT true? (a) Confined to adolescent (b) Always confined to ovulatory cycles (c) Pain increases following pregnancy and delivery (d) Pain is related to uterine hypoxia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

469. [2019] unknown

53. Which of the following statements regarding Ankylosing spondylitis (AS) are true?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

470. [2019] unknown

53. Consider the following statements regarding diameters of a normal female pelvis:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

471. [2019] unknown

54. Which of the following are the renal complications of radiological investigations?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

472. [2019] unknown

54. Which of the following is NOT a characteristic clinical feature of Bacterial Vaginosis? (a) Vaginal pH ≥ 5 (b) Thick curdy discharge (c) Amine odour in 10 % KOH test (d) Clue cells ===== PAGE 13 ===== 13

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

473. [2019] unknown

55. A middle aged diabetic male who has recurrent chest pain undergoes coronary artery angiogram. The following day, he develops haematuria, proteinuria and renal impairment. What is the most likely diagnosis? (a) Renal artery stenosis (b) Acute renal infraction (c) Atheroembolism (d) Haemolytic Uraemic syndrome ===== PAGE 13 ===== 13

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

474. [2019] unknown

55. Which of the following are the vaccines for prevention of cervical cancer?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

475. [2019] unknown

56. Which of the following are contraindications for renal biopsy?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

476. [2019] unknown

56. Consider the following statements regarding Carcinoma Cervix:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

477. [2019] unknown

57. The most specific test that establishes the diagnosis of Myasthenia gravis is: (a) Anti-acetylcholine receptor antibody (b) Repetitive nerve stimulation test (c) Edrophonium test (d) MRI brain

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

478. [2019] unknown

57. Which one of the following is NOT a mandatory procedure for FIGO staging of Carcinoma cervix? (a) Pelvic examination (b) Biopsy (c) Ultrasound abdomen (d) Endocervical curettage

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

479. [2019] unknown

58. The commonest cause for new-onset seizures in patients older than 65 years is: (a) Trauma (b) Cerebrovascular disease (c) Tumors (d) Degenerative disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

480. [2019] unknown

58. Consider the following statements regarding Uterine Leiomyoma:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

481. [2019] unknown

59. Ipsilateral 3rd cranial nerve palsy with contralateral cerebellar signs is seen in: (a) Weber syndrome (b) Wallenberg syndrome (c) Parinaud syndrome (d) Claude syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

482. [2019] unknown

59. A 58 year old woman with suspected ovarian cancer was operated for surgical staging. On laparotomy and subsequent histopathological examination of the specimen it was found that both ovaries were involved, capsule was ruptured, ascites was present containing malignant cells. Uterus and tubes were normal and there were no peritoneal implants. The FIGO stage for this patient would be: (a) Stage I (b) Stage II (c) Stage III (d) Stage IV

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

483. [2019] unknown

60. Incongruous contralateral homonymous hemianopia is due to lesion at: (a) Optic nerve (b) Optic chiasma (c) Optic tract (d) Optic radiation ===== PAGE 14 ===== 14

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

484. [2019] unknown

60. Which one of the following is the serum marker in epithelial ovarian cancer? (a) CA-125 (b) CEA (c) AFP (d) HCG

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

485. [2019] unknown

61. Macrocytosis is seen in all of the following conditions EXCEPT: (a) Liver disease (b) Post splenectomy (c) Hypothyroidism (d) Myelodysplastic syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

486. [2019] unknown

61. Which of the following is NOT an ideally suited condition for use of ring pessary in case of uterine prolapse? (a) Late pregnancy (b) Puerperium (c) Patient unfit for surgery (d) Patient's unwillingness for surgery

487. [2019] unknown

62. All of the following cause microcytic hypochromic anemia EXCEPT: (a) Thalassemia (b) Anemia of chronic disease (c) Sideroblastic anemia (d) Haemolytic uraemic syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

488. [2019] unknown

62. Labour is called normal if it fulfills following criteria EXCEPT: (a) Vaginal breech delivery (b) Vaginal delivery with episiotomy (c) Vertex presentation (d) Spontaneous onset at term

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

489. [2019] unknown

63. Treatment with the following drugs can lead to neutropenia EXCEPT: (a) Glucocorticoids (b) Propylthiouracil (c) Dapsone (d) Enalapril

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

490. [2019] unknown

63. Which one of the following methods is NOT used for cervical cancer screening? (a) Pap smear (b) VIA (c) VILI (d) Cervical biopsy ===== PAGE 15 ===== 15

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

491. [2019] unknown

64. Which one of the following is a cause of early (0–4 weeks) infection in recipients of haematopoietic stem cell transplantation? (a) Cytomegalovirus (b) Pneumocystis jirovecii (c) Varicella zoster (d) Herpes simplex

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

492. [2019] unknown

64. Consider the following regarding the use of Magnesium Sulphate:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

493. [2019] unknown

65. Which of the following is/are neurological manifestation(s) of vitamin B12 deficiency?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

494. [2019] unknown

65. Which one of the following is NOT a common cause of recurrent abortions? (a) Maternal diabetes (b) TORCH group of infections (c) Antiphospholipid syndrome (d) Chromosomal abnormality

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

495. [2019] unknown

66. Which of the following infections does NOT cause cold antibodies immune haemolysis? (a) Mycoplasma (b) Malaria (c) Syphilis (d) Epstein–Barr virus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

496. [2019] unknown

66. Contraindications to Uterine Cerclage for Incompetent os are all EXCEPT: (a) Previous history suggestive of abortion due to incompetent os (b) Ruptured membrane (c) Bulging membrane (d) History of vaginal bleeding

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

497. [2019] unknown

67. Which of the following test has maximum sensitivity for diagnosing Pheochromocytoma? (a) MIBG scintigraphy (b)

Somatostatin receptor scintigraphy (c) Fluro-DOPA PET scan (d) 24 hours urinary fractionated metanephrines and catecholamines

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

498. [2019] unknown

67. The most common cause of early spontaneous abortion is: (a) Chromosomal abnormality (b) Infection (c) Endocrine disorder (d) Teratogens

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

499. [2019] unknown

68. Which of the following does NOT causes polyuria? (a) Diabetes mellitus (b) Diabetes insipidus (c) Hypoparathyroidism (d) Conn syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

500. [2019] unknown

68. Cause of Fetal growth restriction may be:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

501. [2019] unknown

69. A 24 year female presented with generalized weakness. Her thyroid function test is as follows. Serum T3 = Normal, T4 = Normal, TSH = 10mU/L. What is the most likely diagnosis? (a) Primary hypothyroidism (b) Secondary hypothyroidism (c) Subclinical hypothyroidism (d) Non thyroidal illness

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

502. [2019] unknown

69. Which one of the following regarding fetal growth restriction is NOT true? (a) Daily fetal movement count is advised (b) Biophysical profile is done (c) Delivery always at 34 weeks (d) Umbilical artery Doppler studies are done

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

503. [2019] unknown

70. A 26 year old lady has a Prolactinoma (microadenoma). The best modality of treatment for her condition is: (a) Oral Cabergoline (b) Oral Bromocriptine (c) Surgery (d) Radiotherapy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

504. [2019] unknown

70. Which one of the following statements regarding contraception is NOT true? (a) Vaginal ring is a barrier method (b) Implanon is a hormonal contraceptive (c) Copper T can be used as post coital contraception (d) Copper T can be inserted just after delivery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

505. [2019] unknown

71. A 30-year woman in first trimester of pregnancy has Graves' disease. The treatment of choice is: (a) Radioiodine (b) Subtotal thyroidectomy (c) Carbimazole (d) Propylthiouracil

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

506. [2019] unknown

71. A 26 year old P2L2 has just had delivery. What are the contraceptive choices she has at present?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

507. [2019] unknown

72. The gold standard for diagnosis of Wilson's disease is: (a) Demonstration of Kayser-Fleischer rings (b) Urinary copper excretion (c) Serum ceruloplasmin (d) Liver biopsy with quantitative copper assays

508. [2019] unknown

72. A 22 year old woman comes with complaints of pain and discomfort in vaginal region. On examination there is unilateral tender swelling in the posterior half of labium minus, overlying skin is red and edematous. What is the most probable diagnosis? (a) Utero vaginal prolapse (b) Inversion of uterus (c) Bartholin's abscess (d) Trichomoniasis =====
PAGE 17 ===== 17

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

509. [2019] unknown

73. A 32-year old HIV infected male presents with shortness of breath and moderate fever of two- week duration. On examination, cyanosis is present, with respiratory rate of 22/minute and some basal crackles in chest. The CT chest shows bilateral ground-glass pattern. The most likely etiologic diagnosis is: (a) Streptococcus pneumoniae (b) Pneumocystis jirovecii (c) Mycobacterium tuberculosis (d) Staphylococcus sp.

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

510. [2019] unknown

73. A 29 year old woman is noted to have three consecutive first trimester spontaneous abortion. Examination reveals fibroid uterus. Which of the following types of uterine fibroids would most likely lead to recurrent abortions? (a) Submucosal (b) Intramural (c) Subserosal (d) Cervical

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

511. [2019] unknown

74. A 22-year old male is admitted with fever and altered consciousness for two days. Examination reveals nuchal rigidity and diffuse petechial rash on the trunk and lower extremities. The most likely etiologic agent is: (a) Escherichia coli (b) Streptococcus pneumoniae (c) Neisseria meningitidis (d) Haemophilus influenzae

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

512. [2019] unknown

74. A 25 year old infertile woman is noted to have blocked fallopian tube on Hysterosalpingography. Which of the following is the best next step for this woman? (a) Clomiphene citrate therapy (b) Gonadotropin therapy (c) Laparoscopy (d) Intrauterine insemination

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

513. [2019] unknown

75. The drug of choice for the treatment of severe falciparum malaria in a 32-week pregnant woman is: (a) Artesunate (b) Quinine (c) Chloroquine (d) Quinidine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

514. [2019] unknown

75. The contraceptive choice for a 38 year old woman with chronic hypertension and history of dysmenorrhea and menorrhagia (malignancy ruled out) is: (a) Copper intrauterine device (b) Levonorgestrel intrauterine device (c) Combined oral contraceptive pills (d) Sterilization

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

515. [2019] unknown

76. A 36-year old chronic alcoholic, malnourished male is hospitalized with pneumonia. His condition worsens after aggressive treatment with intravenous dextrose and antibiotics. This phenomenon of 'Refeeding Syndrome' is accompanied by which one of the following biochemical alterations? (a) Hypophosphatemia (b) Hyponatremia (c) Hyperkalemia (d) Hypermagnesemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

516. [2019] unknown

76. Which one of the following drugs does NOT interfere with efficacy of oral contraceptive pills and increase the failure rates? (a) Ranitidine (b) Rifampicin (c) Ampicillin (d) Barbiturates

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

517. [2019] unknown

77. A 28-year old man weighs 80 kg and has a height of 150 cm. Based on his body mass index, he will be categorized as: (a) Normal (b) Underweight (c) Overweight (d) Obese ===== PAGE 17 ===== 17

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

518. [2019] unknown

77. Which one of the following antihypertensive drugs is NOT safe during pregnancy? (a) Labetalol (b) ACE-inhibitors (c) Alpha-methyl dopa (d) Nifedipine ===== PAGE 18 ===== 18

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

519. [2019] unknown

78. Angular stomatitis and cheilosis are indicative of deficiencies of which of the following vitamins?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

520. [2019] unknown

78. Tubectomy is commonly performed at which site of fallopian tube? (a) Ampulla (b) Infundibulum (c) Isthmus (d) Cornua

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

521. [2019] unknown

79. Which of the following statements about "Early onset Osteoarthritis" are true?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

522. [2019] unknown

79. A 60 year old woman presents with postmenopausal bleeding. On endometrial curettage she is diagnosed as endometrial carcinoma. Which one of the following is a risk factor for endometrial cancer? (a) Multiparity (b) Oral contraceptive use (c) Smoking (d) Diabetes mellitus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

523. [2019] unknown

80. A 31-year young man presents with fever, weight loss, pain with swelling of knee joint and low backache with stiffness. Three weeks earlier, he was treated for symptoms of urinary tract infection by local practitioner. The joint aspirate is leucocyte rich and contains multinucleated macrophages. His urine culture is sterile. What is the most probable diagnosis? (a) Septic arthritis (b) Crystal arthritis (c) Reactive arthritis (d) Still disease ===== PAGE 18 ===== 18

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

524. [2019] unknown

80. A 29 year old woman presents in emergency ward with amenorrhea of 6 weeks and pain. Urine pregnancy test shows positive. Examination shows diffuse significant lower abdomen tenderness. The pelvic examination is difficult to accomplish due to guarding. Her Beta-hCG level is 4000 mIU/ml. Transvaginal ultrasound shows no pregnancy in the uterus and no adnexal mass but moderate fluid in abdomen. Which of the following is the next best step? (a) Repeat Beta-hCG level in 48 hours (b) Institution of methotrexate (c) Emergency laparotomy (d) Wait and watch

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

525. [2019] unknown

81. Consider the following statements regarding Gout in old age.

526. [2019] unknown

81. Global hunger index combines three equally weighted indicators EXCEPT: (a) Undernourishment (b) Child underweight (c) Child mortality (d) Child morbidity ===== PAGE 19 ===== 19

527. [2019] unknown

82. A 28-year old woman complains of arthritis involving bilateral metacarpophalangeal, proximal interphalangeal and wrist joints of one year duration. The most likely disease entity is: (a) Systemic lupus erythematosus (b) Ankylosing spondylitis (c) Rheumatoid arthritis (d) Osteoarthritis

528. [2019] unknown

82. Physical Quality of life consolidates which of the following indicators?

529. [2019] unknown

83. Which of the following are the complications of Rheumatoid arthritis?

530. [2019] unknown

83. The sequence of events leading to disability and handicap is: (a) Disease → Disability→Impairment→Handicap (b) Disease → Impairment→Disability→Handicap (c) Disease → Handicap→Impairment→Disability (d) Disease → Disability→Handicap→Impairment

531. [2019] unknown

84. Which of the following is an Interleukin-17A (IL-17A) antibody? (a) Ustekinumab (b) Infliximab (c) Secukinumab (d) Etanercept ===== PAGE 19 ===== 19

532. [2019] unknown

84. Which one of the following is NOT done as screening test in pregnancy? (a) Syphilis-VDRL (b) Serum cholesterol (c) Diabetes (d) Neural tube defects

533. [2019] unknown

85. The mainstay treatment of bipolar disorders is: (a) Oxcarbazine (b) Lithium (c) Risperidone (d) Olanzapine

534. [2019] unknown

85. Which one of the following statements is NOT true for taking a decision on screening for disease? (a) Disease prevalence should be high (b) Disease is lethal (c) Proportion of false negatives is high (d) Sensitivity and specificity are high ===== PAGE 20 ===== 20

535. [2019] unknown

86. During assessment of hearing in a 30-year old male, the Weber test reveals perceived tone in the left ear. He is likely to be suffering from: (a) Left sensorineural deafness (b) Left conductive deafness (c) Right sensorineural deafness (d) Right conductive deafness

536. [2019] unknown

86. In a case-control study, 300 women aged 20-45 years suffering from breast cancer were compared with age-matched 300 women without breast cancer. It was observed that 120 women among cases and 60 women among controls were obese. The odds ratio of developing breast cancer among obese women is: (a) 9/5 (b) 11/5 (c) 8/3 (d) 11/3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

537. [2019] unknown

87. A 56-year old man presented with acute onset aphasia. Speech output was markedly reduced with preserved comprehension of spoken language. The area of brain involved is: (a) Posterior part of temporal lobe (b) Cerebellum (c) Midbrain (d) Inferior frontal gyrus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

538. [2019] unknown

87. Standardized Mortality ratio is best explained by which one of the following statements? (a) New spells of disease in a given period of time per 1000 population (b) Number of deaths in a given period of time per 1000 population (c) Percentage of total number of deaths that occur in a population to the number of deaths that are expected to occur (d) Percentage of deaths in women as compared to deaths in men

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

539. [2019] unknown

88. A 30-year old male was being evaluated for paraparesis. On examination, there was severe muscle atrophy, with absent deep tendon reflexes and absent Babinski sign. The most likely possibility is: (a) Upper motor neuron disease (b) Lower motor neuron disease (c) Psychogenic cause (d) Cerebellar disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

540. [2019] unknown

88. In a family of six (2 parents and 4 children), the youngest child catches measles infection. The parents are immune to the infection. On 3rd and 5th day of the infection of the first child, the two other children also suffer from measles. The secondary attack rate (SAR) of measles is: (a) 33.3 % (b) 40 % (c) 50 % (d) 66.6 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

541. [2019] unknown

89. A 16-year old boy presented with fever and a diffuse maculopapular rash. Examination revealed generalised cervical lymphadenopathy and hepatosplenomegaly. After intake of Ampicillin (prescribed by a local practitioner), the rash worsened. The most likely diagnosis is: (a) Dengue fever (b) Measles (c) Drug-rash (d) Infectious mononucleosis =====
PAGE 20 ===== 20

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

542. [2019] unknown

89. What is the relative risk of developing pulmonary embolism in users of oral contraceptives as per the information given below? Women using OCs Pulmonary embolism Total Yes No Yes 120 80 200 No 10 70 80 Total 130 150 280 (a) 0.48 (b) 4.80 (c) 2.40 (d) 0.24 ===== PAGE 21 ===== 21

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

543. [2019] unknown

90. The phenomenon wherein normally innocuous stimuli produce pain is called: (a) Hyperalgesia (b) Allodynia (c) Analgesia (d) Sensitization

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

544. [2019] unknown

90. Which one of the following epidemiologic methods can be used to identify risk factors and estimate the degree of risk? (a) Cohort study and Randomized control trial (b) Case control and Cross-sectional studies (c) Case control and Cohort studies (d) Cohort study and Ecological studies

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

545. [2019] unknown

91. A 76-year old male categorized as frail is likely to have overt changes in:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

546. [2019] unknown

91. Which one of the following tests should be applied to compare mean haemoglobin level of two groups of antenatal mothers? (a) Chi-square test (b) Paired t-test (c) Unpaired t-Test (d) Analysis of variance

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

547. [2019] unknown

92. Nitroglycerin is NOT used as an oral tablet because of its: (a) Poor solubility (b) Poor degradability (c) High pre systemic metabolism (d) Unpalatability

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

548. [2019] unknown

92. In a population of 5000, there are 19 % eligible couples. To achieve a couple protection rate (CPR) of 60 %, how many of these should be covered for family planning services? (a) 530 (b) 550 (c) 570 (d) 590

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

549. [2019] unknown

93. Confabulation is a feature of the deficiency of: (a) Niacin (b) Folic acid (c) Thiamine (d) Zinc

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

550. [2019] unknown

93. The drug of choice for chemoprophylaxis to health care personnel and close contacts of suspected or confirmed case of pandemic influenza A (H1N1) is: (a) Zanamavir (b) Oseltamivir (c) Ribavirin (d) Amantadine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

551. [2019] unknown

94. Following the bite of a snake, a patient develops generalised myalgias, rhabdomyolysis, and progressive flaccid paralysis. The most likely snake implicated is: (a) Cobra (b) Krait (c) Russel viper (d) Sea snake ===== PAGE 21 =====
21

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

552. [2019] unknown

94. Which one of the following is the recommended site for immunization with hepatitis B vaccine in young children for ensuring reliable absorption? (a) Gluteal region (b) Anterolateral aspect of thigh (c) Deltoid region (d) Anterior aspect of thigh ===== PAGE 22 ===== 22

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

553. [2019] unknown

95. A 65-year old man, on Warfarin treatment, is started on antitubercular treatment. The pharmacologic effect of Warfarin is likely to: (a) Increase (b) Decrease (c) Remain the same (d) Be unpredictable and variable

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

554. [2019] unknown

95. Vaccine associated Paralytic Poliomyelitis is mostly observed due to which of the following isolate type strain? (a) Type-1 only (b) Type-3 (c) Type-2 only (d) Both Type-1 and 2

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

555. [2019] unknown

96. All of the following are components of the Wernicke's syndrome EXCEPT: (a) Ataxia (b) Ophthalmoplegia (c) Retrograde amnesia (d) Encephalopathy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

556. [2019] unknown

96. The specific goals for 2025 under the integrated Global Action Plan for the Prevention and Control of Pneumonia and Diarrhea (GAPD) are all of the following EXCEPT: (a) Reduce mortality from pneumonia in children less than 5 years of age to fewer than 3 per 1000 live births (b) Reduce mortality from diarrhea in children less than 5 years of age to fewer than 1 per 1000 live births (c) Reduce the incidence of severe pneumonia by 90 % in children less than 5 years of age compared to 2010 levels (d) Reduce incidence of severe diarrhea by 75 % in children less than 5 years of age compared to 2010 levels

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

557. [2019] unknown

97. During Neonatal Resuscitation, chest compressions should be discontinued once the heart rate is: (a) ≥ 60 beats per minute (b) ≥ 80 beats per minute (c) ≥ 100 beats per minute (d) Regular on auscultation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

558. [2019] unknown

97. Association between hardness of drinking water and death rate from cardiovascular diseases is: (a) Direct (b) Inverse (c) No association (d) Association is obtained in presence of confounders

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

559. [2019] unknown

98. A 5 day-old neonate is brought with abdominal distention and non-passage of meconium since birth. On per rectal examination, the anal tone is normal and the rectum is empty of faeces. There is rapid expulsion of faeces after the digital examination. Which test will help you to establish the diagnosis? (a) Rectal Manometry (b) Barium follow through contrast study (c) Rectal suction biopsy (d) Colonoscopy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

560. [2019] unknown

98. Which one of the following statements regarding Magnesium is NOT true? (a) It is constituent of bones (b) It is essential for normal metabolism of calcium and potassium (c) Human adult body contains about 50 g of Magnesium (d) Daily requirement of magnesium is estimated to be about 340 mg/day for adults ===== PAGE 23 ===== 23

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

561. [2019] unknown

99. Which of the following advantages is NOT associated with delayed cord clamping in term babies? (a) Improvement in haematological status (b) Increased iron levels (c) Decreased levels of physiological anemia of infancy (d) Reduction in hyperbilirubinemia ===== PAGE 22 ===== 22

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

562. [2019] unknown

99. Which one of the following oil/fat contains high mono-unsaturated fatty acid and moderate linoleic acid? (a) Groundnut oil (b) Palm kernel oil (c) Safflower oil (d) Flax seed oil

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

563. [2019] unknown

100. A term neonate delivered through meconium stained liquor, is found to be having poor respiratory efforts soon after birth. The most appropriate management for this child would be: (a) Intrapartum suctioning of mouth and nose before delivery of shoulders (b) Post natal tracheal suctioning (c) Immediate suctioning of mouth and nose (d) Initial steps of neonatal resuscitation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

564. [2019] unknown

100. Which one of the following trace elements if deficient in the diet can lead to low birth weight, preterm delivery, spontaneous abortion or even congenital malformation like anencephaly? (a) Copper (b) Cobalt (c) Selenium (d) Zinc

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

565. [2019] unknown

101. Which one of the following figures should a five year old developmentally normal child be able to draw? (a) Rectangle (b) Triangle (c) Circle (d) Cross

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

566. [2019] unknown

101. An adult weighs 73 kgs and has a height of 1.75 meters. For the purpose of classification of overweight and obesity as per WHO recommendation, this person will be classified as: (a) Underweight (b) Normal (c) Preobese (d) Overweight

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

567. [2019] unknown

102. Which of the following manifestations is/are NOT seen in breath holding spells? (a) Apnea (b) Tonic clonic movements (c) Drowsiness after the episode (d) Pallor

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

568. [2019] unknown

102. Which one of the following statements regarding WHO Global Action Plan for the prevention and control of NCDs (2013–2020) is NOT correct? (a) At least 10 percent relative reduction in the harmful use of alcohol as appropriate within national context (b) A 20 percent relative reduction in prevalence of insufficient physical activity (c) A 10 percent relative reduction in mean population intake of salt/sodium (d) Halt the rise of diabetes and obesity

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

569. [2019] unknown

103. Which of the following toxidromes is associated with the consumption of pesticides containing organophosphates? (a) Adrenergic (b) Serotonergic (c) Cholinergic (d) Hypnotic

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

570. [2019] unknown

103. All are components of Jai Vigyan Mission Mode project on community control of RF/RHD in India EXCEPT: (a) To study the epidemiology of streptococcal sore throats (b) To establish registries for RF and RHD (c) Antibiotic treatment of streptococcal sore throats (d) Vaccine development for streptococcal infection ===== PAGE 24 ===== 24

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

571. [2019] unknown

104. Which of the following is the primary antidote used in children with organophosphate poisoning? (a) Atropine (b) Physostigmine (c) Sodium bicarbonate (d) Naloxone ===== PAGE 23 ===== 23

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

572. [2019] unknown

104. What type of indicator is Sustainable Development Goal target 3.4, which calls for a one third reduction in premature mortality from Non Communicable Diseases (NCD's) by year 2030?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

573. [2019] unknown

105. Till what age should corrected age be used (rather than chronological age) for the development assessment of babies born preterm? (a) 6 months (b) 1 years (c) 2 years (d) 2.5 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

574. [2019] unknown

105. Which one of the following occupational diseases is the most common cause of permanent disability and mortality? (a) Silicosis (b) Anthracosis (c) Byssinosis (d) Asbestosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

575. [2019] unknown

106. Which of the following is NOT a maternal risk factor for the development of a neural tube defect? (a) Insulin dependent Diabetes Mellitus (b) Exposure to radiation (c) Intake of Phenytoin (d) Folate deficiency

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

576. [2019] unknown

106. Which one of the following conditions is NOT inborn error of metabolism? (a) Tay-Sach's disease (b) Maple syrup urine disease (c) Neural tube defects (d) Down's syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

577. [2019] unknown

107. Trisomy 13 is also known as: (a) Edward syndrome (b) Patau syndrome (c) Turner syndrome (d) Williams syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

578. [2019] unknown

107. Amniocentesis is called for in all of the following circumstances EXCEPT: (a) A mother aged 35 years or more (b) Mother who had a child with Down's syndrome or other chromosomal anomalies (c) Parents who are known to have chromosomal translocation (d) A father aged 50 year or more

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

579. [2019] unknown

108. Which one of the following is a type of glycogen storage disease? (a) Andersen disease (b) Gaucher disease (c) Krabbe disease (d) Sandhoff disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

580. [2019] unknown

108. As per WHO recommendations which one of the following mumps vaccine strains should NOT be used in National Immunization Programme? (a) Teryl Lynn (b) Rubini (c) L-Zagreb (d) RIT 4385 ===== PAGE 25 ===== 25

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

581. [2019] unknown

109. Which of the following biochemical tests for the detection of aneuploidies is performed in the first trimester of pregnancy? (a) Serum alpha-feto protein (b) Pregnancy associated plasma protein A (c) Unconjugated estriol (d) Inhibin A ===== PAGE 24 ===== 24

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

582. [2019] unknown

109. All of the following are mass approaches towards education of general public EXCEPT: (a) Internet (b) Roleplaying (c) Direct mailing (d) Posters, Bill boards and signs

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

583. [2019] unknown

110. Which of the following is NOT a birth defect related to a disorder in the development of the whole eyeball? (a) Anophthalmos (b) Cryptophthalmos (c) Microphthalmos (d) Nanophthalmos

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

584. [2019] unknown

110. Which one of the following Ministries controls the Integrated Child Protection Scheme (ICPS)? (a) Ministry of Health and Family Welfare (b) Ministry of Women and Child Development (c) Ministry of AYUSH (d) Ministry of Human Resource Development

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

585. [2019] unknown

111. Which of the following types of tracheoesophageal fistulae is the most common? (a) The upper part of the esophagus ends blindly and the lower end is connected to the trachea by a fistula (b) There is no fistulous connection between either the upper or the lower parts of the esophagus and the trachea (c) The upper part of the esophagus opens into the trachea (d) Both the upper and lower parts of the esophagus open into the trachea

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

586. [2019] unknown

111. Which of the following is a contraindication for BCG vaccination in a newborn? (a) Low birth weight (b) History of Tuberculosis in mother (c) Prematurity (d) HIV infection-symptomatic

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

587. [2019] unknown

112. Which one of the following antiretroviral drugs is a Nucleoside reverse transcriptase inhibitor? (a) Amprenavir (b) Indinavir (c) Abacavir (d) Nevirapine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

588. [2019] unknown

112. Rashtriya Bal Swasthya Karyakram (RBSK) attempts to identify all of the following deficiencies in children in the age group 0–18 years EXCEPT: (a) Severe acute malnutrition (b) Zinc deficiency (c) Vitamin A deficiency (d) Vitamin D deficiency

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

589. [2019] unknown

113. All of the following statements are true about the BCG vaccine EXCEPT: (a) It has 50–80% protection against miliary and meningeal forms of tuberculosis (b) It does not protect against other mycobacterial diseases like leprosy (c) It induces primary cell mediated immunity (d) There is interference with its effect due to maternal antibodies =====
PAGE 25 ===== 25

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

590. [2019] unknown

113. Children of severe acute malnutrition discharged from Nutritional Rehabilitation Centres (NRCs) should be observed in the community by an Anganwari Worker (AWW) as per which one of the following schedules? (a) Once a week for first month and then twice weekly (b) Twice weekly in first month and then once a week (c) Once a week for first month and then once fortnightly (d) Twice weekly in first month and then once fortnightly ===== PAGE 26 ===== 26

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

591. [2019] unknown

114. A 10 year-old boy has received complete pre exposure vaccination with the rabies vaccine. He is bitten on the hand by a stray dog within a year of the last dose. Which of the following will be the recommended treatment option? (a) Irrigation of the wound with water for ten minutes followed by povidone iodine (local care) (b) Local wound care and local infiltration with rabies Immunoglobulin (RIG) (c) Local wound care and 2 doses of rabies vaccine (day 0 and 3) (d) Local wound care and local infiltration of wound with RIG and 2 dose of rabies vaccine (day 0 and 3)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

592. [2019] unknown

114. The facilities provided to pregnant women under the Janani Shishu Suraksha Karyakram are all EXCEPT: (a) All pregnant women delivery in public health institution to have absolutely free and no expense delivery including cesarean section (b) Free diet up to 3 days during normal delivery (c) Free diagnosis and free blood whenever required (d) Complications during ANC, PNC are not covered

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

593. [2019] unknown

115. Which of the following combinations of the Human Papilloma Virus (HPV) serotypes are non-oncogenic? (a) 6 and 11 (b) 6 and 16 (c) 6 and 18 (d) 16 and 18

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

594. [2019] unknown

115. All of the following drugs are effective for treatment of human reservoir for hookworm infection in single dose EXCEPT: (a) Piperazine (b) Albendazole (c) Levamisole (d) Pyrantel

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

595. [2019] unknown

116. What type of vaccine is the Rotavirus vaccine? (a) Live attenuated organism (b) Killed organism (c) Toxoid (d) Subunit vaccine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

596. [2019] unknown

116. A woman delivers a healthy baby with weight 2.2 kg at the time of birth. What measures are to be taken?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

597. [2019] unknown

117. What is the risk of recurrence for Down's syndrome when the underlying cause is a translocation inherited from the father? (a) 1% (b) 4-5 % (c) 10 % (d) 100% ===== PAGE 26 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

598. [2019] unknown

117. LNG-20 (Mirena) is a third generation intra uterine device. What are the advantages of its use?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

599. [2019] unknown

118. An 8 month old infant with evolving Cerebral Palsy is diagnosed with the first episode of Urinary Tract Infection. What further radiological evaluation should be planned? (a) Ultrasound of the abdomen (KUB) only (b) Ultrasound of the abdomen (KUB) and Micturating Cystourethrogram (MCU) only (c) Ultrasound of the abdomen (KUB), Micturating Cystourethrogram (MCU) and radionuclide renal scan (99Tc DMSA scan) (d) Radionuclide or ultrasound scan (99Tc DMSA scan) followed by MCU (if required)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

600. [2019] unknown

118. Open vial policy applies to which one of the following vaccines? (a) BCG (b) Measles (c) Hep B (d) JE

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

601. [2019] unknown

119. Which one of the following vaccines is NOT included in Mission Indradhanush? (a) BCG (b) OPV (c) DPT (d) MMR

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

602. [2019] unknown

119. A village 'X' has a population of 5000 with a birth rate of 25 per thousand. In any given month, how many pregnancies should be registered with the ANM of this village? (a) 66 (b) 67 (c) 68 (d) 69

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

603. [2019] unknown

120. Which of the following drugs is NOT included in the management of Attention Deficit Hyperactivity disorder? (a) Amphetamine (b) Atomoxetine (c) Methylphenidate (d) Trientine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-1.pdf

604. [2019] unknown

120. In India, for providing HIV treatment services Link ART Centres are situated at: (a) Select medical colleges (b) Medical colleges and district level hospitals (c) Sub-district level hospitals and Community Health Centres (d) Primary Health Centres

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMSE-2019-Paper-2.pdf

605. [2020] paper-i

1. A chronic alcoholic develops a paroxysm of palpitations after alcohol binge. Which of the following Arrhythmia is most likely? (a) Ventricular fibrillation (b) Ventricular premature complex (c) Atrial flutter (d) Atrial fibrillation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

606. [2020] paper-i

1. Change in note, when patient phonates "EEE" (Egophony) is characteristic of interstitial fibrosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

607. [2020] paper-i

1. Oliguria is defined as passage of urine less than 300 ml per day

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

608. [2020] paper-i

1. Increased malignant plasma cells in the bone marrow

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

609. [2020] paper-i

1. Proptosis is often asymmetric and can even appear to be unilateral

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

610. [2020] paper-i

2. An elderly-man with history of Diabetes mellitus and Coronary Artery Disease comes for follow-up, with complaints of muscle pains. Which one of the following drugs could be the most likely cause? (a) Aspirin (b) Glimepiride (c) Enalapril (d) Atorvastatin

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

611. [2020] paper-i

2. Whispered pectoriloquy is characteristic of lung consolidation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

612. [2020] paper-i

2. They may occur in women just prior to menstruation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

613. [2020] paper-i

2. Anuria is said to exist when less than 50 ml urine is passed per day

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

614. [2020] paper-i

2. Its common cause is an underlying neuro-vascular pathology

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

615. [2020] paper-i

2. A high gas transfer factor for carbon monoxide (TLCO)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

616. [2020] paper-i

2. It is useful in chronic Gout management

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

617. [2020] paper-i

3. A 40-year old lady comes to outdoor clinic with complaints of sudden onset chest pain. The chest X-ray shows bilateral Pneumothorax. Examination reveals abnormalities of body habitus-including long arms, legs and finger (arachnodactyly), scoliosis, high arched palate, joint hypermobility, and a pansystolic murmur at cardiac apex. Which one of the following diseases is most likely? (a) Takayasu's arteritis (b) Raynaud's syndrome (c) Marfan's syndrome (d) Rheumatic heart disease-Mitral regurgitation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

618. [2020] paper-i

3. Monophonic wheeze is characteristic of asthma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

619. [2020] paper-i

3. Oral glucocorticoids may be needed for the treatment of severe, recurrent cases

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

620. [2020] paper-i

3. Polyuria is defined as urine volume in excess of 3 litre per day Which of the statements given above are correct? (a) 1 and 3 only (b) 2 and 3 only (c) 1 and 2 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

621. [2020] paper-i

3. It may be aggravated by beta-adrenergic agonist drugs

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

622. [2020] paper-i

3. Worsening of symptoms upon glucocorticoid withdrawal is common

623. [2020] paper-i

3. The main adverse effects are infusion reactions and development of antibodies Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

624. [2020] paper-i

4. All of the following are indications for treadmill testing/exercise-testing EXCEPT: (a) To confirm the diagnosis of angina (b) To evaluate stable angina (c) To assess outcome after coronary revascularization (d) To evaluate the treatment efficacy of antianginal drugs

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

625. [2020] paper-i

4. Hyper-resonant note on percussion is characteristic of pneumothorax Which of the above statements are correct? (a) 1 and 3 (b) 2 and 4 only (c) 1, 2 and 4 (d) 2, 3 and 4 ===== PAGE 4 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

626. [2020] paper-i

4. They are pre-malignant and progress over few years to squamous cell carcinoma of the oral cavity Which of the above statements are correct? (a) 1 and 4 only (b) 2 and 3 only (c) 1, 2 and 3 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

627. [2020] paper-i

4. Skeletal blastic lesions Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1, 3 and 4 (c) 1, 2 and 4 (d) 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

628. [2020] paper-i

4. Endocrine disorders like hyperprolactinemia may cause it Which of the statements given above are true? (a) 1 and 2 (b) 2 and 3 (c) 2 and 4 (d) 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

629. [2020] paper-i

4. Pheochromocytoma Which of the above are correct?: (a) 1, 2 and 4 (b) 1, 2 and 3 (c) 1, 3 and 4 (d) 2, 3 and 4 ===== PAGE 12 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

630. [2020] paper-i

4. Radiation therapy is very effective in treatment Which of the above statements are correct? (a) 1 and 2 only (b) 1, 2 and 3 (c) 2, 3 and 4 (d) 1 and 4 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

631. [2020] paper-i

4. Diffuse skin disease Select the correct answer using the code given below: (a) 1, 2 and 4 (b) 3 and 4 only (c) 1, 3 and 4 (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

632. [2020] paper-i

5. Kussmaul's sign is present in all of the following conditions, EXCEPT: (a) Massive Pulmonary Embolism (b) Restrictive Cardiomyopathy (c) Hypertrophic Cardiomyopathy (d) Right Ventricular Infarction

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

633. [2020] paper-i

6. Which one of the following is NOT a common cause of atrial fibrillation? (a) Mitral regurgitation (b) Hypothyroidism (c) Hypertension (d) Acute myocardial infarction ===== PAGE 2 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

634. [2020] paper-i

7. In an ECG recording, P wave is produced by: (a) Atrial depolarisation (b) Atrial repolarisation (c) Ventricular depolarisation (d) Ventricular repolarisation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

635. [2020] paper-i

8. Which one of the following modalities is NOT used in the treatment of ventricular tachycardia? (a) DC Cardioversion (b) Injection Lignocaine (c) Injection Amiodarone (d) Injection Adenosine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

636. [2020] paper-i

9. Which one of the following drugs is a Direct Renin Inhibitor? (a) Benedipine (b) Azilsartan (c) Aliskiren (d) Lisinopril

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

637. [2020] paper-i

10. All of the following are causes of systolic hypertension with wide pulse pressure EXCEPT: (a) Aortic regurgitation (b) Thyrotoxicosis (c) Patent ductus arteriosus (d) Aortic stenosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

638. [2020] paper-i

11. Signet-ring sign on CT-chest is suggestive of: (a) Bronchiectasis (b) Active alveolitis (c) Aspergilloma (d) Sarcoidosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

639. [2020] paper-i

12. Oral corticosteroids are best introduced in the treatment of chronic bronchial asthma when it is: (a) Mild persistent (b) Moderate persistent (c) Severe persistent (d) Very severe persistent

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

640. [2020] paper-i

13. An 18-year old male has insulin dependent diabetes, with malabsorption syndrome and bilateral upper lobe bronchiectasis. A diagnostic work-up will include all EXCEPT: (a) 24 hour fecal fat-estimation (b) CT-chest (c) Lung biopsy (d) DNA sequencing study ===== PAGE 3 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

641. [2020] paper-i

14. Which one of the following antigens is commonly associated with causation of Farmer's lung? (a) Penicillium (b) Actinomyces (c) Aspergillus (d) Candida

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

642. [2020] paper-i

15. The Gene X-pert test used for MTB detection has the additional advantage of detection of which of the following? (a) INH resistance (b) Rifampicin resistance (c) Multi drug resistance (d) Ethambutol resistance

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

643. [2020] paper-i

16. The most common cause of chronic type II respiratory failure is: (a) Severe pneumonia (b) Severe COPD (c) Severe

bronchial asthma (d) Severe pulmonary thromboembolism

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

644. [2020] paper-i

17. The most frequent symptom in respiratory diseases is: (a) Breathlessness (b) Chest pain (c) Hemoptysis (d) Cough

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

645. [2020] paper-i

18. A 26-year old young lady attends medical emergency and is labelled as acute severe asthma by the emergency physician. Which one of the following is unlikely to be a part of the prescription? (a) Albuterol (b) Anti-leukotrienes (c) Aminophylline (d) Magnesium sulfate

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

646. [2020] paper-i

19. Consider the following statements with regard to respiratory examination:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

647. [2020] paper-i

20. All of the following are the causes of exudative Pleural Effusion, EXCEPT: (a) SVC obstruction (b) Fungal infection (c) SLE (d) Meig syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

648. [2020] paper-i

21. Which one of the following is NOT true about Ghrelin? (a) It stimulates appetite (b) It decreases gastric emptying (c) It increases acid secretion (d) Fasting increases its secretion

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

649. [2020] paper-i

22. Fecal elastase test is used for diagnosing which one of the following conditions? (a) Lactose intolerance (b) Mucosal inflammation (c) Bile acid secretory defects (d) Pancreatic dysfunction

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

650. [2020] paper-i

23. The recent classification system for listing a patient as a candidate for liver transplantation is: (a) Child Pugh score (b) APACHE score (c) MELD score (d) Metavir score

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

651. [2020] paper-i

24. The blood supply of liver consists of: (a) 50 % hepatic artery and 50 % portal vein (b) 80 % portal vein and 20 % hepatic artery (c) 80 % hepatic artery and 20 % portal vein (d) 70 % hepatic artery and 30 % portal vein

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

652. [2020] paper-i

25. All of the following conditions are associated with Glomerulonephritis with low complement level, EXCEPT: (a) Subacute bacterial endocarditis (b) IgA nephropathy (c) Systemic lupus erythematosus (d) Cryoglobulinaemia =====
PAGE 5 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

653. [2020] paper-i

26. Consider the following statements with regard to oral aphthous ulcers:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

654. [2020] paper-i

27. Which one of the following statements about Barrett's Oesophagus is NOT correct? (a) It is a pre-malignant condition (b) Normal squamous cells lining the lower oesophagus are replaced by columnar cells (c) Normal columnar cells lining the lower oesophagus are replaced by squamous cells (d) It is an adaptive response to chronic gastro-oesophageal reflux

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

655. [2020] paper-i

28. The most common cause of acute hepatitis outbreaks in India is: (a) Hepatitis E (b) Hepatitis C (c) Hepatitis B (d) Hepatitis A

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

656. [2020] paper-i

29. Spontaneous oesophageal perforation after a bout of forceful vomiting or retching is characteristically seen in which one of the following conditions? (a) Menetrier's disease (b) Boerhaave's syndrome (c) Achalasia of the oesophagus (d) Barrett's oesophagus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

657. [2020] paper-i

30. Eradication of helicobacter pylori infection may prove beneficial in the following extra- gastric disorders EXCEPT: (a) Unexplained vitamin B12 deficiency (b) Idiopathic thrombocytopenic purpura (c) Iron deficiency anaemia without gastro-intestinal bleeding (d) Acute glomerulonephritis ===== PAGE 6 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

658. [2020] paper-i

31. What is the target blood Hemoglobin level when treating anaemia in Stage-4 chronic kidney disease patient? (a) 8 to 10 gm/dL (b) 10 to 12 gm/dL (c) 12 to 13 gm/dL (d) 13 to 14 gm/dL

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

659. [2020] paper-i

32. Which one of the following complications of chronic kidney disease is observed in patients with low parathyroid hormone levels? (a) Adynamic bone disease (b) Tumoral calcinosis (c) Osteitis fibrosa cystica (d) Calciphylaxis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

660. [2020] paper-i

33. All of the following statements about adult polycystic kidney disease are true, EXCEPT: (a) It is inherited as autosomal dominant trait (b) It is usually associated with marked proteinuria (c) It is usually associated with systematic hypertension, from young age (d) It is associated with Berry aneurysm

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

661. [2020] paper-i

34. Consider the following statements in relation to an adult patient:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

662. [2020] paper-i

35. White cell casts in urine examination are strongly suggestive of: (a) Nephritis (b) Pyelonephritis (c) Renal stone disease (d) Papillitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

663. [2020] paper-i

36. A 13-year old boy presents with hematuria, oliguria, edema and hypertension. He has history of sore throat two weeks prior to presentation. Laboratory investigations are remarkable for low C3 and increased titres of ASO and

antiDNase. Which one of the following statements is NOT correct about management for this condition? (a) Renal biopsy is rarely required for making diagnosis (b) Antibiotic treatment is given for streptococcal infection (c) Treatment is largely supportive (d) Immunosuppressants are to be used for crescentic glomerulonephritis ===== PAGE 7 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

664. [2020] paper-i

37. Which one of the following statements is NOT correct regarding the risk factors for nephrolithiasis? (a) Higher dietary calcium increases risk (b) Higher animal protein intake increases risk (c) Higher dietary potassium intake lowers risk (d) Lower urine citrate increases the risk

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

665. [2020] paper-i

38. A 60-year old patient is admitted in emergency with seizure, aphasia and altered sensorium. He has history of fever and headache for the preceding 3 days. The CSF examination is unremarkable. What would be the probable diagnosis? (a) Multiple sclerosis (b) Tubercular meningitis (c) Pyogenic (bacterial) meningitis (d) Viral encephalitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

666. [2020] paper-i

39. Drug of choice for the treatment of Trigeminal Neuralgia is: (a) Carbamazepine (b) Aceclofenac (c) Thiamine (d) Prednisone

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

667. [2020] paper-i

40. Constructional skills is a function of which lobe? (a) Dominant temporal lobe (b) Non dominant parietal lobe (c) Frontal lobe (d) Non dominant temporal lobe

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

668. [2020] paper-i

41. Vertical gaze palsy with convergence retraction nystagmus is seen in: (a) Weber syndrome (b) Millard Gubler syndrome (c) Claude syndrome (d) Parinaud syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

669. [2020] paper-i

42. A patient on looking forward was found to have his right eye deviated downwards and outwards with pupil dilated. He is suffering from: (a) Left 3rd nerve palsy (b) Left 6th nerve palsy (c) Right 4th nerve palsy (d) Right 3rd nerve palsy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

670. [2020] paper-i

43. All of the following are features of Cauda Equina syndrome EXCEPT: (a) Low back pain (b) Lower limb areflexia (c) Loss of bladder function (d) Extensor plantar response ===== PAGE 8 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

671. [2020] paper-i

44. A 68-year old male presented in OPD with complaints of progressive small handwriting. On examination, he had resting tremor, bradykinesia, rigidity and postural instability. This patient is suffering most likely from: (a) Parkinson's disease (b) Vascular dementia (c) Alzheimer's disease (d) Frontotemporal dementia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

672. [2020] paper-i

45. An elderly patient presents with abnormal gait. He has a wide base freezing gait with imbalance, comprising short strides, shuffling along the floor and difficulty with starts and turns. Heel-Shin test is normal. Which one of the following is most likely disorder? (a) Cerebellar ataxia (b) Sensory ataxia (c) Frontal gait disorder (d) Parkinson's disease

673. [2020] paper-i

46. Cushing reflex, seen in conditions of raised intra cranial pressure includes all of the following EXCEPT: (a) Bradycardia (b) Hypertension (c) Irregular respiration (d) Hypothermia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

674. [2020] paper-i

47. A 35 year old man presents with history of low grade fever and headache for last five weeks. Clinical examination is remarkable for signs of meningismus. He undergoes lumbar puncture (LP) and a day later reports worsening of headache. Which one of the following features is NOT consistent with diagnosis of "Post-LP" headache? (a) Post-LP headache usually begins within 48 hours (b) Post-LP headache worsens in sitting position (c) Post-LP headache is most severe upon waking up (d) Post-LP headache may improve with caffeine intake

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

675. [2020] paper-i

48. Which one of the following investigations is NOT appropriate in a case of recurrent thrombosis? (a) Antiphospholipid antibodies (b) Bcr-Abl assay (c) Protein C and S assays (d) Antithrombin level

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

676. [2020] paper-i

49. All of the following are causes of reactive thrombocytosis, EXCEPT: (a) Hemolytic anemia (b) Megaloblastic anemia (c) Post splenectomy (d) Chronic inflammatory disorders ===== PAGE 9 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

677. [2020] paper-i

50. Cryoprecipitate cannot be used for treatment of which one of the following conditions? (a) Von Willebrand disease (b) Hypofibrinogenemia (c) Hemophilia–B (d) Hemophilia–A

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

678. [2020] paper-i

51. Pyruvate kinase deficiency results in deficiency of ATP production and a chronic haemolytic anaemia. The disorder is inherited as an: (a) Autosomal recessive trait (b) X-linked recessive trait (c) Autosomal dominant trait (d) X-linked dominant trait

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

679. [2020] paper-i

52. Sickle cell disease may be associated with any of the following EXCEPT: (a) Acute chest syndrome (b) Aplastic crisis (c) Splenic sequestration crisis (d) Conn's syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

680. [2020] paper-i

53. Fever with splenomegaly and lymphadenopathy can be seen in (a) Infectious mononucleosis (b) Chronic leukaemia (c) Both infectious mononucleosis and chronic leukaemia (d) Neither infectious mononucleosis nor chronic leukaemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

681. [2020] paper-i

54. Every individual carries four alpha gene alleles. Deletion of three alleles leads to development of: (a) Haemoglobin X disease (b) Haemoglobin H disease (c) Haemoglobin F disease (d) Hydrops fetalis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

682. [2020] paper-i

55. Which one of the following is NOT true regarding Chronic Myeloid Leukaemia (CML)? (a) It is a clonal malignancy of haematopoietic stem (b) Risk of developing CML is increased in monozygotic twins (c) CML is defined by presence of BCR-ABL 1 fusion gene (d) 10 year survival with TKI therapy is 85% ===== PAGE 10 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

683. [2020] paper-i

56. Diagnostic criteria of multiple myeloma includes which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

684. [2020] paper-i

57. The most predominant type of serum immunoglobulin involved in patients with plasma cell disorder is: (a) Ig G (b) Ig A (c) Ig D (d) Light chains

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

685. [2020] paper-i

58. Which one of the following statements is NOT true regarding the thyroid function/disorder in pregnancy? (a) There is an increase in the metabolism of thyroxine by placenta (b) Hyperemesis gravidarum may be associated with thyrotoxicosis in pregnancy (c) Levothyroxine replacement therapy dose should be decreased by 30–50% early in pregnancy (d) Impaired cognitive impairment may be seen in the offspring of mother with subclinical hypothyroidism

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

686. [2020] paper-i

59. Which one of the following is NOT the criterion for the diagnosis of Diabetes mellitus? (a) Symptoms of diabetes and random plasma sugar concentration ≥ 200 mg/dL (b) HbA1c ≥ 6.5 % (c) 2-hours plasma glucose ≥ 200 mg/dL during an oral glucose tolerance test (d) Fasting plasma glucose ≥ 110 mg/dL

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

687. [2020] paper-i

60. A young lady presents in outdoor clinic with complaints of menstrual irregularity, weight gain, hair loss, tiredness and weakness. What will be the investigation of choice? (a) FSH & LH level (b) Estrogen level (c) Free T3 and free T4 level (d) Free T4 and TSH level ===== PAGE 11 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

688. [2020] paper-i

61. Consider the following statements about erectile dysfunction in diabetic males:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

689. [2020] paper-i

62. All of the following can cause Hyperprolactinemia, EXCEPT: (a) Craniopharyngioma (b) Hyperthyroidism (c) Stress (d) Chronic renal failure

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

690. [2020] paper-i

63. All of the following can be seen in a case of thyrotoxicosis, EXCEPT: (a) Atrial fibrillation (b) Periodic paralysis (c) Deafness (d) Osteoporosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

691. [2020] paper-i

64. Which one of the following hormones acts via the receptor tyrosine kinase? (a) FSH (b) TSH (c) IGF-1 (d) PTH

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

692. [2020] paper-i

65. Consider the following disorders as constituent of Multiple Endocrine Neoplasia Type 2a (MEN 2a):

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

693. [2020] paper-i

66. Consider the following statements with regard to Graves' ophthalmopathy :

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

694. [2020] paper-i

67. All of the following are common aetiologies of delirium EXCEPT: (a) Hyperthyroidism (b) Hypothyroidism (c) Hyperparathyroidism (d) Hypoparathyroidism

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

695. [2020] paper-i

68. Key anthropometric measurements important for evaluating the degree of obesity are: (a) Weight, height and waist circumference (b) Weight, height and hip circumference (c) Weight, height and mid-thigh circumference (d) Weight, height and chest circumference

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

696. [2020] paper-i

69. What is the minimum BMI (Body Mass Index) recommended for considering adjuvant pharmacologic treatment in obesity with comorbidity? (a) 23 kg/m² (b) 25 kg/m² (c) 27 kg/m² (d) 30 kg/m²

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

697. [2020] paper-i

70. A young medical student while working in HIV ward got pricked accidentally on the finger by a syringe needle which was used to draw blood from a patient. Patient's infection status is not known. Which one of the following therapeutic interventions will be the best interest of this student? (a) To start Dolutegravir immediately (b) To wash wound with soap and water and start Emtricitabine (c) To give Dolutegravir + Tenofovir + Emtricitabine (d) To give Dolutegravir + Tenofovir + Emtricitabine + HBV Immunoglobulin

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

698. [2020] paper-i

71. Cryptococcal infection is acquired through: (a) Inhalation route (b) Bite of Culex mosquito (c) Direct skin contact (d) Ingestion of spores ===== PAGE 13 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

699. [2020] paper-i

72. Which one of the following is NOT appropriate treatment for Echinococcus granulosus and hydatid disease? (a) Albendazole 400 mg twice in a day for 3 months (b) Diethylcarbamazine 2 mg/kg thrice in a day for 12 days (c) PAIR (percutaneous puncture, aspiration, injection of scolicide, reaspiration) (d) Praziquantel (20 mg/kg twice daily for 14 days)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

700. [2020] paper-i

73. Which one of the following infections is NOT amenable to post-exposure prophylaxis with specific immunoglobulins? (a) Hepatitis B (b) HIV (c) Tetanus (d) Rabies

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

701. [2020] paper-i

74. Echinocandins are a class of: (a) Antiviral agents (b) Antiparasitic agents (c) Antitubercular agents (d) Antifungal agents

702. [2020] paper-i

75. Recommended first time drug for initial treatment of tuberculosis include all EXCEPT: (a) Isoniazid (b) Rifampin (c) Ethambutol (d) Ethionamide

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

703. [2020] paper-i

76. The most frequent adverse reaction of significance among people treated for drug-susceptible tuberculosis is: (a) Colitis (b) Hepatitis (c) Cystitis (d) Enteritis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

704. [2020] paper-i

77. All adult patients in whom anti-tubercular treatment is being started should undergo baseline assessment of: (a) Complete blood count (b) Liver function test (c) Lipid profile (d) Pulmonary function test

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

705. [2020] paper-i

78. A 30 year old male presents with fever, headache, anorexia, nausea, vomiting and diarrhoea. On examination tongue is coated with abdominal tenderness, soft splenomegaly, relative bradycardia and rose spots rash. The most likely diagnosis is: (a) Malaria fever (b) Enteric fever (c) Leptospirosis (d) Dengue fever ===== PAGE 14 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

706. [2020] paper-i

79. The extrapulmonary sites most commonly involved in tuberculosis are all EXCEPT: (a) Lymph node TB (b) Genitourinary TB (c) Skeletal TB (d) Skull TB

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

707. [2020] paper-i

80. Which of the following is NOT a clinical feature of Botulism? (a) Impaired alertness (b) Dysphagia (c) Diplopia (d) Ptosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

708. [2020] paper-i

81. Post exposure prophylaxis (PEP) for HIV should contain: (a) 2 antiretroviral drugs administered for 4 weeks (b) 2 antiretroviral drugs administered for 6 weeks (c) 3 antiretroviral drugs administered for 4 weeks (d) 3 antiretroviral drugs administered for 6 weeks

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

709. [2020] paper-i

82. Paralytic rabies is characterized by: (a) Maculopapular rash (b) Flaccid muscle weakness (c) Spastic muscle weakness (d) Hyperexcitability and facial weakness

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

710. [2020] paper-i

83. All of the following are seen in Marasmus EXCEPT: (a) Reduced triceps skinfold (b) Reduced mid arm circumference (c) Protein wasting (d) Decreased body mass index

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

711. [2020] paper-i

84. A 20 year young lady presents with high grade fever for five days and palpable purpura over extremities. She is found to be confused, with presence of neck stiffness. Which of the following is the most likely diagnosis? (a)

Disseminated intravascular coagulation (b) Acute meningococemia (c) Antiphospholipid antibody syndrome (d) Thrombotic thrombocytopenic purpura

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

712. [2020] paper-i

85. Fibroblast Growth Factor 23 (FGF 23) is increased in which one of the following conditions? (a) Osteomalacia (b) Osteoporosis (c) Paget's disease (d) Renal Osteodystrophy ===== PAGE 15 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

713. [2020] paper-i

86. Which of the following crystals are deposited in a case of pseudogout? (a) Monosodium urate (b) Calcium phosphate (c) Cholesterol crystals (d) Calcium pyrophosphate dehydrate (CPPD)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

714. [2020] paper-i

87. Which of the following features are associated with poor prognosis in Diffuse Cutaneous Systemic Sclerosis?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

715. [2020] paper-i

88. Which of the following statements regarding pegloticase are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

716. [2020] paper-i

89. The most common cause of sensorineural hearing loss in adults is: (a) Otosclerosis (b) Meniere's disease (c) Presbycusis (d) Meningitis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

717. [2020] paper-i

90. A 50-year old male presents with dizziness. Which one of the following clinical findings does NOT favour a central cause? (a) Poor saccades (b) Gaze evoked nystagmus (c) Inhibition by visual fixation (d) Presence of diplopia, dysarthria ===== PAGE 16 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

718. [2020] paper-i

91. A young primigravida with 11 weeks pregnancy presents with sudden onset pain and swelling of left lower limb. Homan's sign is positive. Duplex ultrasonogram shows non-compressibility of veins in the affected region, with absent flow. The drug of choice for treatment is: (a) Enoxaparin (b) Amoxycillin-Clavulanic acid (c) Warfarin (d) Limb elevation only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

719. [2020] paper-i

92. All of the following are clinical features of hypovolaemic shock EXCEPT: (a) Cold clammy skin (b) Bradycardia (c) Hypotension (d) Oliguria

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

720. [2020] paper-i

93. Which one of the following is most appropriate to describe classic heat stroke? (a) Patients core body temperature rises above 44°C with headache, nausea and loss of consciousness (b) Patients core body temperature rises above 40 °C with muscle tremors, confusion, loss of consciousness and loss of sweating (c) Patients core body temperature rises above 38 °C with increased sweating, tachypnoea, tachycardia and loss of consciousness (d) Patients core body temperature is above 40 °C with disorientation, increased sweating, peripheral vasodilation, tachycardia and loss of consciousness

721. [2020] paper-i

94. Which of the following is NOT a priority in the initial management of shock from venomous snake? (a) Aggressive volume resuscitation (b) Vasopressor support (c) Anti-venom administration (d) All of these are undertaken simultaneously

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

722. [2020] paper-i

95. Which one of the following is NOT an appropriate criterion for diagnosis of Systemic Inflammatory Response Syndrome (SIRS)? (a) Respiratory rate > 20/mm (b) Heart rate > 90/min (c) Total leucocyte count > 16 ■ 109 per Litre (d) Temperature > 38 0C ===== PAGE 17 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

723. [2020] paper-i

96. All of the following predispose to Acute Respiratory Distress Syndrome EXCEPT: (a) Acute Pancreatitis (b) Toxic gas inhalation (c) Aspiration of gastric contents (d) Severe Bronchial asthma

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

724. [2020] paper-i

97. An 8 year old child has consumed a few tablets of a drug that were being taken by his mother on a regular basis. Following this the child develops gastric necrosis, acidosis, shock and hepatic necrosis. Which is the most likely drug? (a) Multivitamins (b) Calcium carbonate (c) Folic acid (d) Iron

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

725. [2020] paper-i

98. A newborn weighing 1.5 kg at birth presents at 6 hours of age with lethargy, weak and high pitched cry and difficulty in feeding. What is the next step in management? (a) Estimation of blood sugar (b) Estimation of serum calcium (c) Supplementary oxygen (d) Bedside electrocardiogram

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

726. [2020] paper-i

99. In a child with acute organophosphorus poisoning, which one of the following drugs will act as anti-sialogogue and peripheral parasympatholytic agent? (a) Carbamates (b) Atropine (c) Benzodiazepine (d) Pralidoxime

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

727. [2020] paper-i

100. A 6-year old child needs to undergo a central Catheter placement for total parental nutrition. The procedure is likely to evoke pain and anxiety. Which of the following is the most appropriate drug for sedation and analgesia in this child? (a) Chloral hydrate (b) Midazolam (c) Propofol (d) Ketamine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

728. [2020] paper-i

101. Which one of the following is the drug of choice in a child presenting with supraventricular tachycardia? (a) Atropine (b) Lidocaine (c) Adenosine (d) Naloxone ===== PAGE 18 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

729. [2020] paper-i

102. Which one of the following drugs is used in cardiopulmonary resuscitation for pulseless ventricular fibrillation? (a) Atropine (b) Adenosine (c) Lidocaine (d) Amiodarone

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

730. [2020] paper-i

103. Which one of the following is a sign of good attachment during breastfeeding? (a) The baby's nose is at the level of the nipple (b) The baby's chin touches the breast (c) Most of the nipple is in the mouth and the lower areola is visible (d) The baby's lower lip is inverted

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

731. [2020] paper-i

104. Which one of the following signs is NOT included as an indicator of a vigorous baby immediately after delivery of an infant born through meconium stained liquor? (a) Pink colour (b) Strong respiratory efforts (c) Good muscle tone (d) Active movements of the baby

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

732. [2020] paper-i

105. All are true for a Cephalohematoma in a newborn EXCEPT: (a) It is located over the parietal bones in the subcutaneous plane (b) It may be associated with hyperbilirubinemia (c) It increases in size in the first 12–24 hours (d) It can take 3–6 weeks to resolve

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

733. [2020] paper-i

106. Which of the following sick neonates can be started on "Minimal Enteral Feeding", if hemodynamically stable? (a) Septic neonate with sclerema (b) Neonate with necrotizing enterocolitis (NEC) (c) Neonate on mechanical ventilation (d) Symptomatic hypoglycaemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

734. [2020] paper-i

107. Which one of the following drugs is contraindicated in a mother who is breastfeeding her infant? (a) Bromocriptine (b) Chlorpromazine (c) Acyclovir (d) Morphine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

735. [2020] paper-i

108. A term neonate presents with tachypnea on day 1 after birth. The chest X-ray reveals hyperexpanded lung fields, prominent vascular markings, and prominent interlobar fissure. Which of the following is the most probable diagnosis? (a) Congenital lobar emphysema (b) Diaphragmatic hernia (c) Transient tachypnea of the newborn (d) Tracheoesophageal fistula ===== PAGE 19 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

736. [2020] paper-i

109. A pre-school boy can go upstairs on alternate feet and has also started copying a circle. How many blocks should he be able to build a tower with, without toppling over? (a) 5 (b) 7 (c) 9 (d) More than 10

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

737. [2020] paper-i

110. Which one of the following drugs is the antidote for benzodiazepine poisoning? (a) Flumazenil (b) Atropine (c) Naloxone (d) Pralidoxime aldoxime methiodide

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

738. [2020] paper-i

111. A 3-year old child develops severe respiratory distress after inhalation of fumes arising from burning plastic. The child is started on supportive ventilation. Which one of the following antidotes needs to be given? (a) Hydroxycobalamin (b) Amylnitrate (c) Sodium nitrite (d) N-acetyl cysteine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

739. [2020] paper-i

112. A child has an incurving of the little finger. What is this condition known as? (a) Camptodactyly (b) Brachydactyly (c) Partial cutaneous syndactyly (d) Clinodactyly

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

740. [2020] paper-i

113. A 4-week old infant presents with repeated episodes of non-bilious vomiting since 7 days. The infant seems active and hungry after the vomiting. Examination reveals an olive-shaped mass in the epigastrium. Which metabolic abnormality is expected in this infant? (a) Hyperchloremia (b) Metabolic alkalosis (c) Hyperkalemia (d) Hyponatremia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

741. [2020] paper-i

114. Which one of the following is the correct dose and route of administration of hepatitis B vaccine in children? (a) 0.5 mL dose with 10 microgram of antigen subcutaneously (b) 0.5 mL dose with 10 microgram of antigen intramuscularly (c) 1 mL dose with 5 microgram of antigen subcutaneously (d) 1 mL dose with 5 microgram of antigen intramuscularly

===== PAGE 20 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

742. [2020] paper-i

115. Which one of the following statements is correct for approved acellular pertussis vaccine? (a) It contains at least 3 IU of inactivated pertussis toxin (b) It contains at least 3 pathogenic pertussis antigens (c) Its efficacy is superior to the whole cell pertussis vaccine (d) Presence of nonfimbrial protein is a mandatory component

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

743. [2020] paper-i

116. Which of the following is recommended in the follow up health visits of a child with Down syndrome? (a) Growth assessment twice a year in the first year and annually till 5 years (b) Annual auditory screening from 1 to 5 years (c) Screening for refractory error if visual impairment is suspected (d) Annual thyroid function test from birth to 2 years

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

744. [2020] paper-i

117. A 12 year old child presents with delayed puberty and delayed bone age. His growth records reveal that he was growing normally till 1 year of age, after which both his height and weight fell to below the third centile for age. Subsequently, he continued to grow below the third centile with normal height velocity. What is the most likely diagnosis? (a) Familial short stature (b) Constitutional growth delay (c) Growth hormone deficiency (d) Skeletal dysplasia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

745. [2020] paper-i

118. According to the 'Integrated Management of Neonatal and Childhood Illnesses' (IMNCI) classification of young infants upto 2 months, which one of the following signs is NOT included in 'Possible Serious Bacterial Infection' (a) Fast breathing (50 breaths or more per minute) (b) Severe chest indrawing (c) Axillary temperature less than 36.5 °C (d) Movement only when stimulated or no movement at all

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

746. [2020] paper-i

119. Neonatal tetanus elimination in India is defined as less than one case per: (a) 100 live births per year (b) 1000 live births per year (c) 10000 live births per year (d) 100000 live births per year

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf

747. [2020] paper-i

120. Which one of the following facilities has been established at district hospitals in India to strengthen the care of low

birth weight babies and sick newborns? (a) Special Newborn Care Units (SNCU) (b) Newborn Treatment Units (NTU) (c) Newborn Stabilization Units (NSU) (d) Shishu Suraksha Units (SSU)

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-I-2020.pdf>

748. [2020] paper-ii

1. Indications for fasciotomy in compartment syndrome include all EXCEPT: (a) Distal sensory disturbance (b) Compartment pressure > 30 mm Hg (c) Pain on passive movement of affected muscles (d) Palpable distal pulses

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

749. [2020] paper-ii

1. Injured part should be washed under running water

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

750. [2020] paper-ii

1. It is a marker for silent coronary disease

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

751. [2020] paper-ii

1. Main arterial trunk is the common site

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

752. [2020] paper-ii

1. Incidence has decreased due to rarely combined therapy of axillary LN dissection and radiotherapy

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

753. [2020] paper-ii

1. Reactive NST indicates a healthy fetus

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

754. [2020] paper-ii

1. Certified for assisting at least 15 MTP in an authorized centre

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

755. [2020] paper-ii

1. Presence of greenish frothy discharge

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

756. [2020] paper-ii

1. Bartholin's abscess may be the likely diagnosis

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

757. [2020] paper-ii

1. Reduction in dietary intake of common salt

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

758. [2020] paper-ii

1. Presence of a normal karyotype is the first requisite for human health

Official source: <backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf>

759. [2020] paper-ii

1. When lymphatic filariasis ceases to be a public health problem in the community

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

760. [2020] paper-ii

1. It consolidates infant mortality, life expectancy at age one, and literacy

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

761. [2020] paper-ii

1. Population per trained birth attendant

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

762. [2020] paper-ii

1. Compared to 2015, the target is to reduce the malaria mortality rates globally by at least 90% by year 2030

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

763. [2020] paper-ii

1. It is observed every year in the month of June

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

764. [2020] paper-ii

2. Which one of the following statements is NOT correct regarding Necrotising Soft Tissue infections? (a) Crepitus, skin blistering and focal skin gangrene are typical presenting features (b) They are monomicrobial in nature (c) Treatment consists of wide local excision and appropriate antibiotics (d) Tissue biopsy is required for culture and diagnosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

765. [2020] paper-ii

2. Dominant index finger is the commonest site for needle stick injury

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

766. [2020] paper-ii

2. Structured exercise program (2 hours per week for 3 months) leads to improvement in symptoms

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

767. [2020] paper-ii

2. Precipitating cause like LN metastasis is a major determinant

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

768. [2020] paper-ii

2. NST is an observed association of fetal breathing with fetal movements

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

769. [2020] paper-ii

2. Diploma or degree in Obstetrics and Gynaecology

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

770. [2020] paper-ii

2. Uterine contractions with duration and frequency

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

771. [2020] paper-ii

2. It is to be managed by marsupialisation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

772. [2020] paper-ii

2. Internal examination must be performed

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

773. [2020] paper-ii

2. Genetic screening can play an important role in prevention of wide spectrum of diseases

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

774. [2020] paper-ii

2. When the number of microfilaria carriers declines to 1.5 % within the community

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

775. [2020] paper-ii

2. It does not measure economic growth but measures the result of economic policies

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

776. [2020] paper-ii

2. Strengthening community action for health

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

777. [2020] paper-ii

2. Compared to 2015, the target is to reduce malaria case incidence by 90% by year 2030

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

778. [2020] paper-ii

2. It is planned during the Monsoon season

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

779. [2020] paper-ii

3. Which type of surgery is laparoscopic cholecystectomy classified as? (a) Clean (b) Clean contaminated (c) Contaminated (d) Dirty

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

780. [2020] paper-ii

3. All needle stick injuries should be reported

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

781. [2020] paper-ii

3. Diabetes mellitus increases the risk and severity of claudication

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

782. [2020] paper-ii

3. It is symptomless unless it ruptures Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

783. [2020] paper-ii

3. NST has a low false negative rate (< 1%) but high false positive rate (>50%)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

784. [2020] paper-ii

3. House surgeon training for 3 months in Obstetrics and Gynaecology

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

785. [2020] paper-ii

3. Dilatation of cervix Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

786. [2020] paper-ii

3. Presence of clue cells in microscopic examination

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

787. [2020] paper-ii

3. Polycystic ovaries on ultrasound Which of the above are correct? (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3 ===== PAGE 15 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

788. [2020] paper-ii

3. Urgency and frequency Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

789. [2020] paper-ii

3. Gonococcus is the most common pathogenic organism Select the correct answer using the code given below: (a) 1 and 3 only (b) 3 only (c) 1 and 2 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

790. [2020] paper-ii

3. HIV testing is done Which of the above statements is/are correct? (a) 1 and 3 only (b) 2 only (c) 1, 2 and 3 (d) 3 only ===== PAGE 16 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

791. [2020] paper-ii

3. It is non-toxic Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

792. [2020] paper-ii

3. Increasing potassium rich foods in the diet Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3 ===== PAGE 17 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

793. [2020] paper-ii

3. If an individual is allowed to live in healthy relationship with the environment, the person's genetic potentialities can transform into phenotypic realities Which of the above statements is/are correct? (a) 1 and 2 only (b) 1 and 3 only (c) 1, 2 and 3 (d) 2 and 3 only

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

794. [2020] paper-ii

3. Common source-point exposure Select the correct answer using the code given below: (a) 1 and 2 (b) 1 and 3 (c) 1 only (d) 2 only ===== PAGE 18 =====

795. [2020] paper-ii

3. Chronic empyema Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

796. [2020] paper-ii

3. When children born in the community after the initiation of elimination programme are free from circulating antigenaemia Which of the criteria stated above hold true? (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3 ===== PAGE 22 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

797. [2020] paper-ii

3. For each component, the performance of individual countries is placed on a scale of 0-100 Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

798. [2020] paper-ii

3. Doctor-nurse ratio Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3 ===== PAGE 23 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

799. [2020] paper-ii

3. Reorienting health services Select the correct answer using the code given below: (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

800. [2020] paper-ii

3. Eliminate malaria from at least 35 countries, where malaria was transmitted in 2015, by year 2030 Which of the above statements hold true? (a) 1 and 2 only (b) 2 and 3 only (c) 1 and 3 only (d) 1, 2 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

801. [2020] paper-ii

3. It aims to enhance the level of community awareness and participation Select the correct answer using the code given below: (a) 1 and 2 (b) 2 and 3 (c) 3 only (d) 1 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

802. [2020] paper-ii

4. A 22-year female has presented with a history of malaise, cough, alternating constipation and diarrhoea with intermittent abdominal pain for last 6 months. She also complains of abdominal distension for last 2 days. On examination her abdomen has a doughy feel along with an ill defined mass over the right lower quadrant. She is most likely suffering from: (a) Appendicular lump (b) Ileocaecal tuberculosis (c) Carcinoma caecum (d) Ovarian mass

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

803. [2020] paper-ii

4. Hepatitis/HIV testing should be done after needle stick injury Which of the statements given above are correct? (a) 1, 2 and 4 (b) 1, 2 and 3 (c) 1, 3 and 4 (d) 2, 3 and 4 ===== PAGE 2 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

804. [2020] paper-ii

4. Beta blockers may exacerbate claudication Which of the above statements are correct? (a) 1 and 2 only (b) 1, 3 and 4

only (c) 2, 3 and 4 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

805. [2020] paper-ii

4. Oedematous limb is susceptible to bacterial infection Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 2, 3 and 4 (c) 1, 3 and 4 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

806. [2020] paper-ii

4. Testing should be started at 20 weeks Which of the statement(s) given above is/are correct? (a) 1 and 3 (b) 2 only (c) 3 only (d) 1 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

807. [2020] paper-ii

4. Thousand woman years Select the correct answer using the code given below: (a) 1 only (b) 2 and 3 (c) 1, 2 and 4 (d) 1 and 3

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

808. [2020] paper-ii

4. Certified training for 6 months in laparoscopic surgeries Select the correct answer using the code given below: (a) 1 only (b) 2 only (c) 1, 2 and 3 (d) 1, 2 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

809. [2020] paper-ii

4. Circumferential vessels on surface Select the correct answer using the code given below: (a) 1 and 3 (b) 2 and 4 (c) 2 and 3 (d) 1 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

810. [2020] paper-ii

4. Strawberry spots on the vaginal mucosa Select the correct answer using the code given below: (a) 1, 2 and 3 (b) 1, 2 and 4 (c) 2, 3 and 4 (d) 1, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

811. [2020] paper-ii

4. Progesterone support Which of the above is/are correct? (a) 2 and 3 (b) 3 and 4 (c) 3 only (d) 1 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

812. [2020] paper-ii

4. Psittacosis Select the correct answer using the code given below: (a) 1 and 3 only (b) 1 and 4 only (c) 3 and 4 only (d) 1, 2, 3 and 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

813. [2020] paper-ii

5. Consider the following statements regarding needle stick injuries:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

814. [2020] paper-ii

6. Consider the following statements regarding claudication:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

815. [2020] paper-ii

6. External rotation What is the correct sequence of movements in labor in occipito-lateral position? (a) 1, 2, 3, 4, 5 and 6 (b) 1, 3, 2, 5, 4 and 6 (c) 2, 1, 3, 4, 5 and 6 (d) 3, 1, 2, 4, 6 and 5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

816. [2020] paper-ii

7. A 50-year old lady underwent uneventful bariatric surgery for morbid obesity. On the third post operative day, she develops breathless and pulmonary embolism is suspected. The next investigation to confirm the diagnosis will be: (a) Echocardiography (b) Duplex venography (c) CT pulmonary angiography (d) MR angiography

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

817. [2020] paper-ii

8. Medical management of thyrotoxic crisis includes all of the following EXCEPT: (a) IV fluids (b) IV propranolol (c) IV hydrocortisone (d) IV antibiotics

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

818. [2020] paper-ii

9. A patient operated for a parotid gland tumour developed symptoms of sweating and erythema (flushing) over the region of surgical excision while eating. The probable diagnosis is: (a) Parotid gland fistula (b) Sialadenitis (c) Chronic wound infection (d) Frey's syndrome

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

819. [2020] paper-ii

10. First line hormone therapy for post-menopausal woman with metastatic carcinoma breast is: (a) Tamoxifen (b) Ovarian suppression by surgery (c) Antiprogestins (d) Anastrozole ===== PAGE 3 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

820. [2020] paper-ii

11. All of the following are major subtypes of breast cancer based on Gene array analysis EXCEPT: (a) Luminal A and Luminal B (b) Triple negative (c) Her-2 receptor positive (d) Oestrogen receptor positive

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

821. [2020] paper-ii

12. All of the following are sequelae of peptic ulcer surgery EXCEPT: (a) Bilious vomiting (b) Dumping syndrome (c) Diarrhoea (d) Increased appetite

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

822. [2020] paper-ii

13. The Child-Turcotte-Pugh (CTP) score for quantifying the severity of chronic liver disease includes all variables EXCEPT: (a) Serum bilirubin (b) Serum albumin (c) Serum creatinine (d) INR (International Normalised Ratio)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

823. [2020] paper-ii

14. 'Chain of Lakes' appearance due to sacculation with intervening short strictures of pancreatic duct is seen on: (a) ERCP (b) CECT abdomen (c) Plain X-ray abdomen (d) Ultrasonography

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

824. [2020] paper-ii

15. Which one of the following statements is NOT correct regarding Pyogenic Liver Abscess? (a) Anorexia, fever, malaise and right upper quadrant abdominal discomfort are the most common presenting features (b) It is more common in elderly, diabetics and immunocompromised patients (c) Treatment is with oral antibiotics alone (d) Streptococcus milleri and escherichia coli are the most common causative organisms

825. [2020] paper-ii

16. 'Swiss cheese defects' are seen during laparoscopic repair of: (a) Ventral hernia (b) Inguinal hernia (c) Obturator hernia (d) Femoral hernia ===== PAGE 4 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

826. [2020] paper-ii

17. Which of the following are correct regarding splenic artery aneurysm?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

827. [2020] paper-ii

18. Valentino's syndrome is: (a) Pain on per-vaginal examination in pelvic abscess (b) Pain over left shoulder in left hypochondriac collection (c) Pain over left groin in perirenal collection (d) Pain in right iliac fossa in perforated peptic ulcer

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

828. [2020] paper-ii

19. Spontaneous bacterial peritonitis occurs due to: (a) duodenal stump blowout (b) peptic ulcer perforation (c) acute bacterial infection of ascites (d) infection via fallopian tubes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

829. [2020] paper-ii

20. Structure not forming boundaries of the "Triangle of doom" seen during laparoscopic inguinal hernia surgery dissection is: (a) Vas deferens (b) Inferior epigastric artery (c) Spermatic cord vessels (d) Peritoneum

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

830. [2020] paper-ii

21. The term mid-line shift is associated with: (a) Head injury (b) Chest injury (c) Abdominal injury (d) Limb injury

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

831. [2020] paper-ii

22. Which one of the following cranial nerves does NOT supply to the external ear? (a) Cranial nerve V (b) Cranial nerve VI ===== PAGE 5 ===== (c) Cranial nerve VII (d) Cranial nerve IX

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

832. [2020] paper-ii

23. Left Internal Mammary Artery (LIMA) has become the conduit of choice for Left Anterior Descending (LAD) artery during coronary artery bypass grafting because: (a) Long term patency rates are more than 98% (b) It is close to LAD (c) Atherosclerosis is never seen in this vessel (d) It is very easy to harvest

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

833. [2020] paper-ii

24. A 50-year old male with significant smoking history presented in the surgical emergency with sudden severe breathlessness. Chest X-ray shows right sided Pneumothorax. The appropriate management requires: (a) Aspiration of air with 16-18 G cannula (b) Right chest drain of size 8-14 Fr (c) Oxygen by face mask (d) Mechanical ventilation

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

834. [2020] paper-ii

25. Which one of the following statements regarding Felon is NOT correct? (a) There is infection of the finger tip between specialised fibrous septa (b) It is a painless condition (c) Incision and drainage is the treatment of choice (d) It is common in diabetics

835. [2020] paper-ii

26. The most common site for osteosarcoma is: (a) Proximal femur (b) Distal femur (c) Proximal humerus (d) Distal humerus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

836. [2020] paper-ii

27. Rapid Sequence Induction is indicated in: (a) Emergency surgery for intestinal obstruction (b) Elective open hernia surgery (c) Cardiopulmonary bypass surgery (d) Elective laparoscopic surgery

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

837. [2020] paper-ii

28. Which one of the following statements about Compartment Syndrome is NOT correct? (a) It is commonest in a closed fracture (b) Pain is on active movement but not on passive movement of muscles (c) Fasciotomy is the treatment of choice (d) Volkmann's Ischaemic contracture is a late complication ===== PAGE 6 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

838. [2020] paper-ii

29. Which one of the following is NOT the strength of ultrasound as a diagnostic modality? (a) No radiation (b) Short learning curve (c) Inexpensive (d) Allows dynamic studies to be done

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

839. [2020] paper-ii

30. Which of the following statements regarding lymphoedema following breast cancer treatment are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

840. [2020] paper-ii

31. Which one of the following is NOT a risk factor for development of venous thrombosis in surgical patients? (a) Age > 60 years (b) Pregnancy (c) Obesity (BMI > 30 kg/m²) (d) Diabetes (HbA1c > 7.5%)

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

841. [2020] paper-ii

32. Which one of the following is NOT a complication of massive blood transfusion? (a) Coagulopathy (b) Hypocalcaemia (c) Hyperthermia (d) Hyperkalemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

842. [2020] paper-ii

33. Stage III "Pressure sore" is full thickness skin loss extending: (a) into subcutaneous tissue but not through fascia (b) through subcutaneous tissue into fascia (c) through subcutaneous tissue into fascia and muscles (d) through subcutaneous tissue into fascia, muscles and bone ===== PAGE 7 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

843. [2020] paper-ii

34. During subclavian vein puncture in a surgical ward suddenly a patient developed severe breathlessness. On auscultation breath sound was absent and the ipsilateral chest was tympanitic on percussion. The probable diagnosis is: (a) Iatrogenic pneumothorax (b) Introgenic hemothorax (c) Spontaneous pneumothorax (d) Tension pneumothorax

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

844. [2020] paper-ii

35. Kohler's disease is avascular necrosis of : (a) Lunate (b) Capitellum of humerus (c) First metatarsal head (d) Navicular

845. [2020] paper-ii

36. Which one of the following is NOT true of Pyoderma gangrenosum? (a) It is characterized by cutaneous ulceration with purple undermined edges (b) It is often secondary to heightened immunological reactivity from another disease process (c) Cultures often show Gram positive Staphylococci (d) Lesions generally respond to steroids

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

846. [2020] paper-ii

37. Which of the following is NOT a tissue repair surgery for inguinal hernia repair? (a) Bassini's repair (b) Shouldice repair (c) Stoppa's repair (d) Desarda repair

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

847. [2020] paper-ii

38. Which one of the following type of meshes is recommended for intraperitoneal use in abdominal wall hernia? (a) Light weight, porous meshes (b) Heavy weight, porous meshes (c) Absorbable meshes (d) Tissue separating meshes

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

848. [2020] paper-ii

39. Which one of the following is NOT correct regarding MEN-1 syndrome? (a) It involves parathyroid glands (b) It involves pancreas (c) It involves pituitary gland (d) It involves pineal gland ===== PAGE 8 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

849. [2020] paper-ii

40. Which one of the following is NOT an electronic information site in surgery? (a) Pubmed (b) Embase (c) Cochrane library (d) National medical library

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

850. [2020] paper-ii

41. Which one of the following statements regarding pre-conceptional counseling is NOT correct? (a) It is needed only in selected complicated pregnancies (b) It helps in early detection of risk factors (c) It helps in reducing maternal morbidity and mortality (d) It is a part of preventive medicine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

851. [2020] paper-ii

42. Consider the following statements regarding Non Stress Test (NST):

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

852. [2020] paper-ii

43. Which one of the following is a protective factor for endometrial hyperplasia? (a) Diabetes (b) Tamoxifen therapy (c) Multiparity (d) Delayed menopause

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

853. [2020] paper-ii

44. A woman who is not breast feeding her newborn child is advised to use a contraceptive method by: (a) 3rd postpartum week (b) 6th postpartum week (c) 3rd postpartum month (d) 6th postpartum month ===== PAGE 9 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

854. [2020] paper-ii

45. Pearl index for contraceptive effectiveness is calculated in terms of which of the following?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

855. [2020] paper-ii

46. Indications for removal of IUDs are all EXCEPT: (a) Perforation of uterus (b) Cyclical menstrual bleeding (c) Flaring up of salpingitis (d) Pregnancy with IUD

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

856. [2020] paper-ii

47. Contraindications for insertion of IUDs are all EXCEPT: (a) Suspected pregnancy (b) Trophoblastic disease (c) Severe dysmenorrhea (d) During cesarean section

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

857. [2020] paper-ii

48. Which one of the following is NOT a contraindication for use of Mini pill? (a) Pregnancy (b) Breast feeding (c) Thromboembolic disease (d) History of breast cancer

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

858. [2020] paper-ii

49. Which one of the following is the most commonly used surgical method/technique of female sterilization as recommended by Government of India? (a) Uchida technique (b) Irving method (c) Pomeroy's method (d) Madlener technique ===== PAGE 10 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

859. [2020] paper-ii

50. Which of the following is/are required for a registered medical practitioner to qualify for performing Medical Termination of Pregnancy (MTP), as per revised rules of MTP Act?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

860. [2020] paper-ii

51. Which one of the following is NOT a support of uterus, preventing its descent? (a) Endopelvic fascia (b) Mackenrodt's ligament (c) Inguinal ligament (d) Pubocervical ligament

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

861. [2020] paper-ii

52. As per ICMR guidelines, which one of the following statements is true regarding effects of COVID-19 on fetus according to current evidence? (a) There is increased risk of early pregnancy loss (b) COVID-19 virus is not teratogenic (c) COVID-19 virus infection is an indication of MTP (d) There is increased risk of fetal growth restriction

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

862. [2020] paper-ii

53. As per ICMR guidelines, which one of the following statements is true regarding COVID-19 infection in pregnancy? (a) Covid-19 pneumonia in pregnancy is more severe with poor recovery (b) Pregnant women with heart disease are at higher risk (c) Vaginal secretions always test positive for COVID-19 in pregnancy (d) COVID-19 virus is secreted in breast milk

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

863. [2020] paper-ii

54. Which one of the following is NOT a method of management of Deep Transverse Arrest with the living fetus? (a) Caesarean section (b) Delivery by ventouse (c) Delivery by application of forceps to the unrotated head (d) Manual rotation and application of forceps ===== PAGE 11 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

864. [2020] paper-ii

55. Successful version of breech presentation is likely in case all of the following EXCEPT: (a) Breech with extended

legs (b) Complete breech with sacroanterior position (c) Non engaged breech (d) Adequate amniotic fluid

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

865. [2020] paper-ii

56. Implantation of a fertilised ovum occurs on which day following fertilisation? (a) Day 6 (b) Day 10 (c) Day 14 (d) Day 20

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

866. [2020] paper-ii

57. During total abdominal hysterectomy the ureter is likely to undergo injury or ligation during the following steps EXCEPT: (a) During division and ligation of the round ligaments (b) During division and ligation of infundibulopelvic ligaments (c) During division and ligation of mackenrodt's and uterosacral ligaments (d) At the vaginal angles while incising the vagina to remove the cervix with the uterus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

867. [2020] paper-ii

58. The net effect of antenatal care has been the following EXCEPT: (a) Reduction in maternal mortality (b) Reduction in perinatal mortality (c) Reduction in the incidence of institutional delivery (d) Reduction in maternal morbidity

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

868. [2020] paper-ii

59. Which one of the following is NOT a component of active phase in the partograph? (a) Acceleration phase (b) Phase of maximum slope (c) Phase of deceleration (d) Phase of expulsion

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

869. [2020] paper-ii

60. From medicolegal point of view which one of the following is NOT a sign of previous child birth? (a) Perineum is lax and there is evidence of scarring (b) Introitus is gaping and there is presence of carunculae myrtiformis (c) Abdomen is lax and loose with striae and linea alba (d) Conical cervix with round external os ===== PAGE 12 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

870. [2020] paper-ii

61. The components of partograph are all EXCEPT: (a) Time (b) Fetal heart rate (c) Maternal respiratory rate (d) Maternal urine analysis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

871. [2020] paper-ii

62. Which of the following information are provided by partograph?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

872. [2020] paper-ii

63. Intraoperative recognition of ureter is by which of the following features?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

873. [2020] paper-ii

64. Hysterosalpingography (HSG) is least helpful in detecting which of the following? (a) Tubal patency (b) Pelvic adhesions (c) Asherman syndrome (d) Congenital uterine anomaly ===== PAGE 13 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

874. [2020] paper-ii

65. Which of the following are characteristics of Trichomonas vaginitis?

875. [2020] paper-ii

66. Tumor marker of epithelial ovarian carcinoma is: (a) Ca.125 (b) Alpha fetoprotein (c) Beta HCG (d) LDH

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

876. [2020] paper-ii

67. The most common site of cervical cancer is: (a) Endocervix (b) Ectocervix (c) Transformation zone (d) Isthmus

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

877. [2020] paper-ii

68. The placenta synthesizes all EXCEPT: (a) Oestriol (b) Corticotrophin releasing hormone (c) PAPP-A (Pregnancy Associated Plasma Protein A) (d) Dehydroepiandrosterone

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

878. [2020] paper-ii

69. Withdrawal bleeding following administration of progesterone in a case of secondary amenorrhea indicates all EXCEPT: (a) Absence of pregnancy (b) Production endogenous estrogen (c) Endometrium is responsive to estrogen (d) Defect in pituitary gland

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

879. [2020] paper-ii

70. Monilial vaginitis is commonly associated with all EXCEPT: (a) Prolonged antibiotic therapy (b) Diabetes Mellitus (c) Treatment of malaria with chloroquine (d) Pregnancy ===== PAGE 14 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

880. [2020] paper-ii

71. Which one of the following is NOT a risk factor for the development of placenta previa? (a) Maternal age (b) Smoking (c) Previous caesarean section (d) Maternal anaemia

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

881. [2020] paper-ii

72. Common clinical presentations of moderate to severe abruption are all EXCEPT: (a) Uterine tenderness (b) Fetal distress (c) Unexplained pre term labour (d) Prolonged labour

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

882. [2020] paper-ii

73. Common trisomies resulting in spontaneous abortion are all EXCEPT: (a) Trisomy 21 (b) Trisomy 18 (c) Trisomy 16 (d) Trisomy 1

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

883. [2020] paper-ii

74. The initial prevention strategy for antiphospholipid syndrome will be:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

884. [2020] paper-ii

76. Which of the following symptoms can be associated with pelvic organ prolapse?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

885. [2020] paper-ii

77. A 30 year old lady, P2L2 presents with painful unilateral swelling in vulva for 3 days. Which of the following statements are true regarding the above case?

886. [2020] paper-ii

78. Which one of the following is NOT a sign of separation of placenta? (a) Uterus becomes globular, firm and ballotable (b) The fundal height reduces further (c) Slight bulging in the suprapubic region (d) Apparent lengthening of the cord with slight gush of vaginal bleeding

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

887. [2020] paper-ii

79. Consider the following regarding examination of a rape victim:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

888. [2020] paper-ii

80. Consider the following cardinal movements of mechanism of normal labor:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

889. [2020] paper-ii

81. Which of the following represent the properties of an ideal disinfectant?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

890. [2020] paper-ii

82. Which of the following measures can help reduce the risk of systemic hypertension?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

891. [2020] paper-ii

83. Keeping biological determinants in perspective, consider the following statements:

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

892. [2020] paper-ii

84. NITI Aayog has the following roles EXCEPT: (a) It provides critical directional and strategic input in the development process (b) It provides relevant technical advice with focus on technology upgradation (c) It focuses on capacity building (d) It focuses on the development of "Referral Service Complex"

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

893. [2020] paper-ii

85. Poor hand hygiene of a mess worker in a university college mess led to Hepatitis A cases in the hostel inmates. What type of epidemic will this exposure present with?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

894. [2020] paper-ii

86. What is the specificity of sputum microscopy in detection of Pulmonary Tuberculosis (PTB) as per the information given below? PTB Total Sputum microscopy Present Absent Positive 270 20 290 Negative 30 180 210 Total 300 200 500 (a) 10 % (b) 36 % (c) 90 % (d) 94 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

895. [2020] paper-ii

87. In a cohort of 500 women attending antenatal clinic, 70 % had ultrasonography (USG). This cohort was followed up at delivery. Of the women who had USG, 70 delivered low birth weight (LBW) babies; whereas of the women, who did not undergo USG, 50 delivered LBW babies. The incidence of LBW babies among women who had USG is: (a) 10 % (b) 15 % (c) 20 % (d) 25 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

896. [2020] paper-ii

88. Major source of vitamin K1 is: (a) Fresh dark green vegetables (b) Exposure of body to sunlight (c) Citrus fruits (d) Foods rich in polyunsaturated fatty acids

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

897. [2020] paper-ii

89. Which one of the following is NOT a function of Epidemiology? (a) To study historically the rise and fall of disease in the population (b) Searching for the causes and risk factor (c) Identifying syndromes (d) Making clinical diagnosis

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

898. [2020] paper-ii

90. Which one of the following is NOT a contagious disease? (a) Malaria (b) Scabies (c) Trachoma (d) Leprosy =====
PAGE 19 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

899. [2020] paper-ii

91. In primary immune response, how much more antigenic dose is required to induce IgG antibodies as against the induction of IgM antibodies? (a) 10 times more (b) 25 times more (c) 50 times more (d) 100 times more

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

900. [2020] paper-ii

92. Pentavalent vaccine provides protection against which of the following diseases? (a) Diphtheria, Pertussis, Tuberculosis, Measles and Hepatitis B (b) Diphtheria, Pertussis, Measles, Hepatitis B and Hib (c) Diphtheria, Pertussis, Tetanus, Hepatitis B and Rubella (d) Diphtheria, Pertussis, Tetanus, Hepatitis B and Hib

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

901. [2020] paper-ii

93. Consider the following data for a country: Population in 0-14 years of age – 391,558,367 Population between 15–64 years of age – 856,076,200 Population above 65 years of age – 71,943,390 What shall be the dependency ratio of this country? (a) 42.4 % (b) 54.1 % (c) 66.2 % (d) 78.6 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

902. [2020] paper-ii

94. Which one of the following statements regarding Rabies Immunoglobulin is NOT true? (a) It should be administered only once as soon as possible after the initiation of post exposure prophylaxis (b) It should be administered all into or around the wound sites (c) There is no scientific ground for performing a skin test prior to administering equine immunoglobulin (d) It can be administered till 15 days after the first dose of anti-rabies vaccine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

903. [2020] paper-ii

95. All of the following are true about Bedaquiline (BDQ) EXCEPT: (a) It specifically targets mycobacterial ATP synthase (b) It is a bacteriostatic drug (c) It has extended half life (d) It has high volume of tissue distribution

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

904. [2020] paper-ii

96. Visual inspection based screening test with 5 % acetic acid is used for the screening of which one of the following cancers? (a) Lung cancer (b) Cervix cancer (c) Oral cancer (d) Breast cancer ===== PAGE 20 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

905. [2020] paper-ii

97. Predictive accuracy of a screening test depends on the following EXCEPT: (a) Disease prevalence (b) Disease incidence (c) Sensitivity of screening test (d) Specificity of screening test

906. [2020] paper-ii

98. How much of Zinc supplement is recommended by WHO and UNICEF for infants less than 6 months of age after an episode of acute diarrhoea? (a) 20 mg per day for 10–14 days (b) 10 mg per day for 10–14 days (c) 5 mg per day for 7 days (d) 6 mg per day for 7 days

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

907. [2020] paper-ii

99. Which one of the following statements regarding sequential administration of Inactivated Polio Vaccine (IPV) and Oral Polio Vaccine (OPV) is NOT correct? (a) It will be cost effective in developing countries for Polio prevention (b) The combined schedules of IPV and OPV appear to reduce or prevent Vaccine Associated Paralytic Polio (VAPP) (c) Intestinal mucosal immunity is lost due to IPV administration (d) IPV and OPV together may optimize both the humoral and mucosal immunogenicity of Polio vaccine

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

908. [2020] paper-ii

100. What is the recommended dose regimen of Vitamin A for the treatment of early stages of Xerophthalmia? (a) Single massive dose of 2 lac International Units (IU) (b) 2 lac IU on two successive days (c) 2 doses of 1 lac IU in two successive days (d) 2 doses of 1 lac IU at a gap of one week

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

909. [2020] paper-ii

101. Which is the most specific causative agent of Rabies? (a) Lyssavirus serotype 1 (b) Lyssavirus serotype 2 (c) Lyssavirus serotype 3 (d) Lyssavirus serotype 4

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

910. [2020] paper-ii

102. Which one of the following is the antibiotic of choice for the prevention of Rheumatic heart disease? (a) Benzathine Benzyl Penicillin (b) Procaine Penicillin (c) Doxycycline (d) Ciprofloxacin ===== PAGE 21 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

911. [2020] paper-ii

103. All of the following are global targets for WHO Global Action Plan (2013–2020) for Prevention and Control of NCDs, EXCEPT: (a) A 10 % relative reduction in risk of premature mortality from cardiovascular diseases, cancer, diabetes and chronic respiratory diseases (b) A 10 % relative reduction in prevalence of insufficient physical activity (c) A 10 % relative reduction in mean population intake of salt/sodium (d) At least 10 % relative reduction in the harmful use of alcohol

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

912. [2020] paper-ii

104. Under the Employees State Insurance (ESI) Scheme, extended sickness benefit is provided in which of the following infectious diseases?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

913. [2020] paper-ii

105. In the context of NCD prevention and control in India, the extent of relative reduction in household use of solid fuels as a primary source of energy for cooking by 2025 is targeted at: (a) 30 % (b) 40 % (c) 50 % (d) 60 %

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

914. [2020] paper-ii

106. Consider the following criteria which may indicate elimination of lymphatic filariasis in a community:

915. [2020] paper-ii

107. Hold over time of cold chain equipment depends on all of the following factors EXCEPT: (a) Ambient temperature (b) Quantity of vaccines kept (c) Types of vaccines kept (d) Condition of icepack lining

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

916. [2020] paper-ii

108. Which of the following statements regarding Physical Quality of Life Index (PQLI) are correct?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

917. [2020] paper-ii

109. Disability-adjusted life years (DALYs) include: (a) Years of lost life (YLL) (b) Years lost to disability (YLD) (c) Both YLL and YLD (d) Neither YLL nor YLD

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

918. [2020] paper-ii

110. Which of the following are health care delivery indicators?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

919. [2020] paper-ii

111. Which of the following key action areas are incorporated in the Ottawa Charter?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

920. [2020] paper-ii

112. Under Chapter XXI of the 10th revision of the International Statistical Classification of Diseases and Related Health Problems (ICD-10), lifestyle-related problems fall under which of the following code range? (a) U 50.0 – U 50.5 (b) U 10.0 – U 10.5 (c) Z 72.0 – Z 72.5 (d) Z 10.0 – Z 10.5

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

921. [2020] paper-ii

113. Which of the following diseases are spread by airborne transmission?

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

922. [2020] paper-ii

114. DASH diet plan is advocated in the control of which one of the following diseases? (a) Cancer (b) Chronic Obstructive Pulmonary Disease (c) Hypertension (d) Rheumatic heart disease

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

923. [2020] paper-ii

115. Endemic ascitis occurs due to: (a) Naturally occurring toxin (b) Bacterial toxin (c) Fungal toxin (d) Viral toxin =====

PAGE 24 =====

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

924. [2020] paper-ii

116. The presence of which of the following bacteria in drinking water is an important confirmatory evidence of recent faecal pollution of water? (a) E. coli (b) Streptococci (c) Clostridium (d) Klebsiella

Official source: backend/data/pyq/collector/universal-official-pdfs/raw/CMS-Paper-II-2020.pdf

925. [2020] paper-ii

117. With regard to the Goals, Milestones and Targets for the Global Technical Strategy for Malaria (2016-2030), consider the following statements:

926. [2020] paper-ii

118. Which one of the following IUDs is associated with a low pregnancy rate (0.2 per 100), less number of ectopic pregnancies and lower menstrual blood loss? (a) Cu T-380A (b) ML-Cu 375 (c) Progestasert (d) LNG-20(Mirena)

927. [2020] paper-ii

119. The incidence of diarrhoea is highest among infants in the age group of 6–11 months due to all of the following reasons EXCEPT: (a) Declining level of maternal antibodies (b) Introduction of foods which may be contaminated (c) Eruption of teeth (d) Direct contact with human or animal faeces ===== PAGE 25 =====

928. [2020] paper-ii

120. In the context of “Anti-Malaria Month Campaign”, consider the following statements: