

MySQL Workbench

Local instance MySQL53 - W... x MySQL Model* x EER Diagram x EER Diagram1 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

SCHEMAS

- company
- companydb
 - Tables
 - company
 - employee
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Administration Schemas

Information

Table: employee

Columns:

- employeeID int PK
- name varchar(50)
- age int

company database* employee table* employee employee table 2 employee x

Limit to 1000 rows

1 • SELECT * FROM companydb.employee;

Result Grid

employeeID	name	age
1	anuj	23
2	akash	32
11	himanshu	22
22	ankush	24
101	anuj	23
102	himanshu	22
NULL	NULL	NULL

employee 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
84	15:54:34	SELECT * FROM companydb.employee LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
85	15:54:56	insert into employee values (1,"anuj",23), (11,"himanshu",22), (2,"akash",32), (22,"ank...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
86	15:55:05	SELECT * FROM companydb.employee LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
87	16:08:20	create database company	Error Code: 1007. Can't create database 'company': database exists	0.000 sec
88	17:06:07	SELECT * FROM companydb.employee LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL53 - W... x MySQL Model x EER Diagram x EER Diagram1 x

File Edit View Query Database Server Tools Scripting Help

company database* employee table* employee employee table 2

Limit to 1000 rows

1 • create database company;
2
3 • use company;
4
5 • create table employee
6 (
7 employeeID int primary key,
8 name varchar(50),
9 age int not null
10);
11 • insert into employee
12 values
13 (1,"anuj",23),
14 (11,"himanshu",22),
15 (2,"akash",32),
16 (22,"ankush",24);
17 • select * from company.employee where age >20;
18

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Table: employee

Columns:

- employeeID int PK
- name varchar(50)
- age int

Output

Action Output

#	Time	Action	Message	Duration / Fetch
83	15:54:27	create table employee (employeeID int primary key, name varchar(50), age int not null);	Error Code: 1050. Table 'employee' already exists	0.000 sec
84	15:54:34	SELECT * FROM companydb.employee LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
85	15:54:56	insert into employee values (1,"anuj",23) (11,"himanshu",22) (2,"akash",32) (22,"ankush",24);	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
86	15:55:05	SELECT * FROM companydb.employee LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
87	16:08:20	create database company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec

Object Info Session

Query interrupted



